



Jefferson Health Plans 2026 Value Formulary (List of Covered Drugs)

Giveback (HMO) | Flex (PPO)
Choice Plus (PPO)

Jefferson Health Plans

2026 Value Formulary

(List of Covered Drugs or “Drug List”)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID 26357, Version 10

This formulary was updated on 03/01/2026. For more recent information or other questions, please contact Jefferson Health Plans Member Relations at 1-866-901-8000 (TTY users should call 1-877-454-8477) or visit JeffersonHealthPlans.com/Medicare. From October 1 to March 31, we’re available 8 a.m. to 8 p.m., 7 days a week. And from April 1 to September 30, we’re available 8 a.m. to 8 p.m., Monday to Friday.

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means Jefferson Health Plans. When it refers to “plan” or “our plan,” it means Jefferson Health Plans Giveback (HMO), Flex (PPO), and Choice Plus (PPO).

This document includes a Drug List (formulary) for our plan which is current as of 03/01/2026. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

What is the Jefferson Health Plans Value Formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Jefferson Health Plans in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Jefferson Health Plans will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Jefferson Health Plans network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by Jefferson Health Plans, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the Formulary change?

Most changes in drug coverage happen on January 1, but Jefferson Health Plans may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website at JeffersonHealthPlans.com/Medicare.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Jefferson Health Plans’ Value Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product. We may make changes based on new clinical guidelines. If we remove drugs from our formulary or add prior authorization, quantity limits and/or step therapy restrictions on a drug, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Jefferson Health Plans’ Value Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2026 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2026 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 03/01/2026. To get updated information about the drugs covered by Jefferson Health Plans please contact us. Our contact information appears on the front and back cover pages.

Our print formulary will be updated by reprinting in the event of mid-year non-maintenance formulary changes.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 2. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on A-8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 110. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Jefferson Health Plans covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Jefferson Health Plans requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from Jefferson Health Plans before you fill your prescriptions. If you don’t get approval, Jefferson Health Plans may not cover the drug.
- **Quantity Limits:** For certain drugs, Jefferson Health Plans limits the amount of the drug that Jefferson Health Plans will cover. For example, Jefferson Health Plans provides 60 tablets per prescription for atorvastatin 10 mg. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Jefferson Health Plans requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Jefferson Health Plans may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Jefferson Health Plans will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 2. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Jefferson Health Plans to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Jefferson Health Plans’ Value Formulary?” below for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Relations and ask if your drug is covered.

If you learn that Jefferson Health Plans does not cover your drug, you have two options:

- You can ask Member Relations for a list of similar drugs that are covered by Jefferson Health Plans. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Jefferson Health Plans.
- You can ask Jefferson Health Plans to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Jefferson Health Plans' Value Formulary?

You can ask Jefferson Health Plans to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Jefferson Health Plans limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, Jefferson Health Plans will only approve your request for an exception if the alternative drugs included on the plan's formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You or your prescriber should contact us to ask for a formulary exception, including an exception to a coverage restriction. ***When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.*** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will

cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member and have a change in treatment setting due to a change in the level of care you require, you can ask us to make a formulary exception. Examples of level of care changes might include:

- Discharge from a hospital to home
- Ending your skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and you now need to use your Part D plan
- Changing from hospice status and reverting to standard Medicare Part A and B coverage
- Ending a long-term care stay and returning to the community
- Discharges from chronic psychiatric hospitals with highly individualized drug regimens

For these unplanned transitions, you can ask us to make a formulary exception or appeal for continued coverage of your drug. In addition, we will review requests for continuation of therapy on a case-by-case basis for members that have had a change in their level of care and are stabilized on drug regimens that if altered are known to have risks.

For more information

For more detailed information about your Jefferson Health Plans prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Jefferson Health Plans, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Jefferson Health Plans Value Formulary

The formulary that begins on the page 2 provides coverage information about the drugs covered by Jefferson Health Plans. If you have trouble finding your drug in the list, turn to the Index that begins on page 110.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., TRULICITY) and generic drugs are listed in lower-case italics (e.g., *valsartan*).

The information in the Requirements/Limits column tells you if Jefferson Health Plans has any special requirements for coverage of your drug.

The table below shows the cost-sharing for each drug tier shown in this formulary.

| Drug Tier | Standard Retail Cost-Sharing (in-network) One-month supply (up to a 30-day supply) |
|--|--|
| 1 – Preferred Generics | \$0 |
| 2 – Generic | |
| Choice Plus | \$0 |
| Flex | \$5 |
| Giveback | \$10 |
| 3 – Preferred Brand[†] | |
| Choice Plus, Flex | 25% |
| Giveback | 20% |
| 4 – Non-Preferred Drugs[†] | |
| Choice Plus, Flex | 32% |
| Giveback | 35% |
| 5 – Specialty[†] | |
| Choice Plus, Flex | 33% |
| Giveback | 25% |

You won't pay more than \$35 for a one-month supply of each covered insulin product regardless of the cost-sharing tier.

[†] Members of the Giveback (HMO) plans will pay a yearly deductible of \$300 on Tier 3, 4, & 5 drugs. The Deductible Stage is the first payment stage for your drug coverage. The deductible doesn't apply to covered insulin products and most adult Part D vaccines, including shingles, tetanus and travel vaccines. You must pay the full cost of your Tier 3, 4, & 5 drugs until you reach the plan's deductible amount. For all other drugs, you will not have to pay any deductible.

Category Listing

| | |
|---|----|
| ANALGESICS..... | 2 |
| ANESTHETICS..... | 5 |
| ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS..... | 5 |
| ANTIBACTERIALS..... | 6 |
| ANTICONVULSANTS..... | 12 |
| ANTIDEMENTIA AGENTS..... | 16 |
| ANTIDEPRESSANTS..... | 17 |
| ANTIEMETICS..... | 20 |
| ANTIFUNGALS..... | 21 |
| ANTIGOUT AGENTS..... | 23 |
| ANTIMIGRAINE AGENTS..... | 23 |
| ANTIMYASTHENIC AGENTS..... | 24 |
| ANTIMYCOBACTERIALS..... | 24 |
| ANTINEOPLASTICS..... | 25 |
| ANTIPARASITICS..... | 34 |
| ANTIPARKINSON AGENTS..... | 35 |
| ANTIPSYCHOTICS..... | 36 |
| ANTISPASTICITY AGENTS..... | 40 |
| ANTIVIRALS..... | 40 |
| ANXIOLYTICS..... | 46 |
| BIPOLAR AGENTS..... | 47 |
| BLOOD GLUCOSE REGULATORS..... | 47 |
| BLOOD PRODUCTS AND MODIFIERS..... | 51 |
| CARDIOVASCULAR AGENTS..... | 54 |
| CENTRAL NERVOUS SYSTEM AGENTS..... | 63 |
| DENTAL AND ORAL AGENTS..... | 66 |
| DERMATOLOGICAL AGENTS..... | 66 |
| ELECTROLYTES/MINERALS/METALS/VITAMINS..... | 70 |
| GASTROINTESTINAL AGENTS..... | 74 |
| GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT..... | 76 |
| GENITOURINARY AGENTS..... | 77 |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)..... | 78 |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)..... | 79 |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)..... | 79 |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)..... | 88 |
| HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)..... | 89 |
| HORMONAL AGENTS, SUPPRESSANT (THYROID)..... | 90 |

| | |
|---|-----|
| IMMUNOLOGICAL AGENTS..... | 90 |
| INFLAMMATORY BOWEL DISEASE AGENTS..... | 96 |
| METABOLIC BONE DISEASE AGENTS..... | 97 |
| MISCELLANEOUS THERAPEUTIC AGENTS..... | 98 |
| OPHTHALMIC AGENTS..... | 99 |
| OTIC AGENTS..... | 102 |
| RESPIRATORY TRACT/PULMONARY AGENTS..... | 103 |
| SKELETAL MUSCLE RELAXANTS..... | 108 |
| SLEEP DISORDER AGENTS..... | 108 |

LEGEND

| TIER | NAME |
|------|---------------------|
| 1 | Preferred Generics |
| 2 | Generics |
| 3 | Preferred Brands |
| 4 | Non-Preferred Drugs |
| 5 | Specialty |

| SYMBOL | NAME | DESCRIPTION |
|--------|---|--|
| QL | Quantity Limit | There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame. |
| PA3 | Prior Authorization (Part B vs. Part D) | This prescription may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination. |
| PA2 | Prior Authorization (New Starts Only) | Prior authorization applies to new starts only. You (or your physician) are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug. |
| PA | Prior Authorization | You (or your physician) are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug. |
| ST | Step Therapy | In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition. |

2026 JEFFERSON HEALTH PLANS VALUE FORMULARY (List of Covered Drugs)

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------|
| ANALGESICS | | |
| NONSTEROIDAL ANTI-INFLAMMATORY DRUGS | | |
| <i>celecoxib (50 mg cap, 100 mg cap, 200 mg cap)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>celecoxib 400 mg cap</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>diclofenac potassium 50 mg tab</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>diclofenac sodium (25 mg tab dr, 50 mg tab dr, 75 mg tab dr)</i> | 2-Generics | |
| <i>diclofenac sodium 1.5 % solution</i> | 3-Preferred Brands | QL (300 PER 28 DAYS) |
| <i>diclofenac sodium er</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>diflunisal</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>etodolac (200 mg cap, 300 mg cap)</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>etodolac (400 mg tab, 500 mg tab)</i> | 3-Preferred Brands | |
| <i>etodolac er</i> | 4-Non-Preferred Drugs | |
| <i>flurbiprofen</i> | 2-Generics | |
| <i>ibu</i> | 1-Preferred Generics | |
| <i>ibuprofen (100 mg/5ml suspension, 200 mg/10ml suspension)</i> | 2-Generics | |
| <i>ibuprofen (400 mg tab, 600 mg tab, 800 mg tab)</i> | 1-Preferred Generics | |
| <i>meloxicam (7.5 mg tab, 15 mg tab)</i> | 1-Preferred Generics | |
| <i>nabumetone</i> | 2-Generics | |
| <i>naproxen (250 mg tab, 375 mg tab, 500 mg tab)</i> | 1-Preferred Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|--------------------|----------------------------|
| <i>naproxen 375 mg tab dr</i> | 2-Generics | |
| <i>piroxicam 10 mg cap</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>piroxicam 20 mg cap</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>relafen</i> | 2-Generics | |
| <i>sulindac</i> | 2-Generics | QL (60 PER 30 DAYS) |

OPIOID ANALGESICS, LONG-ACTING

| | | |
|---|-----------------------|-----------------------|
| <i>buprenorphine</i> | 4-Non-Preferred Drugs | QL (4 PER 28 DAYS) |
| <i>fentanyl (12 mcg/hr patch 72hr, 25 mcg/hr patch 72hr, 50 mcg/hr patch 72hr, 75 mcg/hr patch 72hr, 100 mcg/hr patch 72hr)</i> | 4-Non-Preferred Drugs | QL (10 PER 30 DAYS) |
| <i>methadone hcl 10 mg tab</i> | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>methadone hcl 10 mg/5ml solution</i> | 3-Preferred Brands | QL (1800 PER 30 DAYS) |
| <i>methadone hcl 5 mg tab</i> | 3-Preferred Brands | QL (480 PER 30 DAYS) |
| <i>methadone hcl 5 mg/5ml solution</i> | 3-Preferred Brands | QL (3600 PER 30 DAYS) |
| <i>morphine sulfate er (15 mg tab er, 30 mg tab er, 60 mg tab er, 100 mg tab er, 200 mg tab er)</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |

OPIOID ANALGESICS, SHORT-ACTING

| | | |
|--|--------------------|-----------------------|
| <i>acetaminophen-codeine (120-12 mg/5ml solution, 300-30 mg/12.5ml solution)</i> | 2-Generics | QL (2700 PER 30 DAYS) |
| <i>acetaminophen-codeine 300-15 mg tab</i> | 2-Generics | QL (390 PER 30 DAYS) |
| <i>acetaminophen-codeine 300-30 mg tab</i> | 2-Generics | QL (360 PER 30 DAYS) |
| <i>acetaminophen-codeine 300-60 mg tab</i> | 2-Generics | QL (180 PER 30 DAYS) |
| <i>endocet (2.5-325 mg tab, 5-325 mg tab)</i> | 3-Preferred Brands | QL (360 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>endocet 10-325 mg tab</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>endocet 7.5-325 mg tab</i> | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>hydrocodone-acetaminophen (2.5-108 mg/5ml solution, 5-217 mg/10ml solution, 7.5-325 mg/15ml solution)</i> | 4-Non-Preferred Drugs | QL (2700 PER 30 DAYS) |
| <i>hydrocodone-acetaminophen 10-325 mg tab</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>hydrocodone-acetaminophen 5-325 mg tab</i> | 3-Preferred Brands | QL (360 PER 30 DAYS) |
| <i>hydrocodone-acetaminophen 7.5-325 mg tab</i> | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>hydromorphone hcl (2 mg tab, 4 mg tab, 8 mg tab)</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>hydromorphone hcl 1 mg/ml liquid</i> | 4-Non-Preferred Drugs | QL (1500 PER 30 DAYS) |
| <i>morphine sulfate (10 mg/5ml solution, 20 mg/5ml solution)</i> | 3-Preferred Brands | QL (900 PER 30 DAYS) |
| <i>morphine sulfate (15 mg tab, 30 mg tab)</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>morphine sulfate (concentrate)</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>oxycodone hcl (5 mg tab, 10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab)</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>oxycodone hcl 100 mg/5ml conc</i> | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| <i>oxycodone hcl 5 mg/5ml solution</i> | 4-Non-Preferred Drugs | QL (900 PER 30 DAYS) |
| <i>oxycodone-acetaminophen (2.5-325 mg tab, 5-325 mg tab)</i> | 3-Preferred Brands | QL (360 PER 30 DAYS) |
| <i>oxycodone-acetaminophen 10-325 mg tab</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>oxycodone-acetaminophen 7.5-325 mg tab</i> | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>tramadol hcl 50 mg tab</i> | 2-Generics | QL (240 PER 30 DAYS) |
| <i>tramadol-acetaminophen</i> | 2-Generics | QL (240 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|-------------------------|
| ANESTHETICS | | |
| LOCAL ANESTHETICS | | |
| <i>lidocaine 5 % ointment</i> | 4-Non-Preferred Drugs | QL (50 PER 30 DAYS) |
| <i>lidocaine 5 % patch</i> | 4-Non-Preferred Drugs | PA, QL (90 PER 30 DAYS) |
| <i>lidocaine viscous hcl</i> | 2-Generics | |
| <i>lidocaine-prilocaine</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>lidocan</i> | 4-Non-Preferred Drugs | PA, QL (90 PER 30 DAYS) |
| ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS | | |
| ALCOHOL DETERRENTS/ANTI-CRAVING | | |
| <i>acamprosate calcium</i> | 4-Non-Preferred Drugs | |
| <i>disulfiram</i> | 3-Preferred Brands | |
| <i>naltrexone hcl 50 mg tab</i> | 2-Generics | |
| VIVITROL | 5-Specialty | |
| OPIOID DEPENDENCE | | |
| <i>buprenorphine hcl 2 mg sl tab</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>buprenorphine hcl 8 mg sl tab</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>buprenorphine hcl-naloxone hcl (4-1 mg film, 12-3 mg film)</i> | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| <i>buprenorphine hcl-naloxone hcl 2-0.5 mg film</i> | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| <i>buprenorphine hcl-naloxone hcl 2-0.5 mg sl tab</i> | 2-Generics | QL (180 PER 30 DAYS) |
| <i>buprenorphine hcl-naloxone hcl 8-2 mg film</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>buprenorphine hcl-naloxone hcl 8-2 mg sl tab</i> | 2-Generics | QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|---------------------|
| OPIOID REVERSAL AGENTS | | |
| KLOXXADO | 3-Preferred Brands | |
| <i>naloxone hcl (0.4 mg/ml soln cart, 0.4 mg/ml solution, 2 mg/2ml soln prsyr, 4 mg/10ml solution)</i> | 2-Generics | |
| OPVEE | 3-Preferred Brands | |
| SMOKING CESSATION AGENTS | | |
| <i>bupropion hcl er (smoking det)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| NICOTROL NS | 4-Non-Preferred Drugs | |
| <i>varenicline tartrate</i> | 4-Non-Preferred Drugs | |
| <i>varenicline tartrate (starter)</i> | 4-Non-Preferred Drugs | |
| <i>varenicline tartrate(continue)</i> | 4-Non-Preferred Drugs | |
| ANTIBACTERIALS | | |
| AMINOGLYCOSIDES | | |
| <i>amikacin sulfate</i> | 4-Non-Preferred Drugs | |
| ARIKAYCE | 5-Specialty | PA |
| <i>gentamicin in saline (0.8-0.9 mg/ml-% solution, 1-0.9 mg/ml-% solution, 1.2-0.9 mg/ml-% solution, 1.6-0.9 mg/ml-% solution, 2-0.9 mg/ml-% solution)</i> | 4-Non-Preferred Drugs | |
| <i>gentamicin sulfate (0.1 % cream, 0.1 % ointment)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>gentamicin sulfate (10 mg/ml solution, 40 mg/ml solution)</i> | 4-Non-Preferred Drugs | |
| <i>neomycin sulfate</i> | 2-Generics | |
| <i>streptomycin sulfate</i> | 5-Specialty | |
| <i>tobramycin sulfate (1.2 gm recon soln, 1.2 gm/30ml solution, 10 mg/ml solution, 80 mg/2ml solution)</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| ANTIBACTERIALS, OTHER | | |
| <i>aztreonam</i> | 4-Non-Preferred Drugs | |
| <i>clindamycin hcl</i> | 2-Generics | |
| <i>clindamycin palmitate hcl</i> | 4-Non-Preferred Drugs | |
| <i>clindamycin phosphate (300 mg/2ml solution, 600 mg/4ml solution, 900 mg/6ml solution)</i> | 4-Non-Preferred Drugs | |
| <i>clindamycin phosphate 2 % cream</i> | 3-Preferred Brands | |
| <i>clindamycin phosphate in d5w</i> | 4-Non-Preferred Drugs | |
| <i>colistimethate sodium (cba)</i> | 5-Specialty | |
| <i>daptomycin 350 mg recon soln</i> | 5-Specialty | |
| <i>daptomycin 500 mg recon soln</i> | 5-Specialty | |
| <i>fosfomicin tromethamine</i> | 4-Non-Preferred Drugs | |
| <i>linezolid 100 mg/5ml recon susp</i> | 5-Specialty | QL (1800 PER 30 DAYS) |
| <i>linezolid 600 mg tab</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>linezolid 600 mg/300ml solution</i> | 4-Non-Preferred Drugs | |
| <i>methenamine hippurate</i> | 4-Non-Preferred Drugs | |
| <i>metronidazole (250 mg tab, 500 mg tab)</i> | 2-Generics | |
| <i>metronidazole 0.75 % gel</i> | 3-Preferred Brands | |
| <i>metronidazole 500 mg/100ml solution</i> | 4-Non-Preferred Drugs | |
| <i>nitrofurantoin macrocrystal (50 mg cap, 100 mg cap)</i> | 3-Preferred Brands | |
| <i>nitrofurantoin monohyd macro</i> | 3-Preferred Brands | |
| TIGECYCLINE | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>tinidazole</i> | 3-Preferred Brands | |
| <i>trimethoprim</i> | 3-Preferred Brands | |
| <i>vancomycin hcl (1 gm recon soln, 5 gm recon soln, 10 gm recon soln, 500 mg recon soln, 750 mg recon soln)</i> | 4-Non-Preferred Drugs | |
| <i>vancomycin hcl 125 mg cap</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>vancomycin hcl 250 mg cap</i> | 4-Non-Preferred Drugs | QL (240 PER 30 DAYS) |
| XIFAXAN 550 MG TAB | 5-Specialty | PA |

BETA-LACTAM, CEPHALOSPORINS

| | | |
|--|-----------------------|--|
| <i>cefaclor (250 mg cap, 500 mg cap)</i> | 3-Preferred Brands | |
| <i>cefadroxil (250 mg/5ml recon susp, 500 mg/5ml recon susp)</i> | 3-Preferred Brands | |
| <i>cefadroxil 500 mg cap</i> | 2-Generics | |
| <i>cefazolin sodium (1 gm recon soln, 2 gm recon soln, 3 gm recon soln, 10 gm recon soln, 500 mg recon soln)</i> | 4-Non-Preferred Drugs | |
| <i>cefdinir (125 mg/5ml recon susp, 250 mg/5ml recon susp)</i> | 3-Preferred Brands | |
| <i>cefdinir 300 mg cap</i> | 2-Generics | |
| <i>cefepime hcl (1 gm recon soln, 2 gm recon soln)</i> | 4-Non-Preferred Drugs | |
| <i>cefixime (100 mg/5ml recon susp, 200 mg/5ml recon susp, 400 mg cap)</i> | 4-Non-Preferred Drugs | |
| <i>cefotetan disodium</i> | 4-Non-Preferred Drugs | |
| <i>cefoxitin sodium</i> | 4-Non-Preferred Drugs | |
| <i>cefpodoxime proxetil (50 mg/5ml recon susp, 100 mg tab, 100 mg/5ml recon susp, 200 mg tab)</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>cefprozil (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i> | 2-Generics | |
| <i>ceftazidime</i> | 4-Non-Preferred Drugs | |
| CEFTRIAXONE SODIUM (1 GM RECON SOLN, 2 GM RECON SOLN, 10 GM RECON SOLN, 250 MG RECON SOLN, 500 MG RECON SOLN) | 4-Non-Preferred Drugs | |
| <i>cefuroxime axetil</i> | 2-Generics | |
| <i>cefuroxime sodium</i> | 4-Non-Preferred Drugs | |
| <i>cephalexin (125 mg/5ml recon susp, 250 mg/5ml recon susp)</i> | 3-Preferred Brands | |
| <i>cephalexin (250 mg cap, 500 mg cap)</i> | 2-Generics | |
| <i>tazicef</i> | 4-Non-Preferred Drugs | |
| TEFLARO | 5-Specialty | |

BETA-LACTAM, PENICILLINS

| | | |
|---|-----------------------|--|
| <i>amoxicillin (125 mg chew tab, 250 mg chew tab)</i> | 2-Generics | |
| <i>amoxicillin (125 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg cap, 250 mg/5ml recon susp, 400 mg/5ml recon susp, 500 mg cap, 500 mg tab, 875 mg tab)</i> | 1-Preferred Generics | |
| <i>amoxicillin-pot clavulanate (200-28.5 mg/5ml recon susp, 250-62.5 mg/5ml recon susp, 400-57 mg/5ml recon susp, 600-42.9 mg/5ml recon susp)</i> | 3-Preferred Brands | |
| <i>amoxicillin-pot clavulanate (250-125 mg tab, 500-125 mg tab, 875-125 mg tab)</i> | 2-Generics | |
| <i>ampicillin</i> | 2-Generics | |
| <i>ampicillin sodium</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>ampicillin-sulbactam sodium</i> | 4-Non-Preferred Drugs | |
| BICILLIN L-A | 4-Non-Preferred Drugs | |
| <i>dicloxacillin sodium</i> | 3-Preferred Brands | |
| <i>nafcillin sodium (1 gm recon soln, 2 gm recon soln)</i> | 4-Non-Preferred Drugs | |
| <i>nafcillin sodium 10 gm recon soln</i> | 5-Specialty | |
| <i>oxacillin sodium</i> | 4-Non-Preferred Drugs | |
| <i>penicillin g potassium</i> | 4-Non-Preferred Drugs | |
| <i>penicillin g sodium</i> | 4-Non-Preferred Drugs | |
| <i>penicillin v potassium (125 mg/5ml recon soln, 250 mg tab, 250 mg/5ml recon soln, 500 mg tab)</i> | 2-Generics | |
| <i>pfizerpen</i> | 4-Non-Preferred Drugs | |
| <i>piperacillin sod-tazobactam so</i> | 4-Non-Preferred Drugs | |

CARBAPENEMS

| | | |
|---|--------------------------|--|
| <i>ertapenem sodium</i> | 3-Preferred Brands | |
| <i>imipenem-cilastatin</i> | 3-Preferred Brands | |
| <i>meropenem (1 gm recon soln, 500 mg recon soln)</i> | 4-Non-Preferred Drugs | |

MACROLIDES

| | | |
|--|--------------------------|--|
| <i>azithromycin (100 mg/5ml recon susp, 200 mg/5ml recon susp)</i> | 3-Preferred Brands | |
| <i>azithromycin (250 mg tab, 500 mg tab, 600 mg tab)</i> | 2-Generics | |
| <i>azithromycin 500 mg recon soln</i> | 4-Non-Preferred Drugs | |
| <i>clarithromycin (125 mg/5ml recon susp, 250 mg/5ml recon susp)</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>clarithromycin (250 mg tab, 500 mg tab)</i> | 3-Preferred Brands | |
| <i>clarithromycin er</i> | 4-Non-Preferred Drugs | |
| DIFICID 40 MG/ML RECON SUSP | 5-Specialty | QL (408 PER 30 DAYS) |
| <i>erythromycin (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i> | 4-Non-Preferred Drugs | |
| <i>erythromycin base</i> | 4-Non-Preferred Drugs | |
| <i>erythromycin ethylsuccinate 400 mg tab</i> | 4-Non-Preferred Drugs | |
| <i>fidaxomicin</i> | 5-Specialty | QL (60 PER 30 DAYS) |

QUINOLONES

| | | |
|---|-----------------------|--|
| <i>ciprofloxacin hcl (0.3 % solution, 250 mg tab, 500 mg tab, 750 mg tab)</i> | 2-Generics | |
| CIPROFLOXACIN IN D5W 200 MG/100ML SOLUTION | 4-Non-Preferred Drugs | |
| <i>ciprofloxacin in d5w 400 mg/200ml solution</i> | 4-Non-Preferred Drugs | |
| <i>levofloxacin (250 mg tab, 500 mg tab, 750 mg tab)</i> | 2-Generics | |
| <i>levofloxacin in d5w</i> | 4-Non-Preferred Drugs | |
| <i>levofloxacin oral soln 25 mg/ml</i> | 4-Non-Preferred Drugs | |
| <i>moxifloxacin hcl 400 mg tab</i> | 3-Preferred Brands | |
| <i>moxifloxacin hcl in nacl</i> | 4-Non-Preferred Drugs | |

SULFONAMIDES

| | | |
|---|-----------------------|--|
| <i>sulfadiazine</i> | 4-Non-Preferred Drugs | |
| <i>sulfamethoxazole-trimethoprim (200-40 mg/5ml suspension, 800-160 mg/20ml suspension)</i> | 3-Preferred Brands | |
| <i>sulfamethoxazole-trimethoprim (400-80 mg tab, 800-160 mg tab)</i> | 1-Preferred Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|---------------------|
| TETRACYCLINES | | |
| <i>doxy 100</i> | 4-Non-Preferred Drugs | |
| <i>doxycycline hyclate (20 mg tab, 50 mg cap, 100 mg cap, 100 mg tab)</i> | 3-Preferred Brands | |
| <i>doxycycline hyclate 100 mg recon soln</i> | 4-Non-Preferred Drugs | |
| <i>doxycycline monohydrate (50 mg cap, 50 mg tab, 75 mg tab, 100 mg cap, 100 mg tab)</i> | 2-Generics | |
| <i>doxycycline monohydrate 25 mg/5ml recon susp</i> | 4-Non-Preferred Drugs | |
| <i>minocycline hcl (50 mg cap, 75 mg cap, 100 mg cap)</i> | 2-Generics | |
| <i>monodoxyne nl</i> | 2-Generics | |
| <i>tetracycline hcl (250 mg cap, 500 mg cap)</i> | 4-Non-Preferred Drugs | |

ANTICONVULSANTS

ANTICONVULSANTS, OTHER

| | | |
|--|--------------------------|---------------------------|
| BRIVIACT (10 MG TAB, 25 MG TAB, 50 MG TAB, 75 MG TAB, 100 MG TAB) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| BRIVIACT 10 MG/ML SOLUTION | 5-Specialty | PA2, QL (600 PER 30 DAYS) |
| DIACOMIT (250 MG CAP, 250 MG PACKET) | 5-Specialty | PA2, QL (360 PER 30 DAYS) |
| DIACOMIT (500 MG CAP, 500 MG PACKET) | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| <i>divalproex sodium (125 mg tab dr, 250 mg tab dr, 500 mg tab dr)</i> | 2-Generics | |
| <i>divalproex sodium 125 mg cap dr</i> | 3-Preferred Brands | |
| <i>divalproex sodium er</i> | 3-Preferred Brands | |
| EPIDIOLEX | 5-Specialty | PA2, QL (600 PER 30 DAYS) |
| <i>felbamate (400 mg tab, 600 mg tab, 600 mg/5ml suspension)</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| FINTEPLA | 5-Specialty | PA2, QL (360 PER 30 DAYS) |
| FYCOMPA 0.5 MG/ML SUSPENSION | 5-Specialty | PA2, QL (720 PER 30 DAYS) |
| <i>lamotrigine (5 mg chew tab, 25 mg chew tab)</i> | 2-Generics | |
| <i>lamotrigine er</i> | 4-Non-Preferred Drugs | |
| <i>levetiracetam (100 mg/ml solution, 250 mg tab, 500 mg tab, 500 mg/5ml solution, 750 mg tab, 1000 mg tab)</i> | 2-Generics | |
| <i>levetiracetam er</i> | 3-Preferred Brands | |
| LEVETIRACETAM IN NACL | 4-Non-Preferred Drugs | |
| <i>perampanel (4 mg tab, 6 mg tab, 8 mg tab, 10 mg tab, 12 mg tab)</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>perampanel 2 mg tab</i> | 4-Non-Preferred Drugs | PA2, QL (30 PER 30 DAYS) |
| <i>roweepra</i> | 2-Generics | |
| SPRITAM (250 MG TAB, 500 MG TAB) | 4-Non-Preferred Drugs | ST |
| <i>topiramate (15 mg cap sprink, 25 mg cap sprink, 50 mg cap sprink)</i> | 3-Preferred Brands | |
| <i>topiramate (25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i> | 2-Generics | |
| <i>topiramate 25 mg/ml solution</i> | 4-Non-Preferred Drugs | QL (480 PER 30 DAYS) |
| <i>valproate sodium</i> | 4-Non-Preferred Drugs | |
| <i>valproic acid (250 mg/5ml solution, 500 mg/10ml solution)</i> | 3-Preferred Brands | |
| <i>valproic acid 250 mg cap</i> | 2-Generics | |

CALCIUM CHANNEL MODIFYING AGENTS

| | |
|---|-----------------------|
| <i>ethosuximide 250 mg cap</i> | 3-Preferred Brands |
| <i>ethosuximide 250 mg/5ml solution</i> | 4-Non-Preferred Drugs |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>methsuximide</i> | 4-Non-Preferred Drugs | |
| GAMMA-AMINOBUTYRIC ACID (GABA) MODULATING AGENTS | | |
| <i>clobazam (10 mg tab, 20 mg tab)</i> | 4-Non-Preferred Drugs | PA2, QL (60 PER 30 DAYS) |
| <i>clobazam 2.5 mg/ml suspension</i> | 4-Non-Preferred Drugs | PA2, QL (480 PER 30 DAYS) |
| <i>diazepam (2.5 mg gel, 10 mg gel, 20 mg gel)</i> | 4-Non-Preferred Drugs | |
| <i>gabapentin (100 mg cap, 600 mg tab)</i> | 2-Generics | QL (180 PER 30 DAYS) |
| <i>gabapentin (250 mg/5ml solution, 300 mg/6ml solution)</i> | 4-Non-Preferred Drugs | QL (2160 PER 30 DAYS) |
| <i>gabapentin 300 mg cap</i> | 2-Generics | QL (360 PER 30 DAYS) |
| <i>gabapentin 400 mg cap</i> | 2-Generics | QL (270 PER 30 DAYS) |
| <i>gabapentin 800 mg tab</i> | 2-Generics | QL (120 PER 30 DAYS) |
| NAYZILAM | 4-Non-Preferred Drugs | PA2, QL (10 PER 30 DAYS) |
| PHENOBARBITAL (15 MG TAB, 16.2 MG TAB, 30 MG TAB, 32.4 MG TAB, 60 MG TAB, 64.8 MG TAB, 97.2 MG TAB, 100 MG TAB) | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>phenobarbital (20 mg/5ml elixir, 30 mg/7.5ml elixir, 60 mg/15ml elixir)</i> | 4-Non-Preferred Drugs | QL (1500 PER 30 DAYS) |
| <i>primidone</i> | 2-Generics | |
| SYMPAZAN | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>tiagabine hcl</i> | 4-Non-Preferred Drugs | |
| VALTOCO 10 MG DOSE | 5-Specialty | PA2, QL (10 PER 30 DAYS) |
| VALTOCO 15 MG DOSE | 5-Specialty | PA2, QL (10 PER 30 DAYS) |
| VALTOCO 20 MG DOSE | 5-Specialty | PA2, QL (10 PER 30 DAYS) |
| VALTOCO 5 MG DOSE | 5-Specialty | PA2, QL (10 PER 30 DAYS) |
| <i>vigabatrin</i> | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| <i>vigadrone</i> | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| VIGAFYDE | 5-Specialty | PA2, QL (900 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|------------------|----------------------------|
| <i>vigpoder</i> | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| ZTALMY | 5-Specialty | PA2, QL (1100 PER 30 DAYS) |

SODIUM CHANNEL AGENTS

| | | |
|---|-----------------------|-----------------------|
| <i>carbamazepine (100 mg chew tab, 200 mg chew tab, 200 mg tab)</i> | 3-Preferred Brands | |
| <i>carbamazepine (100 mg/5ml suspension, 200 mg/10ml suspension)</i> | 4-Non-Preferred Drugs | |
| <i>carbamazepine er</i> | 4-Non-Preferred Drugs | |
| DILANTIN | 4-Non-Preferred Drugs | |
| DILANTIN INFATABS | 4-Non-Preferred Drugs | |
| <i>epitol</i> | 3-Preferred Brands | |
| <i>eslicarbazepine acetate (200 mg tab, 400 mg tab)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>eslicarbazepine acetate (600 mg tab, 800 mg tab)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>lacosamide (10 mg/ml solution, 50 mg/5ml solution, 100 mg/10ml solution)</i> | 4-Non-Preferred Drugs | QL (1200 PER 30 DAYS) |
| <i>lacosamide (100 mg tab, 150 mg tab, 200 mg tab)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>lacosamide 200 mg/20ml solution</i> | 4-Non-Preferred Drugs | |
| <i>lacosamide 50 mg tab</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>oxcarbazepine (150 mg tab, 300 mg tab, 600 mg tab)</i> | 3-Preferred Brands | |
| <i>oxcarbazepine 300 mg/5ml suspension</i> | 4-Non-Preferred Drugs | |
| <i>phenytek</i> | 2-Generics | |
| <i>phenytoin (100 mg/4ml suspension, 125 mg/5ml suspension)</i> | 2-Generics | |
| <i>phenytoin 50 mg chew tab</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>phenytoin infatabs</i> | 3-Preferred Brands | |
| <i>phenytoin sodium</i> | 4-Non-Preferred Drugs | |
| <i>phenytoin sodium extended</i> | 2-Generics | |
| <i>rufinamide 200 mg tab</i> | 4-Non-Preferred Drugs | PA2, QL (480 PER 30 DAYS) |
| <i>rufinamide 40 mg/ml suspension</i> | 5-Specialty | PA2, QL (2760 PER 30 DAYS) |
| <i>rufinamide 400 mg tab</i> | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| XCOPRI (14 X 150 MG & 14 X200 MG TAB THPK, 14 X 50 MG & 14 X100 MG TAB THPK) | 5-Specialty | PA2, QL (28 PER 28 DAYS) |
| XCOPRI (150 MG TAB, 200 MG TAB) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| XCOPRI (25 MG TAB, 50 MG TAB, 100 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| XCOPRI (250 MG DAILY DOSE) | 5-Specialty | PA2, QL (56 PER 28 DAYS) |
| XCOPRI (350 MG DAILY DOSE) | 5-Specialty | PA2, QL (56 PER 28 DAYS) |
| XCOPRI 14 X 12.5 MG & 14 X 25 MG TAB THPK | 4-Non-Preferred Drugs | PA2, QL (28 PER 28 DAYS) |
| ZONISADE | 5-Specialty | QL (900 PER 30 DAYS) |
| <i>zonisamide</i> | 2-Generics | |

ANTIDEMENTIA AGENTS

ANTIDEMENTIA AGENTS, OTHER

| | | |
|--|-----------------------|--|
| NAMZARIC (7-10 MG CAP ER 24H, 14-10 MG CAP ER 24H, 21-10 MG CAP ER 24H, 28-10 MG CAP ER 24H) | 4-Non-Preferred Drugs | |
|--|-----------------------|--|

CHOLINESTERASE INHIBITORS

| | | |
|---|-----------------------|---------------------|
| <i>donepezil hcl (5 mg tab disp, 10 mg tab disp)</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>donepezil hcl (5 mg tab, 10 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>galantamine hydrobromide (4 mg tab, 8 mg tab, 12 mg tab)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>galantamine hydrobromide 4 mg/ml solution</i> | 4-Non-Preferred Drugs | QL (360 PER 30 DAYS) |
| <i>galantamine hydrobromide er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>rivastigmine</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>rivastigmine tartrate</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |

N-METHYL-D-ASPARTATE (NMDA) RECEPTOR ANTAGONIST

| | | |
|---|-----------------------|----------------------|
| <i>memantine hcl (2 mg/ml solution, 10 mg/5ml solution)</i> | 4-Non-Preferred Drugs | QL (360 PER 30 DAYS) |
| <i>memantine hcl (5 mg tab, 10 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| MEMANTINE HCL 28 X 5 MG & 21 X 10 MG TAB | 4-Non-Preferred Drugs | QL (98 PER 365 DAYS) |
| <i>memantine hcl er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |

ANTIDEPRESSANTS

ANTIDEPRESSANTS, OTHER

| | | |
|--|--------------------|--------------------------|
| AUVELITY | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>bupropion hcl</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>bupropion hcl er (sr)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>bupropion hcl er (xl) 150 mg tab er 24h</i> | 2-Generics | QL (90 PER 30 DAYS) |
| <i>bupropion hcl er (xl) 300 mg tab er 24h</i> | 2-Generics | QL (30 PER 30 DAYS) |
| EXXUA | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| EXXUA TITRATION PACK | 5-Specialty | PA2, QL (32 PER 30 DAYS) |
| <i>mirtazapine (7.5 mg tab, 45 mg tab)</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>mirtazapine 15 mg tab</i> | 2-Generics | QL (90 PER 30 DAYS) |
| <i>mirtazapine 15 mg tab disp</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>mirtazapine 30 mg tab</i> | 2-Generics | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|--------------------|----------------------------|
| <i>mirtazapine 30 mg tab disp</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>mirtazapine 45 mg tab disp</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| ZURZUVAE (20 MG CAP, 25 MG CAP) | 5-Specialty | PA2, QL (28 PER 14 DAYS) |
| ZURZUVAE 30 MG CAP | 5-Specialty | PA2, QL (14 PER 14 DAYS) |

MONOAMINE OXIDASE INHIBITORS

| | | |
|--------------------------------|-----------------------|--------------------------|
| EMSAM | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| MARPLAN | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| <i>phenelzine sulfate</i> | 3-Preferred Brands | |
| <i>tranylcypromine sulfate</i> | 4-Non-Preferred Drugs | |

SSRIS/SNRIS (SELECTIVE SEROTONIN REUPTAKE INHIBITOR/SEROTONIN AND NOREPINEPHRINE REUPTAKE INHIBITOR)

| | | |
|--|-----------------------|--------------------------|
| <i>citalopram hydrobromide (10 mg/5ml solution, 20 mg/10ml solution)</i> | 3-Preferred Brands | QL (600 PER 30 DAYS) |
| <i>citalopram hydrobromide (20 mg tab, 40 mg tab)</i> | 1-Preferred Generics | QL (45 PER 30 DAYS) |
| <i>citalopram hydrobromide 10 mg tab</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>desvenlafaxine succinate er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>escitalopram oxalate (5 mg/5ml solution, 10 mg/10ml solution)</i> | 4-Non-Preferred Drugs | QL (600 PER 30 DAYS) |
| <i>escitalopram oxalate 10 mg tab</i> | 1-Preferred Generics | QL (45 PER 30 DAYS) |
| <i>escitalopram oxalate 20 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>escitalopram oxalate 5 mg tab</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| FETZIMA | 4-Non-Preferred Drugs | PA2, QL (30 PER 30 DAYS) |
| FETZIMA TITRATION | 4-Non-Preferred Drugs | PA2, QL (28 PER 28 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>fluoxetine hcl 10 mg cap</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>fluoxetine hcl 20 mg cap</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>fluoxetine hcl 20 mg/5ml solution</i> | 3-Preferred Brands | |
| <i>fluoxetine hcl 40 mg cap</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>fluvoxamine maleate</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>nefazodone hcl</i> | 4-Non-Preferred Drugs | |
| <i>paroxetine hcl (10 mg tab, 20 mg tab)</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>paroxetine hcl (30 mg tab, 40 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>paroxetine hcl 10 mg/5ml suspension</i> | 4-Non-Preferred Drugs | QL (900 PER 30 DAYS) |
| RALDESY | 5-Specialty | PA2, QL (1200 PER 30 DAYS) |
| <i>sertraline hcl (25 mg tab, 50 mg tab)</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>sertraline hcl 100 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>sertraline hcl 20 mg/ml conc</i> | 4-Non-Preferred Drugs | QL (300 PER 30 DAYS) |
| <i>trazodone hcl (50 mg tab, 100 mg tab, 150 mg tab)</i> | 1-Preferred Generics | |
| <i>trazodone hcl 300 mg tab</i> | 3-Preferred Brands | |
| TRINTELLIX | 4-Non-Preferred Drugs | PA2, QL (30 PER 30 DAYS) |
| <i>venlafaxine hcl</i> | 2-Generics | |
| <i>venlafaxine hcl er (37.5 mg cap er 24h, 75 mg cap er 24h)</i> | 2-Generics | QL (90 PER 30 DAYS) |
| <i>venlafaxine hcl er 150 mg cap er 24h</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>vilazodone hcl</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|---------------------|
| TRICYCLICS | | |
| <i>amitriptyline hcl</i> | 3-Preferred Brands | PA2 |
| <i>amoxapine</i> | 3-Preferred Brands | PA2 |
| <i>clomipramine hcl</i> | 4-Non-Preferred Drugs | PA2 |
| <i>desipramine hcl</i> | 4-Non-Preferred Drugs | PA2 |
| DOXEPIN HCL (10 MG CAP, 10 MG/ML CONC, 25 MG CAP, 50 MG CAP, 75 MG CAP, 100 MG CAP, 150 MG CAP) | 3-Preferred Brands | PA2 |
| <i>imipramine hcl</i> | 2-Generics | PA2 |
| <i>nortriptyline hcl (10 mg cap, 25 mg cap, 50 mg cap, 75 mg cap)</i> | 2-Generics | |
| <i>nortriptyline hcl 10 mg/5ml solution</i> | 4-Non-Preferred Drugs | |
| <i>protriptyline hcl</i> | 4-Non-Preferred Drugs | |
| <i>trimipramine maleate</i> | 4-Non-Preferred Drugs | |

ANTIEMETICS

ANTIEMETICS, OTHER

| | | |
|---|-----------------------|----|
| <i>compro</i> | 4-Non-Preferred Drugs | |
| <i>meclizine hcl (12.5 mg tab, 25 mg tab)</i> | 2-Generics | PA |
| <i>metoclopramide hcl (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/10ml solution)</i> | 2-Generics | |
| <i>perphenazine</i> | 4-Non-Preferred Drugs | |
| <i>prochlorperazine</i> | 4-Non-Preferred Drugs | |
| <i>prochlorperazine edisylate</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>prochlorperazine maleate</i> | 2-Generics | |
| <i>promethazine hcl (12.5 mg tab, 25 mg tab, 50 mg tab)</i> | 2-Generics | PA |
| <i>scopolamine</i> | 4-Non-Preferred Drugs | QL (10 PER 30 DAYS) |

EMETOGENIC THERAPY ADJUNCTS

| | | |
|--|-----------------------|---------------------------|
| <i>aprepitant</i> | 4-Non-Preferred Drugs | PA3 |
| <i>dronabinol</i> | 4-Non-Preferred Drugs | PA, QL (60 PER 30 DAYS) |
| <i>granisetron hcl 1 mg tab</i> | 4-Non-Preferred Drugs | PA3, QL (60 PER 30 DAYS) |
| <i>ondansetron 4 mg tab disp</i> | 3-Preferred Brands | PA3, QL (180 PER 30 DAYS) |
| <i>ondansetron 8 mg tab disp</i> | 3-Preferred Brands | PA3, QL (90 PER 30 DAYS) |
| <i>ondansetron hcl (4 mg/2ml soln prsyr, 4 mg/2ml solution, 40 mg/20ml solution)</i> | 4-Non-Preferred Drugs | |
| <i>ondansetron hcl +fid</i> | 4-Non-Preferred Drugs | |
| <i>ondansetron hcl 4 mg tab</i> | 2-Generics | PA3, QL (180 PER 30 DAYS) |
| <i>ondansetron hcl 8 mg tab</i> | 2-Generics | PA3, QL (90 PER 30 DAYS) |
| <i>ondansetron hcl oral soln 4 mg/5ml</i> | 4-Non-Preferred Drugs | PA3, QL (900 PER 30 DAYS) |

ANTIFUNGALS

| | | |
|----------------------------------|-----------------------|---------------------|
| <i>amphotericin b</i> | 4-Non-Preferred Drugs | PA3 |
| <i>amphotericin b liposome</i> | 5-Specialty | PA3 |
| <i>caspofungin acetate</i> | 4-Non-Preferred Drugs | |
| <i>clotrimazole 1 % cream</i> | 2-Generics | QL (90 PER 30 DAYS) |
| <i>clotrimazole 1 % solution</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>clotrimazole 10 mg troche</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| CRESEMBA (74.5 MG CAP, 186 MG CAP) | 5-Specialty | PA |
| <i>econazole nitrate 1 % cream</i> | 4-Non-Preferred Drugs | QL (85 PER 30 DAYS) |
| <i>fluconazole (10 mg/ml recon susp, 40 mg/ml recon susp)</i> | 3-Preferred Brands | |
| <i>fluconazole (50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 2-Generics | |
| <i>fluconazole in sodium chloride</i> | 4-Non-Preferred Drugs | |
| <i>flucytosine</i> | 5-Specialty | |
| <i>griseofulvin microsize (125 mg/5ml suspension, 500 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>griseofulvin ultramicrosize (125 mg tab, 250 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>itraconazole 100 mg cap</i> | 4-Non-Preferred Drugs | |
| <i>ketoconazole 2 % cream</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>ketoconazole 2 % shampoo</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>ketoconazole 200 mg tab</i> | 2-Generics | |
| <i>klayesta</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>micafungin sodium</i> | 4-Non-Preferred Drugs | |
| <i>nyamyc</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>nystatin (100000 unit/gm cream, 100000 unit/gm ointment)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>nystatin 100000 unit/gm powder</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>nystatin 100000 unit/ml suspension</i> | 2-Generics | |
| <i>nystatin 500000 unit tab</i> | 3-Preferred Brands | |
| <i>nystop</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>posaconazole 100 mg tab dr</i> | 5-Specialty | PA, QL (93 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>posaconazole 40 mg/ml suspension</i> | 5-Specialty | PA, QL (630 PER 30 DAYS) |
| <i>terbinafine hcl</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>terconazole (0.4 % cream, 0.8 % cream, 80 mg suppos)</i> | 3-Preferred Brands | |
| <i>voriconazole 200 mg recon soln</i> | 5-Specialty | PA |
| <i>voriconazole 200 mg tab</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>voriconazole 40 mg/ml recon susp</i> | 5-Specialty | QL (600 PER 30 DAYS) |
| <i>voriconazole 50 mg tab</i> | 4-Non-Preferred Drugs | QL (480 PER 30 DAYS) |

ANTIGOUT AGENTS

| | | |
|---|----------------------|----------------------|
| <i>allopurinol (100 mg tab, 300 mg tab)</i> | 1-Preferred Generics | |
| <i>colchicine 0.6 mg tab</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>colchicine-probenecid</i> | 3-Preferred Brands | |
| <i>probenecid</i> | 3-Preferred Brands | |

ANTIMIGRAINE AGENTS

CALCITONIN GENE-RELATED PEPTIDE (CGRP) RECEPTOR ANTAGONISTS

| | | |
|------------------------|--------------------|-------------------------|
| AIMOVIG | 3-Preferred Brands | PA, QL (1 PER 28 DAYS) |
| EMGALITY | 3-Preferred Brands | PA, QL (2 PER 28 DAYS) |
| EMGALITY (300 MG DOSE) | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| NURTEC | 3-Preferred Brands | PA, QL (16 PER 30 DAYS) |
| QULIPTA | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| UBRELVY | 3-Preferred Brands | PA, QL (16 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| ERGOT ALKALOIDS | | |
| <i>dihydroergotamine mesylate 4 mg/ml solution</i> | 5-Specialty | PA, QL (8 PER 30 DAYS) |
| <i>ergotamine-caffeine</i> | 3-Preferred Brands | |
| SEROTONIN (5-HT) RECEPTOR AGONIST | | |
| <i>naratriptan hcl</i> | 3-Preferred Brands | QL (9 PER 30 DAYS) |
| <i>rizatriptan benzoate</i> | 3-Preferred Brands | QL (12 PER 30 DAYS) |
| <i>sumatriptan</i> | 4-Non-Preferred Drugs | QL (12 PER 28 DAYS) |
| <i>sumatriptan succinate (25 mg tab, 50 mg tab, 100 mg tab)</i> | 2-Generics | QL (9 PER 30 DAYS) |
| <i>sumatriptan succinate (6 mg/0.5ml soln a-inj, 6 mg/0.5ml solution)</i> | 4-Non-Preferred Drugs | QL (6 PER 30 DAYS) |
| ANTIMYASTHENIC AGENTS | | |
| PARASYMPATHOMIMETICS | | |
| <i>pyridostigmine bromide 60 mg tab</i> | 3-Preferred Brands | |
| ANTIMYCOBACTERIALS | | |
| ANTIMYCOBACTERIALS, OTHER | | |
| <i>dapsone (25 mg tab, 100 mg tab)</i> | 3-Preferred Brands | |
| <i>rifabutin</i> | 4-Non-Preferred Drugs | |
| ANTITUBERCULARS | | |
| <i>ethambutol hcl</i> | 3-Preferred Brands | |
| <i>isoniazid (100 mg tab, 300 mg tab)</i> | 2-Generics | |
| <i>isoniazid 50 mg/5ml syrup</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------|--------------------------|---------------------|
| PRIFTIN | 4-Non-Preferred Drugs | |
| <i>pyrazinamide</i> | 4-Non-Preferred Drugs | |
| <i>rifampin</i> | 4-Non-Preferred Drugs | |
| SIRTURO | 5-Specialty | PA |

ANTINEOPLASTICS

ALKYLATING AGENTS

| | | |
|--|--------------------------|--------------------------|
| <i>cisplatin</i> | 4-Non-Preferred Drugs | PA3 |
| <i>cyclophosphamide (25 mg cap, 50 mg cap)</i> | 3-Preferred Brands | PA3 |
| CYCLOPHOSPHAMIDE (25 MG TAB, 50 MG TAB) | 4-Non-Preferred Drugs | PA3 |
| GLEOSTINE (10 MG CAP, 40 MG CAP) | 4-Non-Preferred Drugs | PA2 |
| GLEOSTINE 100 MG CAP | 5-Specialty | PA2 |
| LEUKERAN | 5-Specialty | |
| <i>lomustine</i> | 4-Non-Preferred Drugs | PA2 |
| MATULANE | 5-Specialty | |
| VALCHLOR | 5-Specialty | PA2, QL (60 PER 30 DAYS) |

ANTIANDROGENS

| | | |
|---------------------------------------|-------------|---------------------------|
| <i>abiraterone acetate 500 mg tab</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>abirtega 250 mg tab</i> | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| <i>bicalutamide</i> | 2-Generics | |
| ERLEADA 240 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ERLEADA 60 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| EULEXIN | 5-Specialty | PA2 |
| <i>nilutamide</i> | 5-Specialty | |
| NUBEQA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|------------------|----------------------------|
| XTANDI (40 MG CAP, 40 MG TAB) | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| XTANDI 80 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| YONSA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |

ANTIANGIOGENIC AGENTS

| | | |
|---------------------|-------------|---------------------------|
| <i>lenalidomide</i> | 5-Specialty | PA2, QL (28 PER 28 DAYS) |
| POMALYST | 5-Specialty | PA2, QL (21 PER 28 DAYS) |
| THALOMID 100 MG CAP | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| THALOMID 50 MG CAP | 5-Specialty | PA2, QL (30 PER 30 DAYS) |

ANTIESTROGENS/MODIFIERS

| | | |
|---------------------------|-------------|--------------------------|
| <i>fulvestrant</i> | 5-Specialty | PA3 |
| INLURIYO | 5-Specialty | PA2, QL (56 PER 28 DAYS) |
| ORSERDU 345 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ORSERDU 86 MG TAB | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| SOLTAMOX | 5-Specialty | |
| <i>tamoxifen citrate</i> | 2-Generics | |
| <i>toremifene citrate</i> | 5-Specialty | |

ANTIMETABOLITES

| | | |
|---|-----------------------|--------------------------|
| <i>azacitidine</i> | 5-Specialty | PA3 |
| <i>fluorouracil (1 gm/20ml solution, 2.5 gm/50ml solution, 5 gm/100ml solution, 500 mg/10ml solution)</i> | 4-Non-Preferred Drugs | PA3 |
| <i>mercaptopurine 2000 mg/100ml suspension</i> | 5-Specialty | |
| <i>mercaptopurine 50 mg tab</i> | 3-Preferred Brands | |
| ONUREG | 5-Specialty | PA2, QL (14 PER 28 DAYS) |
| TABLOID | 4-Non-Preferred Drugs | |

ANTINEOPLASTICS, OTHER

| | | |
|--------------------|-------------|--------------------------|
| AKEEGA | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| AUGTYRO 160 MG CAP | 5-Specialty | PA2, QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| AUGTYRO 40 MG CAP | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| FRUZAQLA 1 MG CAP | 5-Specialty | PA2, QL (84 PER 28 DAYS) |
| FRUZAQLA 5 MG CAP | 5-Specialty | PA2, QL (21 PER 28 DAYS) |
| <i>hydroxyurea</i> | 2-Generics | |
| INQOVI | 5-Specialty | PA2, QL (5 PER 28 DAYS) |
| IWILFIN | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| <i>lederle leucovorin</i> | 3-Preferred Brands | |
| <i>leucovorin calcium (5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab)</i> | 3-Preferred Brands | |
| <i>leucovorin calcium (50 mg recon soln, 100 mg recon soln, 200 mg recon soln, 350 mg recon soln, 500 mg recon soln)</i> | 4-Non-Preferred Drugs | |
| LONSURF 15-6.14 MG TAB | 5-Specialty | PA2, QL (100 PER 28 DAYS) |
| LONSURF 20-8.19 MG TAB | 5-Specialty | PA2, QL (80 PER 28 DAYS) |
| LYSODREN | 5-Specialty | |
| MODEYSO | 5-Specialty | PA2, QL (20 PER 28 DAYS) |
| OJJAARA | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ORGOVYX | 5-Specialty | PA2, QL (32 PER 30 DAYS) |
| QINLOCK | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| WELIREG | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| ZOLINZA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |

AROMATASE INHIBITORS, 3RD GENERATION

| | | |
|--------------------|-----------------------|--|
| <i>anastrozole</i> | 2-Generics | |
| <i>exemestane</i> | 4-Non-Preferred Drugs | |
| <i>letrozole</i> | 2-Generics | |

MOLECULAR TARGET INHIBITORS

| | | |
|--|-------------|---------------------------|
| ALECENSA | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| ALUNBRIG (90 & 180 MG TAB THPK, 90 MG TAB, 180 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ALUNBRIG 30 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| AVMAPKI FAKZYNJA CO-PACK | 5-Specialty | PA2, QL (66 PER 28 DAYS) |
| AYVAKIT | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| BALVERSA 3 MG TAB | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| BALVERSA 4 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| BALVERSA 5 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>bortezomib 3.5 mg recon soln</i> | 5-Specialty | PA3 |
| BOSULIF (100 MG CAP, 100 MG TAB) | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| BOSULIF (400 MG TAB, 500 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| BOSULIF 50 MG CAP | 5-Specialty | PA2, QL (360 PER 30 DAYS) |
| BRAFTOVI | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| BRUKINSA 160 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| BRUKINSA 80 MG CAP | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| CABOMETYX (20 MG TAB, 60 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| CABOMETYX 40 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| CALQUENCE 100 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| CAPRELSA 100 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| CAPRELSA 300 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| COMETRIQ (100 MG DAILY DOSE) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| COMETRIQ (140 MG DAILY DOSE) | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| COMETRIQ (60 MG DAILY DOSE) | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| COPIKTRA | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| COTELLIC | 5-Specialty | PA2, QL (63 PER 28 DAYS) |
| DANZITEN | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| <i>dasatinib (50 mg tab, 70 mg tab, 80 mg tab, 100 mg tab)</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>dasatinib 140 mg tab</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>dasatinib 20 mg tab</i> | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| DAURISMO 100 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| DAURISMO 25 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------|----------------------------|
| ENSACOVE | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| ERIVEDGE | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>erlotinib hcl (100 mg tab, 150 mg tab)</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>erlotinib hcl 25 mg tab</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>everolimus (2.5 mg tab, 5 mg tab, 7.5 mg tab, 10 mg tab)</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>everolimus (3 mg tab sol, 5 mg tab sol)</i> | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| <i>everolimus 2 mg tab sol</i> | 5-Specialty | PA2, QL (150 PER 30 DAYS) |
| FOTIVDA | 5-Specialty | PA2, QL (21 PER 28 DAYS) |
| GAVRETO | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| <i>gefitinib</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| GILOTRIF | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| GOMEKLI 1 MG CAP | 5-Specialty | PA2, QL (126 PER 28 DAYS) |
| GOMEKLI 1 MG TAB SOL | 5-Specialty | PA2, QL (168 PER 28 DAYS) |
| GOMEKLI 2 MG CAP | 5-Specialty | PA2, QL (84 PER 28 DAYS) |
| HERNEXEOS | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| HYRNUO | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| IBRANCE | 5-Specialty | PA2, QL (21 PER 28 DAYS) |
| IBTROZI | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| ICLUSIG (10 MG TAB, 30 MG TAB, 45 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ICLUSIG 15 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| IDHIFA | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>imatinib mesylate 100 mg tab</i> | 3-Preferred Brands | PA2, QL (90 PER 30 DAYS) |
| <i>imatinib mesylate 400 mg tab</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| IMBRUVICA (70 MG CAP, 140 MG TAB, 280 MG TAB, 420 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| IMBRUVICA 140 MG CAP | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| IMBRUVICA 70 MG/ML SUSPENSION | 5-Specialty | PA2, QL (324 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------|------------------|----------------------------|
| IMKELDI | 5-Specialty | PA2, QL (280 PER 28 DAYS) |
| INLYTA 1 MG TAB | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| INLYTA 5 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| INREBIC | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| ITOVEBI 3 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| ITOVEBI 9 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| JAKAFI | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| JAYPIRCA 100 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| JAYPIRCA 50 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| KISQALI (200 MG DOSE) | 5-Specialty | PA2, QL (21 PER 28 DAYS) |
| KISQALI (400 MG DOSE) | 5-Specialty | PA2, QL (42 PER 28 DAYS) |
| KISQALI (600 MG DOSE) | 5-Specialty | PA2, QL (63 PER 28 DAYS) |
| KISQALI FEMARA (400 MG DOSE) | 5-Specialty | PA2, QL (70 PER 28 DAYS) |
| KISQALI FEMARA (600 MG DOSE) | 5-Specialty | PA2, QL (91 PER 28 DAYS) |
| KOSELUGO 10 MG CAP | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| KOSELUGO 25 MG CAP | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| KOSELUGO 5 MG CAP SPRINK | 5-Specialty | PA2, QL (600 PER 30 DAYS) |
| KOSELUGO 7.5 MG CAP SPRINK | 5-Specialty | PA2, QL (360 PER 30 DAYS) |
| KRAZATI | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| <i>lapatinib ditosylate</i> | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| LAZCLUZE 240 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| LAZCLUZE 80 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| LENVIMA (10 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (12 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (14 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (18 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (20 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (24 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (4 MG DAILY DOSE) | 5-Specialty | PA2 |
| LENVIMA (8 MG DAILY DOSE) | 5-Specialty | PA2 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| LORBRENA 100 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| LORBRENA 25 MG TAB | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| LUMAKRAS (120 MG TAB, 240 MG TAB) | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| LUMAKRAS 320 MG TAB | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| LYNPARZA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| LYTGOBI (12 MG DAILY DOSE) | 5-Specialty | PA2, QL (84 PER 28 DAYS) |
| LYTGOBI (16 MG DAILY DOSE) | 5-Specialty | PA2, QL (112 PER 28 DAYS) |
| LYTGOBI (20 MG DAILY DOSE) | 5-Specialty | PA2, QL (140 PER 28 DAYS) |
| MEKINIST 0.05 MG/ML RECON SOLN | 5-Specialty | PA2, QL (1350 PER 30 DAYS) |
| MEKINIST 0.5 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| MEKINIST 2 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| MEKTOVI | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| NERLYNX | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| <i>nilotinib hcl</i> | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| NINLARO | 5-Specialty | PA2, QL (3 PER 28 DAYS) |
| ODOMZO | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| OGSIVEO | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| OJEMDA 100 MG TAB | 5-Specialty | PA2, QL (24 PER 28 DAYS) |
| OJEMDA 25 MG/ML RECON SUSP | 5-Specialty | PA2, QL (96 PER 28 DAYS) |
| <i>pazopanib hcl 200 mg tab</i> | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| <i>pazopanib hcl 400 mg tab</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| PEMAZYRE | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| PIQRAY (200 MG DAILY DOSE) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| PIQRAY (250 MG DAILY DOSE) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| PIQRAY (300 MG DAILY DOSE) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| RETEVMO (80 MG TAB, 120 MG TAB, 160 MG TAB) | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| RETEVMO 40 MG TAB | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| REVUFORJ 110 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| REVUFORJ 160 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| REVUFORJ 25 MG TAB | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| REZLIDHIA | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| ROMVIMZA | 5-Specialty | PA2, QL (8 PER 28 DAYS) |
| ROZLYTREK 100 MG CAP | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| ROZLYTREK 200 MG CAP | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| ROZLYTREK 50 MG PACKET | 5-Specialty | PA2, QL (360 PER 30 DAYS) |
| RUBRACA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| RYDAPT | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| SCSEMBLIX 100 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| SCSEMBLIX 20 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| SCSEMBLIX 40 MG TAB | 5-Specialty | PA2, QL (300 PER 30 DAYS) |
| <i>sorafenib tosylate</i> | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| STIVARGA | 5-Specialty | PA2, QL (84 PER 28 DAYS) |
| <i>sunitinib malate</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| TABRECTA | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| TAFINLAR (50 MG CAP, 75 MG CAP) | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| TAFINLAR 10 MG TAB SOL | 5-Specialty | PA2, QL (900 PER 30 DAYS) |
| TAGRISO | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| TALZENNA (0.1 MG CAP, 0.35 MG CAP, 0.5 MG CAP, 0.75 MG CAP, 1 MG CAP) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| TALZENNA 0.25 MG CAP | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| TAZVERIK | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| TEPMETKO | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| TIBSOVO | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>torpenz</i> | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| TRUQAP | 5-Specialty | PA2, QL (64 PER 28 DAYS) |
| TUKYSA 150 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| TUKYSA 50 MG TAB | 5-Specialty | PA2, QL (300 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------|----------------------------|
| TURALIO | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| VANFLYTA | 5-Specialty | PA2, QL (56 PER 28 DAYS) |
| VENCLEXTA 10 MG TAB | 3-Preferred Brands | PA2, QL (120 PER 30 DAYS) |
| VENCLEXTA 100 MG TAB | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| VENCLEXTA 50 MG TAB | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| VENCLEXTA STARTING PACK | 5-Specialty | PA2, QL (42 PER 28 DAYS) |
| VERZENIO | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| VITRAKVI 100 MG CAP | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| VITRAKVI 20 MG/ML SOLUTION | 5-Specialty | PA2, QL (300 PER 30 DAYS) |
| VITRAKVI 25 MG CAP | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| VIZIMPRO | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| VONJO | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| VORANIGO 10 MG TAB | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| VORANIGO 40 MG TAB | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| XALKORI (20 MG CAP SPRINK, 50 MG CAP SPRINK, 200 MG CAP, 250 MG CAP) | 5-Specialty | PA2, QL (120 PER 30 DAYS) |
| XALKORI 150 MG CAP SPRINK | 5-Specialty | PA2, QL (180 PER 30 DAYS) |
| XOSPATA | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| XPOVIO (100 MG ONCE WEEKLY) | 5-Specialty | PA2, QL (8 PER 28 DAYS) |
| XPOVIO (40 MG ONCE WEEKLY) 10 MG TAB THPK | 5-Specialty | PA2, QL (16 PER 28 DAYS) |
| XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK | 5-Specialty | PA2, QL (4 PER 28 DAYS) |
| XPOVIO (40 MG TWICE WEEKLY) | 5-Specialty | PA2, QL (8 PER 28 DAYS) |
| XPOVIO (60 MG ONCE WEEKLY) | 5-Specialty | PA2, QL (4 PER 28 DAYS) |
| XPOVIO (60 MG TWICE WEEKLY) | 5-Specialty | PA2, QL (24 PER 28 DAYS) |
| XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK | 5-Specialty | PA2, QL (8 PER 28 DAYS) |
| XPOVIO (80 MG ONCE WEEKLY) 80 MG TAB THPK | 5-Specialty | PA2, QL (4 PER 28 DAYS) |
| XPOVIO (80 MG TWICE WEEKLY) | 5-Specialty | PA2, QL (32 PER 28 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|------------------|----------------------------|
| ZEJULA (100 MG TAB, 200 MG TAB, 300 MG TAB) | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| ZELBORAF | 5-Specialty | PA2, QL (240 PER 30 DAYS) |
| ZYDELIG | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| ZYKADIA | 5-Specialty | PA2, QL (90 PER 30 DAYS) |

MONOCLONAL ANTIBODY/ANTIBODY-DRUG CONJUGATE

| | | |
|-------------------|-------------|-----|
| AVASTIN | 5-Specialty | PA3 |
| HERCEPTIN HYLECTA | 5-Specialty | PA3 |
| KADCYLA | 5-Specialty | PA3 |
| KANJINTI | 5-Specialty | PA3 |
| KEYTRUDA | 5-Specialty | PA3 |
| MVASI | 5-Specialty | PA3 |
| OGIVRI | 5-Specialty | PA3 |
| RUXIENCE | 5-Specialty | PA3 |
| TRAZIMERA | 5-Specialty | PA3 |
| TRUXIMA | 5-Specialty | PA3 |
| ZIRABEV | 5-Specialty | PA3 |

RETINOIDS

| | | |
|-----------------------------|-------------|---------------------------|
| <i>bexarotene 1 % gel</i> | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>bexarotene 75 mg cap</i> | 5-Specialty | PA2, QL (300 PER 30 DAYS) |
| PANRETIN | 5-Specialty | PA2, QL (60 PER 30 DAYS) |
| <i>tretinoin 10 mg cap</i> | 5-Specialty | |

TREATMENT ADJUNCTS

| | | |
|-------------------------|-------------|--|
| <i>mesna 400 mg tab</i> | 5-Specialty | |
|-------------------------|-------------|--|

ANTIPARASITICS

ANTHELMINTHICS

| | | |
|----------------------------|--------------------|--|
| <i>albendazole</i> | 3-Preferred Brands | |
| <i>ivermectin 3 mg tab</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| <i>praziquantel</i> | 4-Non-Preferred Drugs | |
| ANTIPROTOZOALS | | |
| <i>atovaquone</i> | 4-Non-Preferred Drugs | QL (600 PER 30 DAYS) |
| <i>atovaquone-proguanil hcl</i> | 4-Non-Preferred Drugs | |
| <i>chloroquine phosphate</i> | 4-Non-Preferred Drugs | |
| COARTEM | 4-Non-Preferred Drugs | |
| <i>hydroxychloroquine sulfate 200 mg tab</i> | 2-Generics | |
| IMPAVIDO | 5-Specialty | QL (84 PER 28 DAYS) |
| <i>mefloquine hcl</i> | 3-Preferred Brands | |
| <i>nitazoxanide</i> | 5-Specialty | QL (6 PER 30 DAYS) |
| <i>pentamidine isethionate for nebulization soln 300 mg</i> | 4-Non-Preferred Drugs | PA3 |
| <i>pentamidine isethionate for soln 300 mg</i> | 4-Non-Preferred Drugs | |
| <i>primaquine phosphate</i> | 3-Preferred Brands | |
| <i>pyrimethamine</i> | 5-Specialty | PA |
| <i>quinine sulfate</i> | 4-Non-Preferred Drugs | PA |

ANTIPARKINSON AGENTS

ANTICHOLINERGICS

| | | |
|--|-----------------------|----|
| <i>benztropine mesylate (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 2-Generics | |
| <i>trihexyphenidyl hcl (2 mg tab, 5 mg tab)</i> | 2-Generics | PA |
| <i>trihexyphenidyl hcl 0.4 mg/ml solution</i> | 3-Preferred Brands | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|--------------------------|
| ANTIPARKINSON AGENTS, OTHER | | |
| <i>amantadine hcl (50 mg/5ml solution, 100 mg cap, 100 mg tab, 100 mg/10ml solution)</i> | 3-Preferred Brands | |
| <i>carbidopa-levodopa-entacapone</i> | 4-Non-Preferred Drugs | |
| <i>entacapone</i> | 4-Non-Preferred Drugs | |
| DOPAMINE AGONISTS | | |
| <i>bromocriptine mesylate</i> | 4-Non-Preferred Drugs | |
| <i>pramipexole dihydrochloride</i> | 2-Generics | |
| <i>ropinirole hcl</i> | 2-Generics | |
| DOPAMINE PRECURSORS AND/OR L-AMINO ACID DECARBOXYLASE INHIBITORS | | |
| <i>carbidopa-levodopa (10-100 mg tab disp, 25-100 mg tab disp, 25-250 mg tab disp)</i> | 4-Non-Preferred Drugs | |
| <i>carbidopa-levodopa (10-100 mg tab, 25-100 mg tab, 25-250 mg tab)</i> | 2-Generics | |
| <i>carbidopa-levodopa er (25-100 mg tab er, 50-200 mg tab er)</i> | 3-Preferred Brands | |
| INBRIJA | 5-Specialty | PA, QL (300 PER 30 DAYS) |
| MONOAMINE OXIDASE B (MAO-B) INHIBITORS | | |
| <i>rasagiline mesylate</i> | 4-Non-Preferred Drugs | |
| <i>selegiline hcl</i> | 3-Preferred Brands | |
| ANTIPSYCHOTICS | | |
| 1ST GENERATION/TYPICAL | | |
| <i>chlorpromazine hcl (10 mg tab, 25 mg tab, 25 mg/ml solution, 30 mg/ml conc, 50 mg tab, 50 mg/2ml solution, 100 mg tab, 100 mg/ml conc, 200 mg tab)</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>fluphenazine decanoate</i> | 4-Non-Preferred Drugs | |
| <i>fluphenazine hcl (1 mg tab, 2.5 mg tab, 2.5 mg/5ml elixir, 2.5 mg/ml solution, 5 mg tab, 5 mg/ml conc, 10 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>haloperidol</i> | 2-Generics | |
| <i>haloperidol decanoate</i> | 4-Non-Preferred Drugs | |
| <i>haloperidol lactate 2 mg/ml conc</i> | 3-Preferred Brands | |
| <i>haloperidol lactate 5 mg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>loxapine succinate</i> | 3-Preferred Brands | |
| <i>molindone hcl</i> | 4-Non-Preferred Drugs | |
| <i>pimozide</i> | 4-Non-Preferred Drugs | |
| <i>thioridazine hcl</i> | 3-Preferred Brands | |
| <i>thiothixene</i> | 4-Non-Preferred Drugs | |
| <i>trifluoperazine hcl</i> | 3-Preferred Brands | |

2ND GENERATION/ATYPICAL

| | | |
|--|--------------------------|----------------------|
| ABILIFY ASIMTUFII 720 MG/2.4ML PRSYR | 5-Specialty | QL (2.4 PER 56 DAYS) |
| ABILIFY ASIMTUFII 960 MG/3.2ML PRSYR | 5-Specialty | QL (3.2 PER 56 DAYS) |
| ABILIFY MAINTENA | 5-Specialty | QL (1 PER 28 DAYS) |
| <i>aripiprazole (10 mg tab disp, 15 mg tab disp)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>aripiprazole (2 mg tab, 5 mg tab, 10 mg tab, 15 mg tab)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>aripiprazole (20 mg tab, 30 mg tab)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>aripiprazole 1 mg/ml solution</i> | 4-Non-Preferred Drugs | QL (900 PER 30 DAYS) |
| ARISTADA 1064 MG/3.9ML PRSYR | 5-Specialty | QL (3.9 PER 56 DAYS) |
| ARISTADA 441 MG/1.6ML PRSYR | 5-Specialty | QL (1.6 PER 28 DAYS) |
| ARISTADA 662 MG/2.4ML PRSYR | 5-Specialty | QL (2.4 PER 28 DAYS) |
| ARISTADA 882 MG/3.2ML PRSYR | 5-Specialty | QL (3.2 PER 28 DAYS) |
| ARISTADA INITIO | 5-Specialty | QL (4.8 PER 365 DAYS) |
| <i>asenapine maleate</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| CAPLYTA | 5-Specialty | ST, QL (30 PER 30 DAYS) |
| COBENFY | 5-Specialty | ST, QL (60 PER 30 DAYS) |
| COBENFY STARTER PACK | 5-Specialty | ST, QL (56 PER 28 DAYS) |
| FANAPT | 5-Specialty | ST, QL (60 PER 30 DAYS) |
| FANAPT TITRATION PACK A | 4-Non-Preferred Drugs | ST, QL (16 PER 365 DAYS) |
| FANAPT TITRATION PACK B | 5-Specialty | ST, QL (24 PER 365 DAYS) |
| FANAPT TITRATION PACK C | 5-Specialty | ST, QL (16 PER 365 DAYS) |
| INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR | 5-Specialty | QL (3.5 PER 180 DAYS) |
| INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR | 5-Specialty | QL (5 PER 180 DAYS) |
| INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR | 5-Specialty | QL (0.75 PER 28 DAYS) |
| INVEGA SUSTENNA 156 MG/ML SUSP PRSYR | 5-Specialty | QL (1 PER 28 DAYS) |
| INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR | 5-Specialty | QL (1.5 PER 28 DAYS) |
| INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR | 4-Non-Preferred Drugs | QL (0.25 PER 28 DAYS) |
| INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR | 5-Specialty | QL (0.5 PER 28 DAYS) |
| INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR | 5-Specialty | QL (0.88 PER 84 DAYS) |
| INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR | 5-Specialty | QL (1.32 PER 84 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR | 5-Specialty | QL (1.75 PER 84 DAYS) |
| INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR | 5-Specialty | QL (2.63 PER 84 DAYS) |
| <i>lurasidone hcl (20 mg tab, 40 mg tab, 60 mg tab, 120 mg tab)</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>lurasidone hcl 80 mg tab</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| NUPLAZID | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>olanzapine (15 mg tab, 20 mg tab)</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>olanzapine (2.5 mg tab, 5 mg tab, 7.5 mg tab, 10 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>olanzapine (5 mg tab disp, 10 mg tab disp, 15 mg tab disp, 20 mg tab disp)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>olanzapine 10 mg recon soln</i> | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| OPIPZA (5 MG FILM, 10 MG FILM) | 5-Specialty | PA2, QL (90 PER 30 DAYS) |
| OPIPZA 2 MG FILM | 5-Specialty | PA2, QL (30 PER 30 DAYS) |
| <i>paliperidone er 1.5 mg tab er 24h</i> | 4-Non-Preferred Drugs | QL (240 PER 30 DAYS) |
| <i>paliperidone er 3 mg tab er 24h</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>paliperidone er 6 mg tab er 24h</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>paliperidone er 9 mg tab er 24h</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>quetiapine fumarate (300 mg tab, 400 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>quetiapine fumarate (50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>quetiapine fumarate 25 mg tab</i> | 2-Generics | QL (180 PER 30 DAYS) |
| <i>quetiapine fumarate er</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| REXULTI (0.25 MG TAB, 0.5 MG TAB, 1 MG TAB) | 5-Specialty | ST, QL (60 PER 30 DAYS) |
| REXULTI (2 MG TAB, 3 MG TAB, 4 MG TAB) | 5-Specialty | ST, QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations
on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>risperidone (0.25 mg tab disp, 0.5 mg tab disp, 1 mg tab disp, 2 mg tab disp, 3 mg tab disp, 4 mg tab disp)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>risperidone (0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab, 3 mg tab, 4 mg tab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>risperidone 1 mg/ml solution</i> | 3-Preferred Brands | QL (480 PER 30 DAYS) |
| <i>risperidone microspheres er</i> | 4-Non-Preferred Drugs | QL (2 PER 28 DAYS) |
| SECUADO | 5-Specialty | ST, QL (30 PER 30 DAYS) |
| VRAYLAR (1.5 MG CAP, 3 MG CAP, 4.5 MG CAP, 6 MG CAP) | 5-Specialty | ST, QL (30 PER 30 DAYS) |
| <i>ziprasidone hcl</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>ziprasidone mesylate</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |

TREATMENT-RESISTANT

| | | |
|--|-----------------------|----------------------|
| <i>clozapine (12.5 mg tab disp, 25 mg tab disp, 100 mg tab disp, 150 mg tab disp, 200 mg tab disp)</i> | 4-Non-Preferred Drugs | |
| <i>clozapine (25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i> | 3-Preferred Brands | |
| VERSACLOZ | 5-Specialty | QL (600 PER 30 DAYS) |

ANTISPASTICITY AGENTS

| | | |
|--|-----------------------|--|
| <i>baclofen (5 mg tab, 10 mg tab, 20 mg tab)</i> | 2-Generics | |
| <i>dantrolene sodium</i> | 4-Non-Preferred Drugs | |
| <i>tizanidine hcl (2 mg tab, 4 mg tab)</i> | 2-Generics | |

ANTIVIRALS

ANTI-CYTOMEGALOVIRUS (CMV) AGENTS

| | | |
|--|-------------|--------------------------|
| LIVTENCITY | 5-Specialty | PA |
| PREVYMIS (20 MG PACKET, 120 MG PACKET) | 5-Specialty | PA, QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------|----------------------------|
| PREVYMIS (240 MG TAB, 480 MG TAB) | 5-Specialty | PA, QL (28 PER 28 DAYS) |
| <i>valganciclovir hcl 450 mg tab</i> | 3-Preferred Brands | |
| <i>valganciclovir hcl 50 mg/ml recon soln</i> | 5-Specialty | |

ANTI-HEPATITIS B (HBV) AGENTS

| | | |
|-------------------------------|-----------------------|---------------------|
| <i>adefovir dipivoxil</i> | 4-Non-Preferred Drugs | |
| BARACLUDE 0.05 MG/ML SOLUTION | 5-Specialty | |
| <i>entecavir</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>lamivudine 100 mg tab</i> | 3-Preferred Brands | |

ANTI-HEPATITIS C (HCV) AGENTS

| | | |
|--|--------------------|--------------------------|
| EPCLUSA (150-37.5 MG PACKET, 400-100 MG TAB) | 5-Specialty | PA, QL (28 PER 28 DAYS) |
| EPCLUSA (200-50 MG PACKET, 200-50 MG TAB) | 5-Specialty | PA, QL (56 PER 28 DAYS) |
| MAVYRET 100-40 MG TAB | 5-Specialty | PA, QL (84 PER 28 DAYS) |
| MAVYRET 50-20 MG PACKET | 5-Specialty | PA, QL (140 PER 28 DAYS) |
| <i>ribavirin</i> | 3-Preferred Brands | |
| VOSEVI | 5-Specialty | PA, QL (28 PER 28 DAYS) |

ANTI-HIV AGENTS, INTEGRASE INHIBITORS (INSTI)

| | | |
|--|-----------------------|----------------------|
| BIKTARVY | 5-Specialty | QL (30 PER 30 DAYS) |
| DOVATO | 5-Specialty | QL (30 PER 30 DAYS) |
| GENVOYA | 5-Specialty | QL (30 PER 30 DAYS) |
| ISENTRESS (100 MG CHEW TAB, 100 MG PACKET) | 5-Specialty | QL (180 PER 30 DAYS) |
| ISENTRESS 25 MG CHEW TAB | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| ISENTRESS 400 MG TAB | 5-Specialty | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------|------------------|----------------------------|
| ISENTRESS HD | 5-Specialty | QL (60 PER 30 DAYS) |
| JULUCA | 5-Specialty | QL (30 PER 30 DAYS) |
| STRIBILD | 5-Specialty | QL (30 PER 30 DAYS) |
| TIVICAY 50 MG TAB | 5-Specialty | QL (60 PER 30 DAYS) |
| TIVICAY PD | 5-Specialty | QL (180 PER 30 DAYS) |

ANTI-HIV AGENTS, NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NNRTI)

| | | |
|--|-----------------------|-----------------------|
| DELSTRIGO | 5-Specialty | QL (30 PER 30 DAYS) |
| EDURANT | 5-Specialty | QL (30 PER 30 DAYS) |
| EDURANT PED | 5-Specialty | QL (180 PER 30 DAYS) |
| <i>efavirenz</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>efavirenz-emtricitab-tenofo df</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>efavirenz-lamivudine-tenofovir</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>emtricitab-rilpivir-tenofov df</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>etravirine 100 mg tab</i> | 5-Specialty | QL (120 PER 30 DAYS) |
| <i>etravirine 200 mg tab</i> | 5-Specialty | QL (60 PER 30 DAYS) |
| INTELENCE 25 MG TAB | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>nevirapine 200 mg tab</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>nevirapine 50 mg/5ml suspension</i> | 4-Non-Preferred Drugs | QL (1200 PER 30 DAYS) |
| <i>nevirapine er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| ODEFSEY | 5-Specialty | QL (30 PER 30 DAYS) |
| PIFELTRO | 5-Specialty | QL (60 PER 30 DAYS) |

ANTI-HIV AGENTS, NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)

| | | |
|---|-----------------------|----------------------|
| <i>abacavir sulfate 20 mg/ml solution</i> | 4-Non-Preferred Drugs | QL (960 PER 30 DAYS) |
| <i>abacavir sulfate 300 mg tab</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>abacavir sulfate-lamivudine</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| CIMDUO | 5-Specialty | QL (30 PER 30 DAYS) |
| DESCOVY 120-15 MG TAB | 5-Specialty | QL (30 PER 30 DAYS) |
| DESCOVY 200-25 MG TAB | 5-Specialty | |
| <i>emtricitabine</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>emtricitabine-tenofovir df (100-150 mg tab, 167-250 mg tab)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>emtricitabine-tenofovir df 133-200 mg tab</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>emtricitabine-tenofovir df 200-300 mg tab</i> | 4-Non-Preferred Drugs | |
| EMTRIVA 10 MG/ML SOLUTION | 4-Non-Preferred Drugs | QL (850 PER 30 DAYS) |
| <i>lamivudine (10 mg/ml solution, 300 mg/30ml solution)</i> | 3-Preferred Brands | QL (960 PER 30 DAYS) |
| <i>lamivudine 150 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>lamivudine 300 mg tab</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>lamivudine-zidovudine</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>tenofovir disoproxil fumarate</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| TRIUMEQ | 5-Specialty | QL (30 PER 30 DAYS) |
| TRIUMEQ PD | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| VIREAD (150 MG TAB, 200 MG TAB, 250 MG TAB) | 5-Specialty | QL (30 PER 30 DAYS) |
| VIREAD 40 MG/GM POWDER | 5-Specialty | QL (240 PER 30 DAYS) |
| <i>zidovudine 100 mg cap</i> | 3-Preferred Brands | QL (180 PER 30 DAYS) |
| <i>zidovudine 300 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>zidovudine 50 mg/5ml syrup</i> | 3-Preferred Brands | QL (1920 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------|----------------------|
| ANTI-HIV AGENTS, OTHER | | |
| CABENUVA | 5-Specialty | |
| <i>maraviroc 150 mg tab</i> | 5-Specialty | QL (60 PER 30 DAYS) |
| <i>maraviroc 300 mg tab</i> | 5-Specialty | QL (120 PER 30 DAYS) |
| RUKOBIA | 5-Specialty | QL (60 PER 30 DAYS) |
| SELZENTRY 20 MG/ML SOLUTION | 5-Specialty | |
| SUNLENCA (4 X 300 MG TAB THPK, 300 MG TAB) | 5-Specialty | QL (4 PER 28 DAYS) |
| SUNLENCA 463.5 MG/1.5ML SOLUTION | 5-Specialty | |
| SUNLENCA 5 X 300 MG TAB THPK | 5-Specialty | QL (5 PER 28 DAYS) |
| TROGARZO | 5-Specialty | |
| TYBOST | 3-Preferred Brands | QL (30 PER 30 DAYS) |

ANTI-HIV AGENTS, PROTEASE INHIBITORS (PI)

| | | |
|--|-----------------------|----------------------|
| APTIVUS | 5-Specialty | QL (120 PER 30 DAYS) |
| <i>atazanavir sulfate (150 mg cap, 200 mg cap)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>atazanavir sulfate 300 mg cap</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>darunavir 600 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>darunavir 800 mg tab</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| EVOTAZ | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>fosamprenavir calcium</i> | 5-Specialty | QL (120 PER 30 DAYS) |
| KALETRA 400-100 MG/5ML SOLUTION | 4-Non-Preferred Drugs | QL (480 PER 30 DAYS) |
| <i>lopinavir-ritonavir 100-25 mg tab</i> | 4-Non-Preferred Drugs | QL (300 PER 30 DAYS) |
| <i>lopinavir-ritonavir 200-50 mg tab</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| NORVIR 100 MG PACKET | 4-Non-Preferred Drugs | QL (360 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|-----------------------|----------------------------|
| PREZCOBIX | 5-Specialty | QL (30 PER 30 DAYS) |
| PREZISTA 100 MG/ML SUSPENSION | 5-Specialty | QL (400 PER 30 DAYS) |
| PREZISTA 150 MG TAB | 5-Specialty | QL (240 PER 30 DAYS) |
| PREZISTA 75 MG TAB | 4-Non-Preferred Drugs | QL (480 PER 30 DAYS) |
| REYATAZ 50 MG PACKET | 5-Specialty | QL (240 PER 30 DAYS) |
| <i>ritonavir</i> | 3-Preferred Brands | QL (360 PER 30 DAYS) |
| SYMTUZA | 5-Specialty | QL (30 PER 30 DAYS) |
| VIRACEPT 250 MG TAB | 5-Specialty | QL (270 PER 30 DAYS) |
| VIRACEPT 625 MG TAB | 5-Specialty | QL (120 PER 30 DAYS) |

ANTI-INFLUENZA AGENTS

| | | |
|---|-----------------------|------------------------|
| <i>oseltamivir phosphate (45 mg cap, 75 mg cap)</i> | 3-Preferred Brands | QL (84 PER 365 DAYS) |
| <i>oseltamivir phosphate 30 mg cap</i> | 3-Preferred Brands | QL (168 PER 365 DAYS) |
| <i>oseltamivir phosphate 6 mg/ml recon susp</i> | 3-Preferred Brands | QL (1080 PER 365 DAYS) |
| RELENZA DISKHALER | 3-Preferred Brands | QL (120 PER 365 DAYS) |
| <i>rimantadine hcl</i> | 4-Non-Preferred Drugs | |
| XOFLUZA (40 MG DOSE) | 4-Non-Preferred Drugs | QL (6 PER 365 DAYS) |
| XOFLUZA (80 MG DOSE) | 4-Non-Preferred Drugs | QL (6 PER 365 DAYS) |

ANTIHERPETIC AGENTS

| | | |
|--|-----------------------|---------------------|
| <i>acyclovir (200 mg cap, 400 mg tab, 800 mg tab)</i> | 2-Generics | |
| <i>acyclovir (200 mg/5ml suspension, 800 mg/20ml suspension)</i> | 4-Non-Preferred Drugs | |
| <i>acyclovir sodium</i> | 4-Non-Preferred Drugs | PA3 |
| <i>famciclovir</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>valacyclovir hcl</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| ANTIVIRAL, CORONAVIRUS AGENTS | | |
| PAXLOVID (150/100) | 2-Generics | QL (40 PER 30 DAYS) |
| PAXLOVID (300/100 & 150/100) | 2-Generics | QL (22 PER 30 DAYS) |
| PAXLOVID (300/100) | 2-Generics | QL (60 PER 30 DAYS) |
| ANXIOLYTICS | | |
| ANXIOLYTICS, OTHER | | |
| <i>bupirone hcl</i> | 2-Generics | |
| <i>hydroxyzine pamoate</i> | 3-Preferred Brands | PA |
| BENZODIAZEPINES | | |
| <i>alprazolam (0.25 mg tab, 0.5 mg tab)</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>alprazolam (1 mg tab, 2 mg tab)</i> | 2-Generics | QL (150 PER 30 DAYS) |
| <i>clonazepam (0.125 mg tab disp, 0.25 mg tab disp, 0.5 mg tab disp, 1 mg tab disp)</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>clonazepam (0.5 mg tab, 1 mg tab)</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>clonazepam 2 mg tab</i> | 2-Generics | QL (300 PER 30 DAYS) |
| <i>clonazepam 2 mg tab disp</i> | 4-Non-Preferred Drugs | QL (300 PER 30 DAYS) |
| <i>clorazepate dipotassium (3.75 mg tab, 7.5 mg tab)</i> | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| <i>clorazepate dipotassium 15 mg tab</i> | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |
| <i>diazepam (2 mg tab, 5 mg tab, 10 mg tab)</i> | 2-Generics | PA2, QL (120 PER 30 DAYS) |
| <i>diazepam 5 mg/5ml solution</i> | 4-Non-Preferred Drugs | PA2, QL (1200 PER 30 DAYS) |
| <i>diazepam 5 mg/ml conc</i> | 4-Non-Preferred Drugs | PA2, QL (240 PER 30 DAYS) |
| <i>diazepam intensol</i> | 4-Non-Preferred Drugs | PA2, QL (240 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|--------------------|----------------------------|
| <i>lorazepam 0.5 mg tab</i> | 2-Generics | PA2, QL (600 PER 30 DAYS) |
| <i>lorazepam 1 mg tab</i> | 2-Generics | PA2, QL (300 PER 30 DAYS) |
| <i>lorazepam 2 mg tab</i> | 2-Generics | PA2, QL (150 PER 30 DAYS) |
| <i>lorazepam 2 mg/ml conc</i> | 3-Preferred Brands | PA2, QL (150 PER 30 DAYS) |
| <i>lorazepam intensol</i> | 3-Preferred Brands | PA2, QL (150 PER 30 DAYS) |

BIPOLAR AGENTS

MOOD STABILIZERS

| | | |
|--|-----------------------|--|
| <i>lamotrigine (25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 2-Generics | |
| <i>lithium</i> | 4-Non-Preferred Drugs | |
| <i>lithium carbonate</i> | 1-Preferred Generics | |
| <i>lithium carbonate er</i> | 2-Generics | |
| <i>subvenite (25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 2-Generics | |
| SUBVENITE 10 MG/ML SUSPENSION | 4-Non-Preferred Drugs | |

BLOOD GLUCOSE REGULATORS

ANTIDIABETIC AGENTS

| | | |
|---|----------------------|----------------------|
| <i>acarbose</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>glimepiride (1 mg tab, 2 mg tab)</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>glimepiride 4 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>glipizide (5 mg tab, 10 mg tab)</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>glipizide er 10 mg tab er 24h</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>glipizide er 2.5 mg tab er 24h</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-------------------------|----------------------------|
| <i>glipizide er 5 mg tab er 24h</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>glipizide-metformin hcl</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>glyburide</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>glyburide-metformin</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| GLYXAMBI | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| JANUMET | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| JANUMET XR (50-1000 MG TAB ER 24H, 50-500 MG TAB ER 24H) | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| JANUMET XR 100-1000 MG TAB ER 24H | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| JANUVIA | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| JENTADUETO (2.5-1000 MG TAB, 2.5-500 MG TAB) | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| JENTADUETO XR 2.5-1000 MG TAB ER 24H | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| JENTADUETO XR 5-1000 MG TAB ER 24H | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>metformin hcl 1000 mg tab</i> | 1-Preferred Generics | QL (75 PER 30 DAYS) |
| <i>metformin hcl 500 mg tab</i> | 1-Preferred Generics | QL (150 PER 30 DAYS) |
| <i>metformin hcl 850 mg tab</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>metformin hcl er 500 mg tab er 24h</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>metformin hcl er 750 mg tab er 24h</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| MOUNJARO | 3-Preferred Brands | PA, QL (2 PER 28 DAYS) |
| <i>nateglinide 120 mg tab</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|----------------------|----------------------------|
| <i>nateglinide 60 mg tab</i> | 1-Preferred Generics | QL (180 PER 30 DAYS) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| OZEMPIC (1 MG/DOSE) | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| OZEMPIC (2 MG/DOSE) | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| <i>pioglitazone hcl</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>pioglitazone hcl-metformin hcl</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>repaglinide (0.5 mg tab, 1 mg tab)</i> | 1-Preferred Generics | QL (120 PER 30 DAYS) |
| <i>repaglinide 2 mg tab</i> | 1-Preferred Generics | QL (240 PER 30 DAYS) |
| RYBELSUS | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| SOLIQUA | 3-Preferred Brands | QL (18 PER 30 DAYS) |
| TRADJENTA | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| TRIJARDY XR (10-5-1000 MG TAB ER 24H, 25-5-1000 MG TAB ER 24H) | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| TRIJARDY XR (5-2.5-1000 MG TAB ER 24H, 12.5-2.5-1000 MG TAB ER 24H) | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| TRULICITY | 3-Preferred Brands | PA, QL (2 PER 28 DAYS) |
| XIGDUO XR (10-1000 MG TAB ER 24H, 10-500 MG TAB ER 24H) | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| XIGDUO XR (2.5-1000 MG TAB ER 24H, 5-1000 MG TAB ER 24H, 5-500 MG TAB ER 24H) | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| GLYCEMIC AGENTS | | |
| BAQSIMI ONE PACK | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------|----------------------------|
| BAQSIMI TWO PACK | 3-Preferred Brands | |
| <i>diazoxide</i> | 5-Specialty | |
| <i>glucagon emergency 1 mg kit (generic)</i> | 3-Preferred Brands | |
| <i>glucagon emergency 1 mg recon soln</i> | 3-Preferred Brands | |
| ZEGALOGUE | 3-Preferred Brands | |

INSULINS

| | | |
|--------------------------------|--------------------|--|
| BASAGLAR KWIKPEN | 3-Preferred Brands | |
| FIASP | 3-Preferred Brands | |
| FIASP FLEXTOUCH | 3-Preferred Brands | |
| FIASP PENFILL | 3-Preferred Brands | |
| FIASP PUMPCART | 3-Preferred Brands | |
| HUMULIN R U-500 (CONCENTRATED) | 5-Specialty | |
| HUMULIN R U-500 KWIKPEN | 5-Specialty | |
| LANTUS | 3-Preferred Brands | |
| LANTUS SOLOSTAR | 3-Preferred Brands | |
| NOVOLIN 70/30 | 3-Preferred Brands | |
| NOVOLIN 70/30 FLEXPEN | 3-Preferred Brands | |
| NOVOLIN N | 3-Preferred Brands | |
| NOVOLIN N FLEXPEN | 3-Preferred Brands | |
| NOVOLIN R | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------|--------------------|----------------------------|
| NOVOLIN R FLEXPEN | 3-Preferred Brands | |
| NOVOLOG | 3-Preferred Brands | |
| NOVOLOG FLEXPEN | 3-Preferred Brands | |
| NOVOLOG FLEXPEN RELION | 3-Preferred Brands | |
| NOVOLOG MIX 70/30 | 3-Preferred Brands | |
| NOVOLOG MIX 70/30 FLEXPEN | 3-Preferred Brands | |
| NOVOLOG PENFILL | 3-Preferred Brands | |
| NOVOLOG RELION | 3-Preferred Brands | |
| TOUJEO MAX SOLOSTAR | 3-Preferred Brands | |
| TOUJEO SOLOSTAR | 3-Preferred Brands | |
| TRESIBA | 3-Preferred Brands | |
| TRESIBA FLEXTOUCH | 3-Preferred Brands | |

BLOOD PRODUCTS AND MODIFIERS

ANTICOAGULANTS

| | | |
|--|--------------------|----------------------|
| <i>dabigatran etexilate mesylate (75 mg cap, 150 mg cap)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>dabigatran etexilate mesylate 110 mg cap</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| ELIQUIS 2.5 MG TAB | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| ELIQUIS 5 MG TAB | 3-Preferred Brands | QL (74 PER 30 DAYS) |
| ELIQUIS DVT/PE STARTER PACK | 3-Preferred Brands | QL (74 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>enoxaparin sodium (30 mg/0.3ml soln prsyr, 40 mg/0.4ml soln prsyr, 60 mg/0.6ml soln prsyr, 80 mg/0.8ml soln prsyr, 100 mg/ml soln prsyr, 120 mg/0.8ml soln prsyr, 150 mg/ml soln prsyr)</i> | 4-Non-Preferred Drugs | |
| <i>fondaparinux sodium (5 mg/0.4ml solution, 7.5 mg/0.6ml solution, 10 mg/0.8ml solution)</i> | 5-Specialty | |
| <i>fondaparinux sodium 2.5 mg/0.5ml solution</i> | 4-Non-Preferred Drugs | |
| <i>heparin sodium (porcine) (1000 unit/ml solution, 5000 unit/ml solution, 10000 unit/ml solution, 20000 unit/ml solution)</i> | 3-Preferred Brands | |
| <i>heparin sodium (porcine) +rfid</i> | 3-Preferred Brands | |
| <i>heparin sodium (porcine) pf 1000 unit/ml solution</i> | 3-Preferred Brands | |
| <i>jantoven</i> | 1-Preferred Generics | |
| <i>rivaroxaban 1 mg/ml recon susp</i> | 3-Preferred Brands | QL (620 PER 30 DAYS) |
| <i>rivaroxaban 2.5 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>warfarin sodium</i> | 1-Preferred Generics | |
| XARELTO (10 MG TAB, 20 MG TAB) | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| XARELTO (2.5 MG TAB, 15 MG TAB) | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| XARELTO 1 MG/ML RECON SUSP | 3-Preferred Brands | QL (620 PER 30 DAYS) |
| XARELTO STARTER PACK | 3-Preferred Brands | QL (51 PER 30 DAYS) |
| BLOOD PRODUCTS AND MODIFIERS, OTHER | | |
| ALVAIZ | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| <i>anagrelide hcl</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------|----------------------------|
| FULPHILA | 5-Specialty | PA |
| PROCRIT (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION) | 3-Preferred Brands | PA3 |
| PROCRIT (20000 UNIT/ML SOLUTION, 40000 UNIT/ML SOLUTION) | 5-Specialty | PA3 |
| RETACRIT | 3-Preferred Brands | PA3 |
| ZARXIO | 5-Specialty | PA |

HEMOSTASIS AGENTS

| | |
|-----------------------------------|--------------------|
| <i>tranexamic acid 650 mg tab</i> | 3-Preferred Brands |
|-----------------------------------|--------------------|

PLATELET MODIFYING AGENTS

| | | |
|---|-----------------------|---------------------|
| <i>aspirin-dipyridamole er</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| BRILINTA 90 MG TAB | 3-Preferred Brands | |
| <i>cilostazol</i> | 2-Generics | |
| <i>clopidogrel bisulfate 300 mg tab</i> | 2-Generics | |
| <i>clopidogrel bisulfate 75 mg tab</i> | 1-Preferred Generics | |
| <i>dipyridamole</i> | 3-Preferred Brands | |
| DOPTELET | 5-Specialty | PA |
| DOPTELET SPRINKLE | 5-Specialty | PA |
| <i>prasugrel hcl</i> | 3-Preferred Brands | |
| <i>ticagrelor</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| CARDIOVASCULAR AGENTS | | |
| ALPHA-ADRENERGIC AGONISTS | | |
| <i>clonidine 0.1 mg/24hr patch wk</i> | 4-Non-Preferred Drugs | QL (4 PER 28 DAYS) |
| <i>clonidine 0.2 mg/24hr patch wk</i> | 4-Non-Preferred Drugs | QL (4 PER 28 DAYS) |
| <i>clonidine 0.3 mg/24hr patch wk</i> | 4-Non-Preferred Drugs | QL (4 PER 28 DAYS) |
| <i>clonidine hcl</i> | 1-Preferred Generics | |
| <i>droxidopa (200 mg cap, 300 mg cap)</i> | 5-Specialty | PA, QL (180 PER 30 DAYS) |
| <i>droxidopa 100 mg cap</i> | 3-Preferred Brands | PA, QL (90 PER 30 DAYS) |
| <i>midodrine hcl</i> | 3-Preferred Brands | |
| ALPHA-ADRENERGIC BLOCKING AGENTS | | |
| <i>doxazosin mesylate</i> | 2-Generics | |
| <i>prazosin hcl</i> | 2-Generics | |
| <i>terazosin hcl</i> | 1-Preferred Generics | |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil (4 mg tab, 8 mg tab, 16 mg tab)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>candesartan cilexetil 32 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>irbesartan (75 mg tab, 300 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>irbesartan 150 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>losartan potassium (25 mg tab, 50 mg tab)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>losartan potassium 100 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-------------------------|----------------------------|
| <i>olmesartan medoxomil (20 mg tab, 40 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>olmesartan medoxomil 5 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>telmisartan</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>valsartan (40 mg tab, 80 mg tab, 160 mg tab)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>valsartan 320 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |

ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS

| | | |
|---|-------------------------|--|
| <i>benazepril hcl</i> | 1-Preferred Generics | |
| <i>captopril</i> | 1-Preferred Generics | |
| <i>enalapril maleate (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i> | 1-Preferred Generics | |
| <i>fosinopril sodium</i> | 1-Preferred Generics | |
| <i>lisinopril</i> | 1-Preferred Generics | |
| <i>moexipril hcl</i> | 1-Preferred Generics | |
| <i>perindopril erbumine (2 mg tab, 4 mg tab, 8 mg tab)</i> | 1-Preferred Generics | |
| <i>quinapril hcl</i> | 1-Preferred Generics | |
| <i>ramipril</i> | 1-Preferred Generics | |
| <i>trandolapril</i> | 1-Preferred Generics | |

ANTIARRHYTHMICS

| | | |
|--|--------------------------|---------------------|
| <i>amiodarone hcl (100 mg tab, 400 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>amiodarone hcl 200 mg tab</i> | 2-Generics | |
| <i>digoxin (125 mcg tab, 250 mcg tab)</i> | 2-Generics | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>digoxin 0.05 mg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>dofetilide</i> | 4-Non-Preferred Drugs | |
| <i>flecainide acetate</i> | 3-Preferred Brands | |
| MULTAQ | 4-Non-Preferred Drugs | |
| <i>pacerone (100 mg tab, 400 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>pacerone 200 mg tab</i> | 2-Generics | |
| <i>propafenone hcl</i> | 2-Generics | |
| <i>propafenone hcl er</i> | 4-Non-Preferred Drugs | |
| <i>quinidine sulfate</i> | 4-Non-Preferred Drugs | |
| <i>sotalol hcl</i> | 2-Generics | |
| <i>sotalol hcl (af)</i> | 2-Generics | |

BETA-ADRENERGIC BLOCKING AGENTS

| | | |
|---|--------------------------|--|
| <i>acebutolol hcl</i> | 2-Generics | |
| <i>atenolol</i> | 1-Preferred Generics | |
| <i>bisoprolol fumarate (5 mg tab, 10 mg tab)</i> | 2-Generics | |
| <i>carvedilol</i> | 1-Preferred Generics | |
| <i>labetalol hcl (100 mg tab, 200 mg tab, 300 mg tab)</i> | 2-Generics | |
| <i>metoprolol succinate er</i> | 1-Preferred Generics | |
| <i>metoprolol tartrate (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1-Preferred Generics | |
| <i>metoprolol tartrate (37.5 mg tab, 75 mg tab)</i> | 2-Generics | |
| <i>nadolol</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>nebivolol hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>nebivolol hcl 20 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>pindolol</i> | 4-Non-Preferred Drugs | |
| <i>propranolol hcl (10 mg tab, 20 mg tab, 40 mg tab, 60 mg tab, 80 mg tab)</i> | 2-Generics | |
| <i>propranolol hcl er</i> | 3-Preferred Brands | |
| TIMOLOL MALEATE (5 MG TAB, 10 MG TAB, 20 MG TAB) | 4-Non-Preferred Drugs | |

CALCIUM CHANNEL BLOCKING AGENTS, DIHYDROPYRIDINES

| | | |
|---|-----------------------|--|
| <i>amlodipine besylate</i> | 1-Preferred Generics | |
| <i>felodipine er</i> | 2-Generics | |
| <i>isradipine</i> | 4-Non-Preferred Drugs | |
| <i>nicardipine hcl (20 mg cap, 30 mg cap)</i> | 4-Non-Preferred Drugs | |
| <i>nifedipine er</i> | 3-Preferred Brands | |
| <i>nifedipine er osmotic release</i> | 3-Preferred Brands | |
| <i>nimodipine 30 mg cap</i> | 4-Non-Preferred Drugs | |

CALCIUM CHANNEL BLOCKING AGENTS, NONDIHYDROPYRIDINES

| | | |
|---|------------|--|
| <i>cartia xt</i> | 2-Generics | |
| <i>dilt-xr</i> | 2-Generics | |
| <i>diltiazem hcl (30 mg tab, 60 mg tab, 90 mg tab, 120 mg tab)</i> | 2-Generics | |
| <i>diltiazem hcl er (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h)</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>diltiazem hcl er (120 mg tab er 24h, 180 mg tab er 24h, 240 mg tab er 24h, 300 mg tab er 24h, 360 mg tab er 24h, 420 mg tab er 24h)</i> | 3-Preferred Brands | |
| <i>diltiazem hcl er (60 mg cap er 12h, 90 mg cap er 12h, 120 mg cap er 12h)</i> | 4-Non-Preferred Drugs | |
| <i>diltiazem hcl er beads</i> | 2-Generics | |
| <i>diltiazem hcl er coated beads</i> | 2-Generics | |
| <i>matzim la</i> | 3-Preferred Brands | |
| <i>tiadylt er</i> | 2-Generics | |
| <i>verapamil hcl (40 mg tab, 80 mg tab, 120 mg tab)</i> | 1-Preferred Generics | |
| <i>verapamil hcl er (100 mg cap er 24h, 200 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h)</i> | 4-Non-Preferred Drugs | |
| <i>verapamil hcl er (120 mg cap er 24h, 120 mg tab er, 180 mg cap er 24h, 180 mg tab er, 240 mg cap er 24h, 240 mg tab er)</i> | 2-Generics | |

CARDIOVASCULAR AGENTS, OTHER

| | | |
|---|-----------------------|---------------------|
| <i>acetazolamide</i> | 3-Preferred Brands | |
| <i>aliskiren fumarate</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>amiloride-hydrochlorothiazide</i> | 2-Generics | |
| <i>amlodipine besy-benazepril hcl (2.5-10 mg cap, 5-10 mg cap, 5-20 mg cap, 10-20 mg cap)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>amlodipine besy-benazepril hcl (5-40 mg cap, 10-40 mg cap)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>amlodipine besylate-valsartan</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>amlodipine-atorvastatin</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>amlodipine-olmesartan</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>amlodipine-valsartan-hctz</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>atenolol-chlorthalidone</i> | 2-Generics | |
| <i>benazepril-hydrochlorothiazide</i> | 1-Preferred Generics | |
| <i>bisoprolol-hydrochlorothiazide</i> | 2-Generics | |
| <i>candesartan cilexetil-hctz (32-12.5 mg tab, 32-25 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>candesartan cilexetil-hctz 16-12.5 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>enalapril-hydrochlorothiazide</i> | 1-Preferred Generics | |
| ENTRESTO (6-6 MG CAP SPRINK, 15-16 MG CAP SPRINK) | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>fosinopril sodium-hctz</i> | 1-Preferred Generics | |
| <i>irbesartan-hydrochlorothiazide 150-12.5 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>irbesartan-hydrochlorothiazide 300-12.5 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>ivabradine hcl</i> | 4-Non-Preferred Drugs | PA, QL (60 PER 30 DAYS) |
| <i>lisinopril-hydrochlorothiazide</i> | 1-Preferred Generics | |
| <i>losartan potassium-hctz (100-12.5 mg tab, 100-25 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>losartan potassium-hctz 50-12.5 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>metoprolol-hydrochlorothiazide</i> | 2-Generics | |
| <i>metyrosine</i> | 5-Specialty | PA |
| NEXLETOL | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| <i>olmesartan medoxomil-hctz</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>olmesartan-amlodipine-hctz</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>pentoxifylline er</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>ranolazine er</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>sacubitril-valsartan</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>spironolactone-hctz</i> | 2-Generics | |
| <i>telmisartan-amlodipine</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>telmisartan-hctz (40-12.5 mg tab, 80-25 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>telmisartan-hctz 80-12.5 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>triamterene-hctz</i> | 1-Preferred Generics | |
| <i>valsartan-hydrochlorothiazide</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| VERQUVO | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |

DIURETICS, LOOP

| | | |
|---|--------------------------|--|
| <i>bumetanide (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 3-Preferred Brands | |
| <i>bumetanide 0.25 mg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>furosemide (20 mg tab, 40 mg tab, 80 mg tab)</i> | 1-Preferred Generics | |
| FUROSEMIDE (8 MG/ML SOLUTION, 10 MG/ML SOLUTION) | 2-Generics | |
| <i>furosemide 10 mg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>torseamide</i> | 2-Generics | |

DIURETICS, POTASSIUM-SPARING

| | | |
|----------------------|-----------------------|--|
| <i>amiloride hcl</i> | 2-Generics | |
| <i>eplerenone</i> | 3-Preferred Brands | |

DIURETICS, THIAZIDE

| | | |
|-----------------------|------------|--|
| <i>chlorthalidone</i> | 2-Generics | |
|-----------------------|------------|--|

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------------|-------------------------|----------------------------|
| <i>hydrochlorothiazide</i> | 1-Preferred Generics | |
| <i>indapamide</i> | 1-Preferred Generics | |
| <i>metolazone</i> | 2-Generics | |

DYSLIPIDEMICS, FIBRIC ACID DERIVATIVES

| | | |
|---|-----------------------|--|
| <i>fenofibrate (48 mg tab, 54 mg tab, 145 mg tab, 160 mg tab)</i> | 2-Generics | |
| <i>fenofibrate (67 mg cap, 134 mg cap, 200 mg cap)</i> | 3-Preferred Brands | |
| <i>fenofibrate micronized (67 mg cap, 134 mg cap, 200 mg cap)</i> | 3-Preferred Brands | |
| <i>gemfibrozil</i> | 2-Generics | |

DYSLIPIDEMICS, HMG COA REDUCTASE INHIBITORS

| | | |
|--|-------------------------|---------------------|
| <i>atorvastatin calcium (10 mg tab, 40 mg tab)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>atorvastatin calcium 20 mg tab</i> | 1-Preferred Generics | QL (90 PER 30 DAYS) |
| <i>atorvastatin calcium 80 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>fluvastatin sodium</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>fluvastatin sodium er</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>lovastatin (10 mg tab, 20 mg tab)</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>lovastatin 40 mg tab</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>pitavastatin calcium</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>pravastatin sodium</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>rosuvastatin calcium</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>simvastatin</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| DYSLIPIDEMICS, OTHER | | |
| <i>cholestyramine (4 gm packet, 4 gm/dose powder)</i> | 3-Preferred Brands | |
| <i>cholestyramine light (4 gm packet, 4 gm/dose powder)</i> | 3-Preferred Brands | |
| <i>colesevelam hcl</i> | 4-Non-Preferred Drugs | |
| <i>colestipol hcl (5 gm granules, 5 gm packet)</i> | 4-Non-Preferred Drugs | |
| <i>colestipol hcl 1 gm tab</i> | 3-Preferred Brands | |
| <i>ezetimibe</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>ezetimibe-simvastatin</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| NEXLIZET | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| <i>niacin er (antihyperlipidemic)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>omega-3-acid ethyl esters</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>prevalite (4 gm packet, 4 gm/dose powder)</i> | 3-Preferred Brands | |
| REPATHA | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| REPATHA SURECLICK | 3-Preferred Brands | PA, QL (3 PER 28 DAYS) |
| VASCEPA | 3-Preferred Brands | |
| MINERALOCORTICOID RECEPTOR ANTAGONISTS | | |
| KERENDIA | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| <i>spironolactone (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1-Preferred Generics | |
| SODIUM-GLUCOSE CO-TRANSPORTER 2 INHIBITORS (SGLT2I) | | |
| <i>dapagliflozin propanediol</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|--------------------|----------------------------|
| FARXIGA | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| JARDIANCE | 3-Preferred Brands | QL (30 PER 30 DAYS) |

VASODILATORS, DIRECT-ACTING ARTERIAL

| | | |
|--|----------------------|--|
| <i>hydralazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i> | 1-Preferred Generics | |
| <i>minoxidil</i> | 2-Generics | |

VASODILATORS, DIRECT-ACTING ARTERIAL/VENOUS

| | | |
|--|-----------------------|---------------------|
| <i>isosorbide dinitrate (5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab)</i> | 3-Preferred Brands | |
| <i>isosorbide mononitrate</i> | 2-Generics | |
| <i>isosorbide mononitrate er</i> | 2-Generics | |
| NITRO-BID | 3-Preferred Brands | |
| <i>nitroglycerin (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.3 mg sl tab, 0.4 mg sl tab, 0.4 mg/hr patch 24hr, 0.6 mg sl tab, 0.6 mg/hr patch 24hr)</i> | 2-Generics | |
| <i>nitroglycerin 0.4 % ointment</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>nitroglycerin 0.4 mg/spray solution</i> | 4-Non-Preferred Drugs | |

CENTRAL NERVOUS SYSTEM AGENTS

ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, AMPHETAMINES

| | | |
|---|-----------------------|----------------------|
| <i>amphetamine-dextroamphet er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>amphetamine-dextroamphetamine (10 mg tab, 12.5 mg tab, 15 mg tab, 20 mg tab)</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>amphetamine-dextroamphetamine (5 mg tab, 7.5 mg tab)</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>amphetamine-dextroamphetamine 30 mg tab</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>dextroamphetamine sulfate (5 mg tab, 10 mg tab)</i> | 4-Non-Preferred Drugs | QL (180 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| <i>dextroamphetamine sulfate er</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, NON-AMPHETAMINES | | |
| <i>atomoxetine hcl (10 mg cap, 25 mg cap, 40 mg cap)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>atomoxetine hcl (60 mg cap, 80 mg cap, 100 mg cap)</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>atomoxetine hcl 18 mg cap</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>dexmethylphenidate hcl</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>guanfacine hcl er</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>methylphenidate hcl (5 mg tab, 10 mg tab, 20 mg tab)</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>methylphenidate hcl er (10 mg tab er, 20 mg tab er)</i> | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| CENTRAL NERVOUS SYSTEM, OTHER | | |
| AUSTEDO (9 MG TAB, 12 MG TAB) | 5-Specialty | PA, QL (120 PER 30 DAYS) |
| AUSTEDO 6 MG TAB | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| AUSTEDO XR (12 MG TAB ER 24H, 24 MG TAB ER 24H) | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| AUSTEDO XR (18 MG TAB ER 24H, 30 MG TAB ER 24H, 36 MG TAB ER 24H, 42 MG TAB ER 24H, 48 MG TAB ER 24H) | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| AUSTEDO XR 6 MG TAB ER 24H | 5-Specialty | PA, QL (120 PER 30 DAYS) |
| AUSTEDO XR PATIENT TITRATION | 5-Specialty | PA, QL (28 PER 28 DAYS) |
| NUEDEXTA | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| <i>riluzole</i> | 4-Non-Preferred Drugs | |
| <i>tetrabenazine 12.5 mg tab</i> | 3-Preferred Brands | PA, QL (90 PER 30 DAYS) |
| <i>tetrabenazine 25 mg tab</i> | 5-Specialty | PA, QL (120 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| FIBROMYALGIA AGENTS | | |
| DRIZALMA SPRINKLE | 4-Non-Preferred Drugs | PA2, QL (60 PER 30 DAYS) |
| <i>duloxetine hcl (20 mg cp dr part, 30 mg cp dr part, 60 mg cp dr part)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>pregabalin (225 mg cap, 300 mg cap)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>pregabalin (25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap, 200 mg cap)</i> | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>pregabalin 20 mg/ml solution</i> | 4-Non-Preferred Drugs | QL (900 PER 30 DAYS) |
| MULTIPLE SCLEROSIS AGENTS | | |
| BETASERON | 5-Specialty | QL (14 PER 28 DAYS) |
| COPAXONE 20 MG/ML SOLN PRSYR | 5-Specialty | QL (30 PER 30 DAYS) |
| COPAXONE 40 MG/ML SOLN PRSYR | 5-Specialty | QL (12 PER 28 DAYS) |
| <i>dalfampridine er</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>dimethyl fumarate 120 mg cap dr</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>dimethyl fumarate 240 mg cap dr</i> | 5-Specialty | QL (60 PER 30 DAYS) |
| <i>dimethyl fumarate starter pack</i> | 3-Preferred Brands | QL (120 PER 365 DAYS) |
| <i>fingolimod hcl</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>glatiramer acetate 20 mg/ml soln prsy</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>glatiramer acetate 40 mg/ml soln prsy</i> | 5-Specialty | QL (12 PER 28 DAYS) |
| <i>glatopa 20 mg/ml soln prsy</i> | 5-Specialty | QL (30 PER 30 DAYS) |
| <i>glatopa 40 mg/ml soln prsy</i> | 5-Specialty | QL (12 PER 28 DAYS) |
| KESIMPTA | 5-Specialty | PA, QL (1.2 PER 28 DAYS) |
| <i>teriflunomide</i> | 5-Specialty | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|---------------------|
| DENTAL AND ORAL AGENTS | | |
| <i>cevimeline hcl</i> | 4-Non-Preferred Drugs | |
| <i>chlorhexidine gluconate</i> | 1-Preferred Generics | |
| <i>kourzeq</i> | 3-Preferred Brands | |
| <i>oralone</i> | 3-Preferred Brands | |
| <i>periogard</i> | 1-Preferred Generics | |
| <i>pilocarpine hcl (5 mg tab, 7.5 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>triamcinolone acetonide 0.1 % paste</i> | 3-Preferred Brands | |

DERMATOLOGICAL AGENTS

ACNE AND ROSACEA AGENTS

| | | |
|--|--------------------------|-------------------------|
| <i>accutane</i> | 4-Non-Preferred Drugs | |
| <i>acitretin</i> | 4-Non-Preferred Drugs | PA |
| <i>amnesteam</i> | 4-Non-Preferred Drugs | |
| <i>benzoyl peroxide-erythromycin</i> | 4-Non-Preferred Drugs | QL (46.6 PER 30 DAYS) |
| <i>claravis</i> | 4-Non-Preferred Drugs | |
| <i>isotretinoin (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | 4-Non-Preferred Drugs | |
| <i>metronidazole (0.75 % lotion, 1 % gel)</i> | 4-Non-Preferred Drugs | |
| <i>sulfacetamide sodium (acne)</i> | 4-Non-Preferred Drugs | QL (118 PER 30 DAYS) |
| <i>tazarotene 0.1 % cream</i> | 4-Non-Preferred Drugs | PA, QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>tretinoin (0.01 % gel, 0.025 % cream, 0.025 % gel, 0.05 % cream, 0.1 % cream)</i> | 4-Non-Preferred Drugs | PA, QL (45 PER 30 DAYS) |
| <i>zenatane</i> | 4-Non-Preferred Drugs | |

DERMATITIS AND PRURITUS AGENTS

| | | |
|---|-----------------------|----------------------|
| <i>ala-cort</i> | 2-Generics | |
| <i>alclometasone dipropionate</i> | 3-Preferred Brands | |
| <i>ammonium lactate</i> | 2-Generics | |
| <i>betamethasone dipropionate (0.05 % cream, 0.05 % ointment)</i> | 3-Preferred Brands | |
| <i>betamethasone dipropionate 0.05 % lotion</i> | 2-Generics | |
| <i>betamethasone dipropionate aug (0.05 % gel, 0.05 % ointment)</i> | 4-Non-Preferred Drugs | |
| <i>betamethasone dipropionate aug 0.05 % cream</i> | 2-Generics | |
| <i>betamethasone dipropionate aug 0.05 % lotion</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>betamethasone valerate (0.1 % cream, 0.1 % lotion, 0.1 % ointment)</i> | 2-Generics | |
| <i>clobetasol prop emollient base</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>clobetasol propionate (0.05 % cream, 0.05 % gel, 0.05 % ointment)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>clobetasol propionate (0.05 % foam, 0.05 % solution)</i> | 4-Non-Preferred Drugs | QL (100 PER 30 DAYS) |
| <i>clobetasol propionate 0.05 % shampoo</i> | 4-Non-Preferred Drugs | QL (118 PER 30 DAYS) |
| <i>clobetasol propionate e</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>clodan</i> | 4-Non-Preferred Drugs | QL (118 PER 30 DAYS) |
| <i>desonide (0.05 % cream, 0.05 % ointment)</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>desonide 0.05 % lotion</i> | 4-Non-Preferred Drugs | QL (118 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>desoximetasone (0.05 % cream, 0.05 % gel, 0.25 % cream)</i> | 4-Non-Preferred Drugs | QL (100 PER 30 DAYS) |
| EUCRISA | 4-Non-Preferred Drugs | PA, QL (100 PER 30 DAYS) |
| <i>fluocinolone acetonide 0.01 % cream</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>fluocinolone acetonide 0.01 % solution</i> | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| <i>fluocinolone acetonide 0.025 % cream</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>fluocinolone acetonide 0.025 % ointment</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>fluocinolone acetonide body</i> | 4-Non-Preferred Drugs | QL (118.28 PER 30 DAYS) |
| <i>fluocinolone acetonide scalp</i> | 4-Non-Preferred Drugs | QL (118.28 PER 30 DAYS) |
| <i>fluocinonide (0.05 % gel, 0.05 % ointment)</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>fluocinonide 0.05 % cream</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>fluocinonide 0.05 % solution</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>fluocinonide emulsified base</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>fluticasone propionate (0.005 % ointment, 0.05 % cream)</i> | 2-Generics | |
| <i>halobetasol propionate (0.05 % cream, 0.05 % ointment)</i> | 4-Non-Preferred Drugs | QL (50 PER 30 DAYS) |
| <i>hydrocortisone (1 % cream, 1 % ointment, 2.5 % cream, 2.5 % lotion, 2.5 % ointment)</i> | 2-Generics | |
| <i>hydrocortisone (perianal)</i> | 2-Generics | |
| <i>hydrocortisone valerate 0.2 % ointment</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>mometasone furoate (0.1 % cream, 0.1 % ointment, 0.1 % solution)</i> | 2-Generics | |
| <i>pimecrolimus</i> | 4-Non-Preferred Drugs | QL (100 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>procto-med hc</i> | 2-Generics | |
| <i>proctosol hc</i> | 2-Generics | |
| <i>proctozone-hc</i> | 2-Generics | |
| SELENIUM SULFIDE 2.5 % LOTION | 2-Generics | |
| <i>tacrolimus (0.03 % ointment, 0.1 % ointment)</i> | 4-Non-Preferred Drugs | QL (100 PER 30 DAYS) |
| <i>triamcinolone acetonide (0.025 % cream, 0.025 % lotion, 0.025 % ointment, 0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.5 % cream, 0.5 % ointment)</i> | 2-Generics | |
| <i>triderm</i> | 2-Generics | |

DERMATOLOGICAL AGENTS, OTHER

| | | |
|--|--------------------------|----------------------|
| <i>calcipotriene (0.005 % cream, 0.005 % ointment)</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>calcipotriene 0.005 % solution</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>calcitrene</i> | 4-Non-Preferred Drugs | QL (120 PER 30 DAYS) |
| <i>clotrimazole-betamethasone 1-0.05 % cream</i> | 3-Preferred Brands | QL (45 PER 30 DAYS) |
| <i>clotrimazole-betamethasone 1-0.05 % lotion</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>fluorouracil (2 % solution, 5 % solution)</i> | 3-Preferred Brands | QL (10 PER 30 DAYS) |
| <i>fluorouracil 5 % cream</i> | 4-Non-Preferred Drugs | QL (80 PER 30 DAYS) |
| <i>imiquimod 5 % cream</i> | 3-Preferred Brands | QL (24 PER 30 DAYS) |
| <i>podofilox 0.5 % solution</i> | 4-Non-Preferred Drugs | |
| SANTYL | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| <i>silver sulfadiazine</i> | 2-Generics | |
| <i>ssd</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------|
| PEDICULICIDES/SCABICIDES | | |
| <i>malathion</i> | 4-Non-Preferred Drugs | |
| <i>permethrin</i> | 3-Preferred Brands | |
| TOPICAL ANTI-INFECTIVES | | |
| <i>acyclovir 5 % ointment</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>ciclopirox 1 % shampoo</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>ciclopirox olamine 0.77 % suspension</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>clindamycin phos (twice-daily)</i> | 3-Preferred Brands | QL (75 PER 30 DAYS) |
| <i>clindamycin phosphate (1 % solution, 1 % swab)</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>clindamycin phosphate 1 % lotion</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>ery 2% pad</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| ERYTHROMYCIN 2 % GEL | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |
| <i>erythromycin 2 % solution</i> | 2-Generics | QL (120 PER 30 DAYS) |
| <i>mupirocin</i> | 2-Generics | QL (66 PER 30 DAYS) |

ELECTROLYTES/MINERALS/METALS/VITAMINS

ELECTROLYTE/MINERAL REPLACEMENT

| | | |
|--|--------------------------|-----|
| AMINOSYN II (10 % SOLUTION, 15 % SOLUTION) | 4-Non-Preferred Drugs | PA3 |
| AMINOSYN-PF | 4-Non-Preferred Drugs | PA3 |
| <i>carglumic acid</i> | 5-Specialty | PA |
| CLINIMIX/DEXTROSE (4.25/10) | 4-Non-Preferred Drugs | PA3 |
| CLINIMIX/DEXTROSE (4.25/5) | 4-Non-Preferred Drugs | PA3 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| CLINIMIX/DEXTROSE (5/15) | 4-Non-Preferred Drugs | PA3 |
| CLINIMIX/DEXTROSE (5/20) | 4-Non-Preferred Drugs | PA3 |
| <i>clinisol sf</i> | 4-Non-Preferred Drugs | PA3 |
| <i>dextrose (5 % solution, 10 % solution, 50 % solution, 70 % solution)</i> | 4-Non-Preferred Drugs | |
| <i>dextrose-sodium chloride (2.5-0.45 % solution, 5-0.2 % solution, 5-0.45 % solution, 5-0.9 % solution, 10-0.2 % solution, 10-0.45 % solution)</i> | 4-Non-Preferred Drugs | |
| ISOLYTE-P IN D5W | 4-Non-Preferred Drugs | |
| ISOLYTE-S | 4-Non-Preferred Drugs | |
| ISOLYTE-S PH 7.4 | 4-Non-Preferred Drugs | |
| <i>kcl (0.149%) in nacl 20-0.45 meq/l- % solution</i> | 4-Non-Preferred Drugs | |
| <i>kcl in dextrose-nacl (10-5-0.45 meq/l-%-% solution, 20-5-0.2 meq/l- -%-% solution, 20-5-0.45 meq/l-%-% solution, 20-5-0.9 meq/l-%-% solution, 30-5-0.45 meq/l-%-% solution, 40-5-0.45 meq/l-%-% solution, 40-5-0.9 meq/l-%-% solution)</i> | 4-Non-Preferred Drugs | |
| KCL-LACTATED RINGERS-D5W | 4-Non-Preferred Drugs | |
| <i>klor-con 10</i> | 2-Generics | |
| <i>klor-con 20 meq packet</i> | 4-Non-Preferred Drugs | |
| <i>klor-con 8 meq tab er</i> | 2-Generics | |
| <i>klor-con m10</i> | 2-Generics | |
| <i>klor-con m15</i> | 2-Generics | |
| <i>klor-con m20</i> | 2-Generics | |
| MAGNESIUM SULFATE 50 % SOLUTION | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations
on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|----------------------------|
| <i>multiple electro type 1 ph 5.5</i> | 4-Non-Preferred Drugs | |
| <i>multiple electro type 1 ph 7.4</i> | 4-Non-Preferred Drugs | |
| <i>plenamine</i> | 4-Non-Preferred Drugs | PA3 |
| POTASSIUM CHLORIDE (2 MEQ/ML SOLUTION, 10 % SOLUTION, 10 MEQ/100ML SOLUTION, 20 MEQ PACKET, 20 MEQ/100ML SOLUTION, 20 MEQ/15ML (10%) SOLUTION, 40 MEQ/100ML SOLUTION, 40 MEQ/15ML (20%) SOLUTION) | 4-Non-Preferred Drugs | |
| <i>potassium chloride crys er</i> | 2-Generics | |
| <i>potassium chloride er (8 cap er, 8 tab er, 10 cap er, 10 tab er, 20 tab er)</i> | 2-Generics | |
| <i>potassium chloride in dextrose 20-5 meq/l-% solution</i> | 4-Non-Preferred Drugs | |
| <i>potassium chloride in nacl</i> | 4-Non-Preferred Drugs | |
| <i>potassium citrate er</i> | 3-Preferred Brands | |
| POTASSIUM CL IN DEXTROSE 5% | 4-Non-Preferred Drugs | |
| PREMASOL | 4-Non-Preferred Drugs | PA3 |
| PROSOL | 4-Non-Preferred Drugs | PA3 |
| <i>sodium chloride (0.45 % solution, 0.9 % solution, 3 % solution, 5 % solution)</i> | 4-Non-Preferred Drugs | |
| <i>sodium chloride (pf)</i> | 4-Non-Preferred Drugs | |
| SODIUM FLUORIDE (0.55 (0.25 F) MG CHEW TAB, 1.1 (0.5 F) MG CHEW TAB, 2.2 (1 F) MG CHEW TAB) | 1-Preferred Generics | |
| TPN ELECTROLYTES | 4-Non-Preferred Drugs | PA3 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|--------------------------|----------------------------|
| TRAVASOL | 4-Non-Preferred Drugs | PA3 |
| TROPHAMINE | 4-Non-Preferred Drugs | PA3 |

ELECTROLYTE/MINERAL/METAL MODIFIERS

| | | |
|--|--------------------------|----------------------|
| CHEMET | 5-Specialty | |
| <i>deferasirox (125 mg tab sol, 180 mg tab, 360 mg tab)</i> | 4-Non-Preferred Drugs | PA |
| <i>deferasirox (250 mg tab sol, 500 mg tab sol)</i> | 5-Specialty | PA |
| <i>deferasirox 90 mg tab</i> | 3-Preferred Brands | PA |
| <i>penicillamine 250 mg tab</i> | 5-Specialty | |
| <i>tolvaptan (15 mg tab thpk, 30 & 15 mg tab thpk, 45 & 15 mg tab thpk, 60 & 30 mg tab thpk, 90 & 30 mg tab thpk – generic jynarque)</i> | 5-Specialty | PA |
| <i>tolvaptan 15 mg tab (generic jynarque)</i> | 5-Specialty | PA |
| <i>tolvaptan 30 mg tab (generic jynarque)</i> | 5-Specialty | PA |
| <i>trientine hcl 250 mg cap</i> | 5-Specialty | QL (240 PER 30 DAYS) |

POTASSIUM BINDERS

| | | |
|---|-----------------------|---------------------|
| <i>kionex</i> | 3-Preferred Brands | |
| LOKELMA | 3-Preferred Brands | QL (90 PER 30 DAYS) |
| <i>sodium polystyrene sulfonate (15 gm/60ml suspension, powder)</i> | 3-Preferred Brands | |
| <i>sps (sodium polystyrene sulf)</i> | 3-Preferred Brands | |

VITAMINS

| | | |
|---|--------------------------|--|
| <i>levocarnitine (1 gm/10ml solution, 330 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>levocarnitine sf</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------|--------------------|---------------------|
| PRENATAL VITAMIN ORAL TABLET | 3-Preferred Brands | |

GASTROINTESTINAL AGENTS

ANTI-CONSTIPATION AGENTS

| | | |
|---|-----------------------|---------------------|
| <i>constulose</i> | 2-Generics | |
| <i>enulose</i> | 2-Generics | |
| <i>generlac</i> | 2-Generics | |
| <i>lactulose (10 gm/15ml solution, 20 gm/30ml solution)</i> | 2-Generics | |
| <i>lactulose encephalopathy</i> | 2-Generics | |
| LINZESS | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| MOVANTIK | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| TRULANCE | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |

ANTI-DIARRHEAL AGENTS

| | | |
|--|-----------------------|-------------------------|
| <i>alosetron hcl 0.5 mg tab</i> | 4-Non-Preferred Drugs | PA, QL (60 PER 30 DAYS) |
| <i>alosetron hcl 1 mg tab</i> | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| <i>diphenoxylate-atropine 2.5-0.025 mg tab</i> | 3-Preferred Brands | PA |
| <i>loperamide hcl</i> | 2-Generics | |
| XERMELO | 5-Specialty | PA, QL (84 PER 28 DAYS) |

ANTISPASMODICS, GASTROINTESTINAL

| | | |
|---|-----------------------|----|
| <i>dicyclomine hcl (10 mg cap, 20 mg tab)</i> | 2-Generics | PA |
| <i>dicyclomine hcl 10 mg/5ml solution</i> | 4-Non-Preferred Drugs | PA |
| <i>glycopyrrolate (1 mg tab, 2 mg tab)</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------------|-------------------------|
| GASTROINTESTINAL AGENTS, OTHER | | |
| CLENPIQ | 4-Non-Preferred Drugs | |
| GATTEX | 5-Specialty | PA |
| <i>gavilyte-c</i> | 2-Generics | |
| <i>gavilyte-g</i> | 2-Generics | |
| <i>gavilyte-n with flavor pack</i> | 2-Generics | |
| <i>na sulfate-k sulfate-mg sulf</i> | 4-Non-Preferred Drugs | |
| <i>peg 3350-kcl-na bicarb-nacl</i> | 2-Generics | |
| <i>peg-3350/electrolytes</i> | 2-Generics | |
| <i>ursodiol (250 mg tab, 500 mg tab)</i> | 4-Non-Preferred Drugs | |
| <i>ursodiol 300 mg cap</i> | 3-Preferred Brands | |
| VOQUEZNA DUAL PAK | 4-Non-Preferred Drugs | QL (224 PER 365 DAYS) |
| VOQUEZNA TRIPLE PAK | 4-Non-Preferred Drugs | QL (224 PER 365 DAYS) |
| VOWST | 5-Specialty | PA, QL (12 PER 30 DAYS) |
| HISTAMINE2 (H2) RECEPTOR ANTAGONISTS | | |
| <i>famotidine (20 mg tab, 40 mg tab)</i> | 1-Preferred Generics | |
| <i>famotidine 40 mg/5ml recon susp</i> | 4-Non-Preferred Drugs | |
| <i>nizatidine 150 mg cap</i> | 4-Non-Preferred Drugs | |
| PROTECTANTS | | |
| <i>misoprostol</i> | 3-Preferred Brands | |
| <i>sucralfate 1 gm tab</i> | 2-Generics | |
| <i>sucralfate 1 gm/10ml suspension</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|----------------------|---------------------|
| PROTON PUMP INHIBITORS | | |
| <i>esomeprazole magnesium (20 mg cap dr, 40 mg cap dr)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>lansoprazole (15 mg cap dr, 30 mg cap dr)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>omeprazole</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>pantoprazole sodium (20 mg tab dr, 40 mg tab dr)</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |
| <i>rabeprazole sodium</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |

GENETIC OR ENZYME OR PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT

| | | |
|--|-----------------------|--------------------------|
| <i>betaine</i> | 5-Specialty | |
| CERDELGA | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| CREON | 3-Preferred Brands | |
| <i>cromolyn sodium 100 mg/5ml conc</i> | 4-Non-Preferred Drugs | |
| CYSTAGON | 4-Non-Preferred Drugs | |
| CYSTARAN | 5-Specialty | PA, QL (60 PER 28 DAYS) |
| <i>javygtor</i> | 5-Specialty | PA |
| <i>l-glutamine</i> | 5-Specialty | PA, QL (180 PER 30 DAYS) |
| <i>nitisinone</i> | 5-Specialty | |
| PROLASTIN-C | 5-Specialty | PA |
| REVCOVI | 5-Specialty | PA |
| <i>sapropterin dihydrochloride</i> | 5-Specialty | PA |
| <i>sodium phenylbutyrate (3 gm/tsp powder, 500 mg tab)</i> | 5-Specialty | PA |
| <i>zelvysia</i> | 5-Specialty | PA |
| ZENPEP | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

GENITOURINARY AGENTS

ANTISPASMODICS, URINARY

| | | |
|--|-----------------------|----------------------|
| <i>fesoterodine fumarate er</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| GEMTESA | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>mirabegron er</i> | 2-Generics | QL (30 PER 30 DAYS) |
| MYRBETRIQ (25 MG TAB ER 24H, 50 MG TAB ER 24H) | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| MYRBETRIQ 8 MG/ML SRER | 3-Preferred Brands | QL (300 PER 30 DAYS) |
| <i>oxybutynin chloride (5 mg tab, 5 mg/5ml solution)</i> | 2-Generics | |
| <i>oxybutynin chloride er</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>solifenacin succinate</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>tolterodine tartrate</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>tolterodine tartrate er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>tropium chloride</i> | 2-Generics | QL (60 PER 30 DAYS) |
| <i>tropium chloride er</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |

BENIGN PROSTATIC HYPERTROPHY AGENTS

| | | |
|-----------------------------------|-----------------------|-------------------------|
| <i>alfuzosin hcl er</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>dutasteride</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>dutasteride-tamsulosin hcl</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>finasteride</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>tadalafil</i> | 4-Non-Preferred Drugs | PA, QL (30 PER 30 DAYS) |
| <i>tamsulosin hcl</i> | 1-Preferred Generics | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|---------------------|
| GENITOURINARY AGENTS, OTHER | | |
| <i>bethanechol chloride</i> | 3-Preferred Brands | |
| ELMIRON | 4-Non-Preferred Drugs | QL (90 PER 30 DAYS) |
| HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL) | | |
| <i>dexamethasone (0.5 mg tab, 0.5 mg/5ml elixir, 0.5 mg/5ml solution, 0.75 mg tab, 1 mg tab, 1.5 mg tab, 2 mg tab, 4 mg tab, 6 mg tab)</i> | 2-Generics | |
| <i>dexamethasone sod phos +rfid</i> | 4-Non-Preferred Drugs | |
| <i>dexamethasone sod phosphate pf</i> | 4-Non-Preferred Drugs | |
| <i>dexamethasone sodium phosphate (4 mg/ml soln prsyr, 4 mg/ml solution, 10 mg/ml solution, 20 mg/5ml solution, 100 mg/10ml solution, 120 mg/30ml solution)</i> | 4-Non-Preferred Drugs | |
| <i>fludrocortisone acetate</i> | 2-Generics | |
| <i>methylprednisolone (4 mg tab, 8 mg tab, 16 mg tab, 32 mg tab)</i> | 3-Preferred Brands | |
| <i>methylprednisolone 4 mg tab thpk</i> | 2-Generics | |
| <i>methylprednisolone acetate</i> | 4-Non-Preferred Drugs | |
| <i>methylprednisolone sodium succ</i> | 4-Non-Preferred Drugs | |
| <i>prednisolone 15 mg/5ml solution</i> | 2-Generics | |
| <i>prednisolone sodium phosphate (6.7 (5 base) mg/5ml solution, 25 mg/5ml solution)</i> | 4-Non-Preferred Drugs | |
| <i>prednisolone sodium phosphate 15 mg/5ml solution</i> | 2-Generics | |
| <i>prednisone (1 mg tab, 2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 50 mg tab)</i> | 1-Preferred Generics | |
| <i>prednisone (5 mg (21) tab thpk, 5 mg (48) tab thpk, 10 mg (21) tab thpk, 10 mg (48) tab thpk)</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------------|--------------------------|---------------------|
| <i>prednisone 5 mg/5ml solution</i> | 4-Non-Preferred Drugs | |
| PREDNISONE INTENSOL | 4-Non-Preferred Drugs | |

HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)

| | | |
|--|--------------------------|----|
| <i>desmopressin ace spray refrig</i> | 4-Non-Preferred Drugs | |
| <i>desmopressin acetate (0.1 mg tab, 0.2 mg tab)</i> | 3-Preferred Brands | |
| <i>desmopressin acetate 4 mcg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>desmopressin acetate pf</i> | 4-Non-Preferred Drugs | |
| <i>desmopressin acetate spray</i> | 4-Non-Preferred Drugs | |
| INCRELEX | 5-Specialty | PA |
| NORDITROPIN FLEXPRO | 5-Specialty | PA |

HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)

ANDROGENS

| | | |
|--|--------------------------|--------------------------|
| <i>danazol</i> | 4-Non-Preferred Drugs | |
| <i>testosterone (12.5 mg/act (1%) gel, 25 mg/2.5gm (1%) gel, 50 mg/5gm (1%) gel)</i> | 4-Non-Preferred Drugs | PA, QL (300 PER 30 DAYS) |
| <i>testosterone 20.25 mg/act (1.62%) gel</i> | 4-Non-Preferred Drugs | PA, QL (150 PER 30 DAYS) |
| <i>testosterone cypionate</i> | 3-Preferred Brands | PA |
| <i>testosterone enanthate</i> | 3-Preferred Brands | PA |
| <i>testosterone td gel pump 20.25 mg/act (1.62%)</i> | 4-Non-Preferred Drugs | PA, QL (150 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------|--------------------|----------------------------|
| ESTROGENS | | |
| <i>afirmelle</i> | 2-Generics | |
| <i>altavera</i> | 3-Preferred Brands | |
| <i>alyacen 1/35</i> | 3-Preferred Brands | |
| <i>alyacen 7/7/7</i> | 3-Preferred Brands | |
| <i>amethyst</i> | 2-Generics | |
| <i>apri</i> | 2-Generics | |
| ARANELLE | 3-Preferred Brands | |
| <i>aubra eq</i> | 2-Generics | |
| <i>aurovela 1.5/30</i> | 3-Preferred Brands | |
| <i>aurovela 1/20</i> | 3-Preferred Brands | |
| <i>aurovela fe 1.5/30</i> | 2-Generics | |
| <i>aurovela fe 1/20</i> | 2-Generics | |
| <i>aviane</i> | 2-Generics | |
| <i>ayuna</i> | 3-Preferred Brands | |
| <i>azurette</i> | 3-Preferred Brands | |
| <i>balziva</i> | 3-Preferred Brands | |
| <i>blisovi fe 1.5/30</i> | 2-Generics | |
| <i>blisovi fe 1/20</i> | 2-Generics | |
| <i>brillyn</i> | 3-Preferred Brands | |
| <i>chateal eq</i> | 3-Preferred Brands | |
| <i>cryselle</i> | 2-Generics | |
| <i>cryselle-28</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>cyred eq</i> | 2-Generics | |
| <i>dasetta 1/35</i> | 3-Preferred Brands | |
| <i>dasetta 7/7/7</i> | 3-Preferred Brands | |
| <i>delyla</i> | 2-Generics | |
| <i>desogestrel-ethinyl estradiol 0.15-0.02/0.01 mg (21/5) tab</i> | 3-Preferred Brands | |
| <i>desogestrel-ethinyl estradiol 0.15-30 mg-mcg tab</i> | 2-Generics | |
| <i>dolishale</i> | 2-Generics | |
| <i>drospirenone-ethinyl estradiol</i> | 3-Preferred Brands | |
| <i>elinest</i> | 2-Generics | |
| <i>eluryng</i> | 3-Preferred Brands | |
| <i>enilloring</i> | 3-Preferred Brands | |
| <i>enskyce</i> | 2-Generics | |
| <i>estarylla</i> | 3-Preferred Brands | |
| <i>estradiol (0.025 mg/24hr patch wk, 0.0375 mg/24hr patch wk, 0.05 mg/24hr patch wk, 0.06 mg/24hr patch wk, 0.075 mg/24hr patch wk, 0.1 mg/24hr patch wk)</i> | 3-Preferred Brands | QL (4 PER 28 DAYS) |
| <i>estradiol (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 2-Generics | |
| <i>estradiol 0.01 % cream</i> | 3-Preferred Brands | |
| <i>estradiol 10 mcg tab</i> | 4-Non-Preferred Drugs | |
| <i>estrogens conjugated</i> | 4-Non-Preferred Drugs | |
| <i>ethynodiol diac-eth estradiol</i> | 2-Generics | |
| <i>etonogestrel-ethinyl estradiol</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------|--------------------|----------------------------|
| <i>falmina</i> | 2-Generics | |
| <i>feirza 1.5/30</i> | 2-Generics | |
| <i>feirza 1/20</i> | 2-Generics | |
| <i>femynor</i> | 3-Preferred Brands | |
| <i>fyavolv</i> | 3-Preferred Brands | |
| <i>hailey 1.5/30</i> | 3-Preferred Brands | |
| <i>hailey fe 1.5/30</i> | 2-Generics | |
| <i>hailey fe 1/20</i> | 2-Generics | |
| <i>haloette</i> | 3-Preferred Brands | |
| <i>iclevia</i> | 3-Preferred Brands | |
| <i>introvale</i> | 3-Preferred Brands | |
| <i>isibloom</i> | 2-Generics | |
| <i>jasmiel</i> | 3-Preferred Brands | |
| <i>jinteli</i> | 3-Preferred Brands | |
| <i>jolessa</i> | 3-Preferred Brands | |
| <i>juleber</i> | 2-Generics | |
| <i>junel 1.5/30</i> | 3-Preferred Brands | |
| <i>junel 1/20</i> | 3-Preferred Brands | |
| <i>junel fe 1.5/30</i> | 2-Generics | |
| <i>junel fe 1/20</i> | 2-Generics | |
| <i>kalliga</i> | 2-Generics | |
| <i>kariva</i> | 3-Preferred Brands | |
| <i>kelnor 1/35</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|--------------------|----------------------------|
| <i>kelnor 1/50</i> | 2-Generics | |
| <i>kurvelo</i> | 3-Preferred Brands | |
| <i>larin 1.5/30</i> | 3-Preferred Brands | |
| <i>larin 1/20</i> | 3-Preferred Brands | |
| <i>larin fe 1.5/30</i> | 2-Generics | |
| <i>larin fe 1/20</i> | 2-Generics | |
| <i>lessina</i> | 2-Generics | |
| <i>levonest</i> | 2-Generics | |
| <i>levonorg-eth estrad triphasic</i> | 2-Generics | |
| <i>levonorgest-eth estrad 91-day 0.15-0.03 mg tab</i> | 3-Preferred Brands | |
| <i>levonorgestrel-ethinyl estrad (0.1-20 mg-mcg tab, 90-20 mcg tab)</i> | 2-Generics | |
| <i>levonorgestrel-ethinyl estrad 0.15-30 mg-mcg tab</i> | 3-Preferred Brands | |
| <i>levora 0.15/30 (28)</i> | 3-Preferred Brands | |
| <i>lo-zumandimine</i> | 3-Preferred Brands | |
| <i>loestrin 1.5/30 (21)</i> | 3-Preferred Brands | |
| <i>loestrin 1/20 (21)</i> | 3-Preferred Brands | |
| <i>loestrin fe 1.5/30</i> | 2-Generics | |
| <i>loestrin fe 1/20</i> | 2-Generics | |
| <i>loryna</i> | 3-Preferred Brands | |
| <i>low-ogestrel</i> | 2-Generics | |
| <i>luizza 1.5/30</i> | 3-Preferred Brands | |
| <i>luizza 1/20</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------|----------------------------|
| <i>lutra</i> | 2-Generics | |
| <i>marlissa</i> | 3-Preferred Brands | |
| <i>microgestin 1.5/30</i> | 3-Preferred Brands | |
| <i>microgestin 1/20</i> | 3-Preferred Brands | |
| <i>microgestin fe 1.5/30</i> | 2-Generics | |
| <i>microgestin fe 1/20</i> | 2-Generics | |
| <i>mili</i> | 3-Preferred Brands | |
| <i>mono-linyah</i> | 3-Preferred Brands | |
| <i>necon 0.5/35 (28)</i> | 3-Preferred Brands | |
| <i>nikki</i> | 3-Preferred Brands | |
| <i>norelgestromin-eth estradiol</i> | 3-Preferred Brands | |
| <i>norethin ace-eth estrad-fe (1-20 tab, 1.5-30 tab)</i> | 2-Generics | |
| <i>norethindron-ethinyl estrad-fe</i> | 2-Generics | |
| <i>norethindrone acet-ethinyl est</i> | 3-Preferred Brands | |
| <i>norethindrone-eth estradiol</i> | 3-Preferred Brands | |
| <i>norgestim-eth estrad triphasic</i> | 3-Preferred Brands | |
| <i>norgestimate-eth estradiol</i> | 3-Preferred Brands | |
| <i>nortrel 0.5/35 (28)</i> | 3-Preferred Brands | |
| <i>nortrel 1/35 (21)</i> | 3-Preferred Brands | |
| <i>nortrel 1/35 (28)</i> | 3-Preferred Brands | |
| <i>nortrel 7/7/7</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------------|--------------------|----------------------------|
| <i>nylia 1/35</i> | 3-Preferred Brands | |
| <i>nylia 7/7/7</i> | 3-Preferred Brands | |
| <i>nymyo</i> | 3-Preferred Brands | |
| <i>ocella</i> | 3-Preferred Brands | |
| <i>philith</i> | 3-Preferred Brands | |
| <i>pimtrea</i> | 3-Preferred Brands | |
| <i>pirmella 1/35</i> | 3-Preferred Brands | |
| <i>portia-28</i> | 3-Preferred Brands | |
| PREMARIN 0.625 MG/GM CREAM | 3-Preferred Brands | |
| <i>previfem</i> | 3-Preferred Brands | |
| <i>reclipsen</i> | 2-Generics | |
| <i>setlakin</i> | 3-Preferred Brands | |
| <i>simliya</i> | 3-Preferred Brands | |
| <i>sprintec 28</i> | 3-Preferred Brands | |
| <i>sronyx</i> | 2-Generics | |
| <i>syeda</i> | 3-Preferred Brands | |
| <i>tarina fe 1/20 eq</i> | 2-Generics | |
| <i>tilia fe</i> | 2-Generics | |
| <i>tri femynor</i> | 3-Preferred Brands | |
| <i>tri-estarylla</i> | 3-Preferred Brands | |
| <i>tri-legest fe</i> | 2-Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------|--------------------|----------------------------|
| <i>tri-linyah</i> | 3-Preferred Brands | |
| <i>tri-lo-estarylla</i> | 3-Preferred Brands | |
| <i>tri-lo-marzia</i> | 3-Preferred Brands | |
| <i>tri-lo-mili</i> | 3-Preferred Brands | |
| <i>tri-lo-sprintec</i> | 3-Preferred Brands | |
| <i>tri-mili</i> | 3-Preferred Brands | |
| <i>tri-nymyo</i> | 3-Preferred Brands | |
| <i>tri-sprintec</i> | 3-Preferred Brands | |
| <i>tri-vylibra</i> | 3-Preferred Brands | |
| <i>tri-vylibra lo</i> | 3-Preferred Brands | |
| <i>turqoz</i> | 2-Generics | |
| <i>valtya 1/35</i> | 2-Generics | |
| <i>valtya 1/50</i> | 2-Generics | |
| <i>velivet</i> | 2-Generics | |
| <i>vestura</i> | 3-Preferred Brands | |
| <i>vienva</i> | 2-Generics | |
| <i>viorele</i> | 3-Preferred Brands | |
| <i>volnea</i> | 3-Preferred Brands | |
| <i>vyfemla</i> | 3-Preferred Brands | |
| <i>vylibra</i> | 3-Preferred Brands | |
| <i>wera</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------|-----------------------|----------------------------|
| <i>xarah fe</i> | 2-Generics | |
| <i>xulane</i> | 3-Preferred Brands | |
| <i>yuvafem</i> | 4-Non-Preferred Drugs | |
| <i>zafemy</i> | 3-Preferred Brands | |
| <i>zovia 1/35 (28)</i> | 2-Generics | |
| <i>zumandimine</i> | 3-Preferred Brands | |

PROGESTINS

| | | |
|---|--------------------|--|
| <i>camila</i> | 3-Preferred Brands | |
| <i>deblitane</i> | 3-Preferred Brands | |
| DEPO-SUBQ PROVERA 104 | 3-Preferred Brands | |
| <i>emzahh</i> | 3-Preferred Brands | |
| <i>errin</i> | 3-Preferred Brands | |
| <i>gallifrey</i> | 3-Preferred Brands | |
| <i>heather</i> | 3-Preferred Brands | |
| <i>incassia</i> | 3-Preferred Brands | |
| <i>jencycla</i> | 3-Preferred Brands | |
| LILETTA (52 MG) | 3-Preferred Brands | |
| <i>lyleq</i> | 3-Preferred Brands | |
| <i>lyza</i> | 3-Preferred Brands | |
| <i>medroxyprogesterone acetate (150 mg/ml susp prsyr, 150 mg/ml suspension)</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>medroxyprogesterone acetate (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 2-Generics | |
| <i>megestrol acetate (20 mg tab, 40 mg tab, 40 mg/ml suspension, 400 mg/10ml suspension, 800 mg/20ml suspension)</i> | 3-Preferred Brands | |
| <i>megestrol acetate 625 mg/5ml suspension</i> | 4-Non-Preferred Drugs | |
| <i>meleya</i> | 3-Preferred Brands | |
| NEXPLANON | 3-Preferred Brands | |
| <i>nora-be</i> | 3-Preferred Brands | |
| <i>norethindrone</i> | 3-Preferred Brands | |
| <i>norethindrone acetate</i> | 3-Preferred Brands | |
| <i>norlyda</i> | 3-Preferred Brands | |
| <i>norlyroc</i> | 3-Preferred Brands | |
| <i>orquidea</i> | 3-Preferred Brands | |
| <i>progesterone (100 mg cap, 200 mg cap)</i> | 3-Preferred Brands | |
| <i>sharobel</i> | 3-Preferred Brands | |

SELECTIVE ESTROGEN RECEPTOR MODIFYING AGENTS

| | | |
|-----------------------|-----------------------|---------------------|
| DUAVEE | 4-Non-Preferred Drugs | |
| <i>raloxifene hcl</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |

HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)

| | | |
|---------------|----------------------|--|
| <i>levo-t</i> | 1-Preferred Generics | |
|---------------|----------------------|--|

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-------------------------|-------------------------|
| <i>levothyroxine sodium (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab, 300 mcg tab)</i> | 1-Preferred Generics | |
| <i>levoxyl</i> | 3-Preferred Brands | |
| <i>liomny</i> | 3-Preferred Brands | |
| <i>liothyronine sodium (5 mcg tab, 25 mcg tab, 50 mcg tab)</i> | 3-Preferred Brands | |
| REZDIFFRA | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| SYNTHROID | 3-Preferred Brands | |
| <i>unithroid</i> | 3-Preferred Brands | |

HORMONAL AGENTS, SUPPRESSANT (ADRENAL OR PITUITARY)

| | | |
|----------------------------|--------------------------|-----|
| <i>cabergoline</i> | 3-Preferred Brands | |
| ELIGARD | 4-Non-Preferred Drugs | PA3 |
| FIRMAGON | 4-Non-Preferred Drugs | PA3 |
| FIRMAGON (240 MG DOSE) | 5-Specialty | PA3 |
| <i>lanreotide acetate</i> | 5-Specialty | PA |
| <i>leuprolide acetate</i> | 4-Non-Preferred Drugs | PA3 |
| LUPRON DEPOT (1-MONTH) | 5-Specialty | PA3 |
| LUPRON DEPOT (3-MONTH) | 5-Specialty | PA3 |
| LUPRON DEPOT-PED (1-MONTH) | 5-Specialty | PA3 |
| LUPRON DEPOT-PED (3-MONTH) | 5-Specialty | PA3 |
| LUPRON DEPOT-PED (6-MONTH) | 5-Specialty | PA3 |
| <i>mifepristone</i> | 5-Specialty | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>octreotide acetate (50 mcg/ml soln prsyr, 50 mcg/ml solution, 100 mcg/ml soln prsyr, 100 mcg/ml solution, 200 mcg/ml solution)</i> | 4-Non-Preferred Drugs | PA |
| <i>octreotide acetate (500 mcg/ml soln prsyr, 500 mcg/ml solution, 1000 mcg/ml solution)</i> | 5-Specialty | PA |
| SIGNIFOR | 5-Specialty | PA |
| SOMATULINE DEPOT (60 MG/0.2ML SOLUTION, 90 MG/0.3ML SOLUTION) | 5-Specialty | PA |
| SOMAVERT | 5-Specialty | PA |
| SYNAREL | 5-Specialty | |

HORMONAL AGENTS, SUPPRESSANT (THYROID)

ANTITHYROID AGENTS

| | | |
|-------------------------|--------------------|--|
| <i>methimazole</i> | 2-Generics | |
| <i>propylthiouracil</i> | 3-Preferred Brands | |

IMMUNOLOGICAL AGENTS

ANGIOEDEMA AGENTS

| | | |
|--------------------------|-------------|-------------------------|
| HAEGARDA | 5-Specialty | PA |
| <i>icatibant acetate</i> | 5-Specialty | PA, QL (27 PER 30 DAYS) |
| <i>sajazir</i> | 5-Specialty | PA, QL (27 PER 30 DAYS) |

IMMUNOGLOBULINS

| | | |
|------------------------|-------------|----|
| BIVIGAM | 5-Specialty | PA |
| FLEBOGAMMA DIF | 5-Specialty | PA |
| GAMMAGARD | 5-Specialty | PA |
| GAMMAGARD ERC | 5-Specialty | PA |
| GAMMAGARD S/D LESS IGA | 5-Specialty | PA |
| GAMMAKED | 5-Specialty | PA |
| GAMMAPLEX | 5-Specialty | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|------------------|----------------------------|
| GAMUNEX-C | 5-Specialty | PA |
| OCTAGAM | 5-Specialty | PA |
| PANZYGA | 5-Specialty | PA |
| PRIVIGEN | 5-Specialty | PA |

IMMUNOLOGICAL AGENTS, OTHER

| | | |
|---|-------------|--------------------------|
| ARCALYST | 5-Specialty | PA |
| BENLYSTA (120 MG RECON SOLN, 400 MG RECON SOLN) | 5-Specialty | PA |
| BENLYSTA (200 MG/ML SOLN A-INJ, 200 MG/ML SOLN PRSYR) | 5-Specialty | PA, QL (8 PER 28 DAYS) |
| BIMZELX | 5-Specialty | PA |
| DUPIXENT (200 MG/1.14ML SOLN A-INJ, 200 MG/1.14ML SOLN PRSYR, 300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR) | 5-Specialty | PA |
| RINVOQ | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| RINVOQ LQ | 5-Specialty | PA, QL (360 PER 30 DAYS) |
| SKYRIZI | 5-Specialty | PA |
| SKYRIZI PEN | 5-Specialty | PA |
| SOTYKTU | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| STELARA | 5-Specialty | PA |
| TAVNEOS | 5-Specialty | PA, QL (180 PER 30 DAYS) |
| TREMFYA | 5-Specialty | PA |
| TREMFYA ONE-PRESS | 5-Specialty | PA |
| TREMFYA PEN | 5-Specialty | PA |
| TREMFYA-CD/UC INDUCTION | 5-Specialty | PA |
| TYENNE | 5-Specialty | PA |
| USTEKINUMAB | 5-Specialty | PA |
| VELSIPITY | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| XELJANZ (5 MG TAB, 10 MG TAB) | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| XELJANZ 1 MG/ML SOLUTION | 5-Specialty | PA, QL (480 PER 24 DAYS) |
| XELJANZ XR | 5-Specialty | PA, QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| XOLAIR (75 MG/0.5ML SOLN A-INJ, 75 MG/0.5ML SOLN PRSYR, 150 MG RECON SOLN, 150 MG/ML SOLN A-INJ, 150 MG/ML SOLN PRSYR, 300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR) | 5-Specialty | PA |

IMMUNOSTIMULANTS

| | | |
|-----------|-------------|-------------------------|
| ACTIMMUNE | 5-Specialty | PA |
| BESREMI | 5-Specialty | PA2, QL (2 PER 28 DAYS) |
| PEGASYS | 5-Specialty | |

IMMUNOSUPPRESSANTS

| | | |
|---|-----------------------|-----|
| <i>azathioprine 50 mg tab</i> | 3-Preferred Brands | PA3 |
| <i>cyclosporine (25 mg cap, 100 mg cap)</i> | 4-Non-Preferred Drugs | PA3 |
| <i>cyclosporine modified (25 mg cap, 50 mg cap, 100 mg cap, 100 mg/ml solution)</i> | 4-Non-Preferred Drugs | PA3 |
| ENBREL | 5-Specialty | PA |
| ENBREL MINI | 5-Specialty | PA |
| ENBREL SURECLICK | 5-Specialty | PA |
| ENVARUSUS XR | 4-Non-Preferred Drugs | PA3 |
| <i>everolimus (0.5 mg tab, 0.75 mg tab, 1 mg tab)</i> | 5-Specialty | PA3 |
| <i>everolimus 0.25 mg tab</i> | 3-Preferred Brands | PA3 |
| <i>gengraf (25 mg cap, 100 mg cap)</i> | 4-Non-Preferred Drugs | PA3 |
| HADLIMA | 5-Specialty | PA |
| HADLIMA PUSHTOUCH | 5-Specialty | PA |
| HUMIRA (2 PEN) | 5-Specialty | PA |
| HUMIRA (2 PEN) 40 MG/0.4ML AUT-IJ KIT (ABBVIE PRODUCT ONLY) | 5-Specialty | PA |
| HUMIRA (2 PEN) 80 MG/0.8ML AUT-IJ KIT (ABBVIE PRODUCT ONLY) | 5-Specialty | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| HUMIRA (2 SYRINGE) | 5-Specialty | PA |
| HUMIRA 10 MG/0.1ML PREF SY KT (ABBVIE PRODUCT ONLY) | 5-Specialty | PA |
| HUMIRA 20 MG/0.2ML PREF SY KT (ABBVIE PRODUCT ONLY) | 5-Specialty | PA |
| HUMIRA 40 MG/0.4ML PREF SY KT (ABBVIE PRODUCT ONLY) | 5-Specialty | PA |
| HUMIRA-PSORIASIS/UVEIT STARTER | 5-Specialty | PA |
| INFLECTRA | 5-Specialty | PA3 |
| <i>leflunomide 10 mg tab</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>leflunomide 20 mg tab</i> | 3-Preferred Brands | QL (150 PER 30 DAYS) |
| <i>methotrexate sodium (1 gm recon soln, 50 mg/2ml solution, 250 mg/10ml solution)</i> | 2-Generics | |
| <i>methotrexate sodium (pf) (1 gm/40ml solution, 50 mg/2ml solution, 250 mg/10ml solution, 1000 mg/40ml solution)</i> | 2-Generics | |
| <i>methotrexate sodium 2.5 mg tab</i> | 3-Preferred Brands | |
| <i>mycophenolate mofetil (250 mg cap, 500 mg tab)</i> | 3-Preferred Brands | PA3 |
| <i>mycophenolate mofetil 200 mg/ml recon susp</i> | 5-Specialty | PA3 |
| <i>mycophenolate sodium</i> | 4-Non-Preferred Drugs | PA3 |
| <i>mycophenolic acid</i> | 4-Non-Preferred Drugs | PA3 |
| NULOJIX | 5-Specialty | PA3 |
| PROGRAF (0.2 MG PACKET, 1 MG PACKET) | 4-Non-Preferred Drugs | PA3 |
| RENFLEXIS | 5-Specialty | PA3 |
| REZUROCK | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| <i>sirolimus (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 4-Non-Preferred Drugs | PA3 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>sirolimus 1 mg/ml solution</i> | 3-Preferred Brands | PA3 |
| <i>tacrolimus (0.5 mg cap, 1 mg cap, 5 mg cap)</i> | 4-Non-Preferred Drugs | PA3 |
| XATMEP | 4-Non-Preferred Drugs | |

VACCINES

| | | |
|---------------|----------------------|-----|
| ABRYSVO | 1-Preferred Generics | |
| ACTHIB | 1-Preferred Generics | |
| ADACEL | 1-Preferred Generics | |
| AREXVY | 1-Preferred Generics | |
| BCG VACCINE | 1-Preferred Generics | |
| BEXSERO | 1-Preferred Generics | |
| BOOSTRIX | 1-Preferred Generics | |
| DAPTACEL | 1-Preferred Generics | |
| ENGERIX-B | 1-Preferred Generics | PA3 |
| GARDASIL 9 | 1-Preferred Generics | |
| HAVRIX | 1-Preferred Generics | |
| HEPLISAV-B | 1-Preferred Generics | PA3 |
| HIBERIX | 1-Preferred Generics | |
| IMOVAX RABIES | 1-Preferred Generics | |
| INFANRIX | 1-Preferred Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------------------|-------------------------|----------------------------|
| IPOL | 1-Preferred Generics | |
| IXIARO | 1-Preferred Generics | |
| JYNNEOS | 1-Preferred Generics | PA3 |
| KINRIX | 1-Preferred Generics | |
| M-M-R II | 1-Preferred Generics | |
| MENQUADFI | 1-Preferred Generics | |
| MENVEO (RECON SOLN, SOLUTION) | 1-Preferred Generics | |
| MRESVIA | 1-Preferred Generics | |
| PEDIARIX | 1-Preferred Generics | |
| PEDVAX HIB | 1-Preferred Generics | |
| PENBRAYA | 1-Preferred Generics | |
| PENMENVY | 1-Preferred Generics | |
| PENTACEL | 1-Preferred Generics | |
| PRIORIX | 1-Preferred Generics | |
| PROQUAD | 1-Preferred Generics | |
| QUADRACEL | 1-Preferred Generics | |
| RABAVERT | 1-Preferred Generics | |
| RECOMBIVAX HB | 1-Preferred Generics | PA3 |
| ROTARIX | 1-Preferred Generics | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-------------------------|----------------------------|
| ROTATEQ | 1-Preferred Generics | |
| SHINGRIX (50 MCG/0.5ML RECON SUSP, 50 MCG/0.5ML SUSP PRSYR) | 1-Preferred Generics | |
| TENIVAC | 1-Preferred Generics | |
| TICOVAC | 1-Preferred Generics | |
| TRUMENBA | 1-Preferred Generics | |
| TWINRIX | 1-Preferred Generics | |
| TYPHIM VI | 1-Preferred Generics | |
| VAQTA | 1-Preferred Generics | |
| VARIVAX | 1-Preferred Generics | |
| VAXCHORA | 1-Preferred Generics | |
| VIMKUNYA | 1-Preferred Generics | |
| VIVOTIF | 1-Preferred Generics | |
| YF-VAX | 1-Preferred Generics | |

INFLAMMATORY BOWEL DISEASE AGENTS

AMINOSALICYLATES

| | |
|--|--------------------------|
| <i>balsalazide disodium</i> | 4-Non-Preferred Drugs |
| <i>mesalamine (1.2 gm tab dr, 4 gm enema, 400 mg cap dr)</i> | 4-Non-Preferred Drugs |
| <i>mesalamine er 0.375 gm cap er 24h</i> | 4-Non-Preferred Drugs |
| <i>mesalamine-cleanser</i> | 4-Non-Preferred Drugs |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|----------------------------|
| <i>sulfasalazine</i> | 2-Generics | |
| GLUCOCORTICOIDS | | |
| <i>budesonide 3 mg cp dr part</i> | 4-Non-Preferred Drugs | |
| <i>budesonide er</i> | 5-Specialty | |
| <i>hydrocortisone (5 mg tab, 10 mg tab, 20 mg tab)</i> | 3-Preferred Brands | |
| <i>hydrocortisone 100 mg/60ml enema</i> | 4-Non-Preferred Drugs | |
| METABOLIC BONE DISEASE AGENTS | | |
| <i>alendronate sodium (35 mg tab, 70 mg tab)</i> | 1-Preferred Generics | QL (4 PER 28 DAYS) |
| <i>alendronate sodium 10 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>calcitonin (salmon) 200 unit/act solution</i> | 3-Preferred Brands | |
| <i>calcitriol (0.25 mcg cap, 0.5 mcg cap)</i> | 2-Generics | |
| <i>calcitriol oral soln 1 mcg/ml</i> | 4-Non-Preferred Drugs | |
| <i>cinacalcet hcl (30 mg tab, 60 mg tab)</i> | 4-Non-Preferred Drugs | PA3, QL (60 PER 30 DAYS) |
| <i>cinacalcet hcl 90 mg tab</i> | 3-Preferred Brands | PA3, QL (120 PER 30 DAYS) |
| <i>ibandronate sodium 150 mg tab</i> | 2-Generics | QL (1 PER 30 DAYS) |
| <i>paricalcitol (1 mcg cap, 2 mcg cap, 4 mcg cap)</i> | 4-Non-Preferred Drugs | |
| PROLIA | 4-Non-Preferred Drugs | QL (1 PER 180 DAYS) |
| <i>risedronate sodium 150 mg tab</i> | 3-Preferred Brands | QL (1 PER 28 DAYS) |
| <i>risedronate sodium 30 mg tab</i> | 3-Preferred Brands | |
| <i>risedronate sodium 35 mg tab</i> | 3-Preferred Brands | QL (4 PER 28 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>risedronate sodium 5 mg tab</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| TERIPARATIDE | 5-Specialty | PA, QL (2.48 PER 28 DAYS) |
| WYOST | 5-Specialty | PA |
| <i>zoledronic acid (4 mg/5ml conc, 5 mg/100ml solution)</i> | 4-Non-Preferred Drugs | PA3 |

MISCELLANEOUS THERAPEUTIC AGENTS

| | | |
|--|-----------------------|-----|
| BD ALCOHOL PADS | 2-Generics | PA |
| BD INSULIN SYRINGE 27.5G X 5/8" 2 ML MISC | 2-Generics | PA |
| CLINOLIPID | 4-Non-Preferred Drugs | PA3 |
| GAUZE PADS & DRESSINGS - PADS 2 X 2 | 2-Generics | PA |
| INSULIN PEN NEEDLE (NOVO/BD/EMBECTA/ULTIMED/O WEN/TRIVIDIA) | 2-Generics | PA |
| INSULIN SYRINGE (DISP) U-100 0.3 ML (BD/EMBECTA/ULTIMED/ALLISON /TRIVIDIA/MHC) | 2-Generics | PA |
| INSULIN SYRINGE (DISP) U-100 1 ML (BD/EMBECTA/ULTIMED/ALLISON /TRIVIDIA/MHC) | 2-Generics | |
| INSULIN SYRINGE (DISP) U-100 1/2 ML (BD/EMBECTA/ULTIMED/ALLISON /TRIVIDIA/MHC) | 2-Generics | |
| INTRALIPID | 4-Non-Preferred Drugs | PA3 |
| ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD | 2-Generics | PA |
| NEEDLES, INSULIN DISP., SAFETY | 2-Generics | PA |
| NUTRILIPID | 4-Non-Preferred Drugs | PA3 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|--------------------------|---------------------|
| <i>sterile water for irrigation</i> | 4-Non-Preferred Drugs | |
| <i>water for irrigation, sterile</i> | 4-Non-Preferred Drugs | |

OPHTHALMIC AGENTS

OPHTHALMIC AGENTS, OTHER

| | | |
|---|--------------------------|---------------------|
| <i>ak-poly-bac</i> | 2-Generics | |
| <i>atropine sulfate 1 % solution</i> | 3-Preferred Brands | |
| BACITRA-NEOMYCIN- POLYMYXIN-HC | 3-Preferred Brands | |
| BACITRACIN-POLYMYXIN B | 2-Generics | |
| COMBIGAN | 3-Preferred Brands | |
| <i>dorzolamide hcl-timolol mal</i> | 2-Generics | |
| <i>loteprednol-tobramycin</i> | 3-Preferred Brands | |
| MIEBO | 3-Preferred Brands | QL (3 PER 30 DAYS) |
| <i>neo-polycin</i> | 3-Preferred Brands | |
| <i>neo-polycin hc</i> | 3-Preferred Brands | |
| NEOMYCIN-BACITRACIN ZN- POLYMYX | 3-Preferred Brands | |
| <i>neomycin-polymyxin-dexameth (0.1 % suspension, 3.5-10000-0.1 ointment, 3.5-10000-0.1 suspension)</i> | 2-Generics | |
| <i>neomycin-polymyxin-gramicidin</i> | 3-Preferred Brands | |
| <i>neomycin-polymyxin-hc 3.5-10000-1 suspension</i> | 4-Non-Preferred Drugs | |
| <i>polycin</i> | 2-Generics | |
| RESTASIS | 3-Preferred Brands | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------------------|----------------------------|
| RESTASIS MULTIDOSE | 3-Preferred Brands | QL (5.5 PER 28 DAYS) |
| ROCKLATAN | 4-Non-Preferred Drugs | |
| <i>sulfacetamide-prednisolone</i> | 2-Generics | |
| TOBRADEX 0.3-0.1 % OINTMENT | 3-Preferred Brands | |
| <i>tobramycin-dexamethasone</i> | 3-Preferred Brands | |
| XDEMYVY | 5-Specialty | PA, QL (10 PER 42 DAYS) |
| XIIDRA | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| ZYLET | 3-Preferred Brands | |

OPHTHALMIC ANTI-ALLERGY AGENTS

| | |
|---------------------------------------|------------|
| <i>azelastine hcl 0.05 % solution</i> | 2-Generics |
| <i>cromolyn sodium 4 % solution</i> | 2-Generics |

OPHTHALMIC ANTI-INFECTIVES

| | |
|--|-----------------------|
| <i>bacitracin</i> | 3-Preferred Brands |
| <i>erythromycin 5 mg/gm ointment</i> | 2-Generics |
| <i>gatifloxacin</i> | 3-Preferred Brands |
| <i>gentamicin sulfate 0.3 % solution</i> | 2-Generics |
| <i>moxifloxacin hcl 0.5 % solution</i> | 3-Preferred Brands |
| <i>ofloxacin 0.3 % solution</i> | 2-Generics |
| <i>polymyxin b-trimethoprim</i> | 2-Generics |
| <i>sulfacetamide sodium (10 % ointment, 10 % solution)</i> | 3-Preferred Brands |
| <i>tobramycin 0.3 % solution</i> | 2-Generics |
| <i>trifluridine</i> | 4-Non-Preferred Drugs |
| ZIRGAN | 4-Non-Preferred Drugs |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|--------------------------|---------------------|
| OPHTHALMIC ANTI-INFLAMMATORIES | | |
| <i>bromfenac sodium 0.07 % solution</i> | 4-Non-Preferred Drugs | |
| <i>dexamethasone sodium phosphate 0.1 % solution</i> | 3-Preferred Brands | |
| <i>diclofenac sodium 0.1 % solution</i> | 2-Generics | QL (90 PER 30 DAYS) |
| <i>difluprednate</i> | 4-Non-Preferred Drugs | |
| EYSUVIS | 4-Non-Preferred Drugs | |
| <i>fluorometholone</i> | 3-Preferred Brands | |
| <i>flurbiprofen sodium</i> | 3-Preferred Brands | |
| <i>ketorolac tromethamine 0.4 % solution</i> | 3-Preferred Brands | |
| <i>ketorolac tromethamine 0.5 % solution</i> | 2-Generics | |
| LOTEMAX 0.5 % OINTMENT | 3-Preferred Brands | |
| <i>prednisolone acetate</i> | 3-Preferred Brands | |
| PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION | 3-Preferred Brands | |
| OPHTHALMIC BETA-ADRENERGIC BLOCKING AGENTS | | |
| <i>betaxolol hcl 0.5 % solution</i> | 3-Preferred Brands | |
| <i>carteolol hcl</i> | 2-Generics | |
| <i>levobunolol hcl</i> | 2-Generics | |
| <i>timolol maleate (0.25 % gel f soln, 0.5 % gel f soln)</i> | 4-Non-Preferred Drugs | |
| <i>timolol maleate (0.25 % solution, 0.5 % solution)</i> | 1-Preferred Generics | |
| OPHTHALMIC INTRAOCULAR PRESSURE LOWERING AGENTS, OTHER | | |
| <i>acetazolamide er</i> | 3-Preferred Brands | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>brimonidine tartrate 0.1 % solution</i> | 3-Preferred Brands | |
| <i>brimonidine tartrate 0.15 % solution</i> | 4-Non-Preferred Drugs | |
| <i>brimonidine tartrate 0.2 % solution</i> | 2-Generics | |
| <i>brinzolamide</i> | 4-Non-Preferred Drugs | |
| <i>dorzolamide hcl</i> | 2-Generics | |
| <i>methazolamide</i> | 4-Non-Preferred Drugs | |
| <i>pilocarpine hcl (1 % solution, 2 % solution, 4 % solution)</i> | 3-Preferred Brands | |
| RHOPRESSA | 4-Non-Preferred Drugs | |
| SIMBRINZA | 4-Non-Preferred Drugs | |

OPHTHALMIC PROSTAGLANDIN AND PROSTAMIDE ANALOGS

| | | |
|------------------------------|-----------------------|--|
| <i>latanoprost</i> | 1-Preferred Generics | |
| LUMIGAN | 3-Preferred Brands | |
| <i>travoprost (bak free)</i> | 4-Non-Preferred Drugs | |
| VYZULTA | 4-Non-Preferred Drugs | |

OTIC AGENTS

| | | |
|--|-----------------------|--|
| <i>acetic acid 2 % solution</i> | 2-Generics | |
| <i>ciprofloxacin-dexamethasone</i> | 4-Non-Preferred Drugs | |
| <i>flac</i> | 4-Non-Preferred Drugs | |
| <i>fluocinolone acetonide 0.01 % oil</i> | 4-Non-Preferred Drugs | |
| <i>hydrocortisone-acetic acid</i> | 4-Non-Preferred Drugs | |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|----------------------------|
| <i>neomycin-polymyxin-hc (1 % solution, 3.5-10000-1 solution)</i> | 3-Preferred Brands | |
| RESPIRATORY TRACT/PULMONARY AGENTS | | |
| ANTI-INFLAMMATORIES, INHALED CORTICOSTEROIDS | | |
| ARNUITY ELLIPTA | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>budesonide (0.25 mg/2ml suspension, 0.5 mg/2ml suspension, 1 mg/2ml suspension)</i> | 4-Non-Preferred Drugs | PA3 |
| <i>flunisolide</i> | 3-Preferred Brands | QL (50 PER 30 DAYS) |
| <i>fluticasone propionate 50 mcg/act suspension</i> | 2-Generics | QL (16 PER 30 DAYS) |
| <i>fluticasone propionate diskus (50 mcg/act aer pow ba, 100 mcg/act aer pow ba)</i> | 3-Preferred Brands | QL (120 PER 30 DAYS) |
| <i>fluticasone propionate diskus 250 mcg/act aer pow ba</i> | 3-Preferred Brands | QL (240 PER 30 DAYS) |
| <i>fluticasone propionate hfa (110 mcg/act aerosol, 220 mcg/act aerosol)</i> | 3-Preferred Brands | QL (24 PER 30 DAYS) |
| <i>fluticasone propionate hfa 44 mcg/act aerosol</i> | 3-Preferred Brands | QL (22 PER 30 DAYS) |
| <i>mometasone furoate 50 mcg/act suspension</i> | 4-Non-Preferred Drugs | QL (34 PER 30 DAYS) |
| PULMICORT FLEXHALER | 4-Non-Preferred Drugs | QL (2 PER 30 DAYS) |
| ANTI-HISTAMINES | | |
| <i>azelastine hcl (0.1 % solution, 137 mcg/spray solution)</i> | 2-Generics | QL (30 PER 25 DAYS) |
| <i>cetirizine hcl (1 mg/ml solution, 5 mg/5ml solution)</i> | 2-Generics | |
| <i>cyproheptadine hcl 4 mg tab</i> | 4-Non-Preferred Drugs | PA |
| <i>desloratadine 5 mg tab</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| <i>diphenhydramine hcl 50 mg/ml solution</i> | 4-Non-Preferred Drugs | |
| <i>hydroxyzine hcl (10 mg tab, 25 mg tab, 50 mg tab)</i> | 3-Preferred Brands | PA |
| <i>hydroxyzine hcl 10 mg/5ml syrup</i> | 4-Non-Preferred Drugs | PA |
| <i>levocetirizine dihydrochloride 5 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>promethazine hcl (6.25 mg/5ml solution, 12.5 mg/10ml solution)</i> | 4-Non-Preferred Drugs | PA |

ANTILEUKOTRIENES

| | | |
|--|-----------------------|---------------------|
| <i>montelukast sodium (4 mg chew tab, 5 mg chew tab)</i> | 2-Generics | QL (30 PER 30 DAYS) |
| <i>montelukast sodium 10 mg tab</i> | 1-Preferred Generics | QL (30 PER 30 DAYS) |
| <i>montelukast sodium 4 mg packet</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>zafirlukast</i> | 4-Non-Preferred Drugs | QL (60 PER 30 DAYS) |

BRONCHODILATORS, ANTICHOLINERGIC

| | | |
|---|-----------------------|-----------------------|
| ATROVENT HFA | 4-Non-Preferred Drugs | QL (25.8 PER 30 DAYS) |
| INCRUSE ELLIPTA | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>ipratropium bromide 0.02 % solution</i> | 2-Generics | PA3 |
| <i>ipratropium bromide 0.03 % solution</i> | 2-Generics | QL (30 PER 28 DAYS) |
| <i>ipratropium bromide 0.06 % solution</i> | 2-Generics | QL (45 PER 30 DAYS) |
| SPIRIVA RESPIMAT 1.25 MCG/ACT AERO SOLN | 4-Non-Preferred Drugs | QL (4 PER 30 DAYS) |
| <i>tiotropium bromide 18 mcg cap (generic spiriva handihaler)</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| YUPELRI | 5-Specialty | PA3 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------------------|-----------------------|
| BRONCHODILATORS, SYMPATHOMIMETIC | | |
| <i>albuterol sulfate (0.63 mg/3ml nebu soln, 1.25 mg/3ml nebu soln, (2.5 mg/3ml) 0.083% nebu soln, 2.5 mg/0.5ml nebu soln, (5 mg/ml) 0.5% nebu soln)</i> | 2-Generics | PA3 |
| <i>albuterol sulfate (2 mg tab, 2 mg/5ml syrup, 4 mg tab, 8 mg/20ml syrup)</i> | 4-Non-Preferred Drugs | |
| <i>albuterol sulfate hfa 108 (90 base) mcg/act aero soln (generic proair)</i> | 3-Preferred Brands | QL (17 PER 30 DAYS) |
| <i>albuterol sulfate hfa 108 (90 base) mcg/act aero soln (generic proventil)</i> | 3-Preferred Brands | QL (13.4 PER 30 DAYS) |
| <i>albuterol sulfate hfa 108 (90 base) mcg/act aero soln (generic ventolin)</i> | 3-Preferred Brands | QL (36 PER 30 DAYS) |
| <i>arformoterol tartrate</i> | 4-Non-Preferred Drugs | PA3 |
| <i>epinephrine (0.15 mg/0.15ml soln a-inj, 0.15 mg/0.3ml soln a-inj, 0.3 mg/0.3ml soln a-inj)</i> | 3-Preferred Brands | QL (4 PER 30 DAYS) |
| <i>formoterol fumarate</i> | 4-Non-Preferred Drugs | PA3 |
| <i>levalbuterol hcl (0.31 mg/3ml nebu soln, 0.63 mg/3ml nebu soln, 1.25 mg/0.5ml nebu soln, 1.25 mg/3ml nebu soln)</i> | 4-Non-Preferred Drugs | PA3 |
| <i>levalbuterol tartrate</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| SEREVENT DISKUS | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>terbutaline sulfate (2.5 mg tab, 5 mg tab)</i> | 4-Non-Preferred Drugs | |

CYSTIC FIBROSIS AGENTS

| | | |
|---|-------------|-------------------------|
| CAYSTON | 5-Specialty | PA |
| KALYDECO | 5-Specialty | PA, QL (56 PER 28 DAYS) |
| ORKAMBI (75-94 MG PACKET, 100-125 MG PACKET, 150-188 MG PACKET) | 5-Specialty | PA, QL (56 PER 28 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|--|------------------|----------------------------|
| ORKAMBI 100-125 MG TAB | 5-Specialty | PA, QL (112 PER 28 DAYS) |
| ORKAMBI 200-125 MG TAB | 5-Specialty | PA, QL (120 PER 30 DAYS) |
| PULMOZYME | 5-Specialty | PA3 |
| <i>tobramycin 300 mg/5ml nebu soln</i> | 5-Specialty | PA3, QL (300 PER 30 DAYS) |
| TRIKAFTA (50-25-37.5 & 75 MG TAB THPK, 100-50-75 & 150 MG TAB THPK) | 5-Specialty | PA, QL (84 PER 28 DAYS) |
| TRIKAFTA (80-40-60 & 59.5 MG THER PACK, 100-50-75 & 75 MG THER PACK) | 5-Specialty | PA, QL (56 PER 28 DAYS) |

MAST CELL STABILIZERS

| | | |
|--|--------------------|-----|
| <i>cromolyn sodium 20 mg/2ml nebu soln</i> | 3-Preferred Brands | PA3 |
|--|--------------------|-----|

PHOSPHODIESTERASE INHIBITORS, AIRWAYS DISEASE

| | | |
|---|-----------------------|---------------------|
| <i>roflumilast</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>theophylline er (300 mg tab er 12h, 450 mg tab er 12h)</i> | 4-Non-Preferred Drugs | |
| <i>theophylline er (400 mg tab er 24h, 600 mg tab er 24h)</i> | 3-Preferred Brands | |

PULMONARY ANTIHYPERTENSIVES

| | | |
|---|--------------------|--------------------------|
| ADEMPAS | 5-Specialty | PA, QL (90 PER 30 DAYS) |
| <i>alyq</i> | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| <i>ambrisentan</i> | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| <i>bosentan (62.5 mg tab, 125 mg tab)</i> | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| OPSUMIT | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| <i>sildenafil citrate 20 mg tab</i> | 3-Preferred Brands | PA, QL (90 PER 30 DAYS) |
| <i>tadalafil (pah)</i> | 3-Preferred Brands | PA, QL (60 PER 30 DAYS) |
| UPTRAVI (400 MCG TAB, 600 MCG TAB, 800 MCG TAB, 1000 MCG TAB, 1200 MCG TAB, 1400 MCG TAB, 1600 MCG TAB) | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| UPTRAVI 200 & 800 MCG TAB THPK | 5-Specialty | PA, QL (200 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------------------|----------------------------|
| UPTRAVI 200 MCG TAB | 5-Specialty | PA, QL (150 PER 30 DAYS) |
| WINREVAIR | 5-Specialty | PA |
| PULMONARY FIBROSIS AGENTS | | |
| OFEV | 5-Specialty | PA, QL (60 PER 30 DAYS) |
| <i>pirfenidone (267 mg cap, 267 mg tab)</i> | 5-Specialty | PA, QL (270 PER 30 DAYS) |
| <i>pirfenidone (534 mg tab, 801 mg tab)</i> | 5-Specialty | PA, QL (90 PER 30 DAYS) |
| RESPIRATORY TRACT AGENTS, OTHER | | |
| <i>acetylcysteine (10 % solution, 20 % solution)</i> | 3-Preferred Brands | PA3 |
| ADVAIR HFA | 3-Preferred Brands | QL (12 PER 30 DAYS) |
| ANORO ELLIPTA | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| BEVESPI AEROSPHERE | 3-Preferred Brands | QL (10.7 PER 30 DAYS) |
| BREO ELLIPTA | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>breyna</i> | 3-Preferred Brands | QL (10.3 PER 30 DAYS) |
| BREZTRI AEROSPHERE | 3-Preferred Brands | QL (10.7 PER 30 DAYS) |
| <i>budesonide-formoterol fumarate</i> | 3-Preferred Brands | QL (10.2 PER 30 DAYS) |
| COMBIVENT RESPIMAT | 4-Non-Preferred Drugs | QL (4 PER 30 DAYS) |
| FASENRA | 5-Specialty | PA |
| FASENRA PEN | 5-Specialty | PA |
| <i>fluticasone-salmeterol (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |
| <i>ipratropium-albuterol</i> | 2-Generics | PA3 |
| TRELEGY ELLIPTA | 3-Preferred Brands | QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------|--------------------|----------------------------|
| <i>wixela inhub</i> | 3-Preferred Brands | QL (60 PER 30 DAYS) |

SKELETAL MUSCLE RELAXANTS

| | | |
|--|-----------------------|-------------------------|
| BOTOX | 4-Non-Preferred Drugs | PA |
| <i>cyclobenzaprine hcl (5 mg tab, 10 mg tab)</i> | 2-Generics | PA, QL (90 PER 30 DAYS) |
| <i>methocarbamol (500 mg tab, 750 mg tab)</i> | 2-Generics | |
| XEOMIN | 4-Non-Preferred Drugs | PA |

SLEEP DISORDER AGENTS

SLEEP PROMOTING AGENTS

| | | |
|---|-----------------------|-------------------------|
| <i>doxepin hcl (3 mg tab, 6 mg tab)</i> | 3-Preferred Brands | QL (30 PER 30 DAYS) |
| <i>ramelteon</i> | 4-Non-Preferred Drugs | QL (30 PER 30 DAYS) |
| <i>tasimelteon</i> | 5-Specialty | PA, QL (30 PER 30 DAYS) |
| <i>temazepam (15 mg cap, 30 mg cap)</i> | 4-Non-Preferred Drugs | PA, QL (30 PER 30 DAYS) |
| <i>zaleplon 10 mg cap</i> | 3-Preferred Brands | PA, QL (60 PER 30 DAYS) |
| <i>zaleplon 5 mg cap</i> | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| <i>zolpidem tartrate 10 mg tab</i> | 2-Generics | PA, QL (30 PER 30 DAYS) |
| <i>zolpidem tartrate 5 mg tab</i> | 2-Generics | QL (30 PER 30 DAYS) |

WAKEFULNESS PROMOTING AGENTS

| | | |
|-----------------------------|-----------------------|-------------------------|
| <i>armodafinil</i> | 4-Non-Preferred Drugs | PA, QL (30 PER 30 DAYS) |
| <i>modafinil 100 mg tab</i> | 3-Preferred Brands | PA, QL (30 PER 30 DAYS) |
| <i>modafinil 200 mg tab</i> | 3-Preferred Brands | PA, QL (60 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

| DRUG NAME | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------|------------------|----------------------------|
| SODIUM OXYBATE | 5-Specialty | PA, QL (540 PER 30 DAYS) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Index of Drugs

A

| | | | |
|---|-------|--------------------------------|-----|
| abacavir sulfate | 42 | ALECENSA | 27 |
| abacavir sulfate-lamivudine | 43 | alendronate sodium | 97 |
| ABILIFY ASIMTUFII | 37 | alfuzosin hcl er | 77 |
| ABILIFY MAINTENA | 37 | aliskiren fumarate | 58 |
| abiraterone acetate | 25 | allopurinol | 23 |
| abirtega 250 mg tab | 25 | alose tron hcl | 74 |
| ABRYSSVO | 94 | alprazolam | 46 |
| acamprosate calcium | 5 | altavera | 80 |
| acarbose | 47 | ALUNBRIG | 27 |
| accutane | 66 | ALVAIZ | 52 |
| acebutolol hcl | 56 | alyacen 1/35 | 80 |
| acetaminophen-codeine | 3 | alyacen 7/7/7 | 80 |
| acetazolamide | 58 | alyq | 106 |
| acetazolamide er | 101 | amantadine hcl | 36 |
| acetic acid | 102 | ambrisentan | 106 |
| acetylcysteine | 107 | amethyst | 80 |
| acitretin | 66 | amikacin sulfate | 6 |
| ACTHIB | 94 | amiloride hcl | 60 |
| ACTIMMUNE | 92 | amiloride-hydrochlorothiazide | 58 |
| acyclovir | 45,70 | AMINOSYN II | 70 |
| acyclovir sodium | 45 | AMINOSYN-PF | 70 |
| ADACEL | 94 | amiodarone hcl | 55 |
| adefovir dipivoxil | 41 | amitriptyline hcl | 20 |
| ADEMPAS | 106 | amlodipine besy-benazepril hcl | 58 |
| ADVAIR HFA | 107 | amlodipine besylate | 57 |
| afirmelle | 80 | amlodipine besylate-valsartan | 58 |
| AIMOVIG | 23 | amlodipine-atorvastatin | 58 |
| ak-poly-bac | 99 | amlodipine-olmesartan | 58 |
| AKEEGA | 26 | amlodipine-valsartan-hctz | 59 |
| ala-cort | 67 | ammonium lactate | 67 |
| albendazole | 34 | amne steem | 66 |
| albuterol sulfate | 105 | amoxapine | 20 |
| albuterol sulfate hfa 108 (90 base) mcg/act | | amoxicillin | 9 |
| aero soln (generic proair) | 105 | amoxicillin-pot clavulanate | 9 |
| albuterol sulfate hfa 108 (90 base) mcg/act | | amphetamine-dextroamphet er | 63 |
| aero soln (generic proventil) | 105 | amphetamine-dextroamphetamine | 63 |
| albuterol sulfate hfa 108 (90 base) mcg/act | | amphotericin b | 21 |
| aero soln (generic ventolin) | 105 | amphotericin b liposome | 21 |
| alclometasone dipropionate | 67 | ampicillin | 9 |
| | | ampicillin sodium | 9 |
| | | ampicillin-sulbactam sodium | 10 |

| | | | |
|-----------------------------------|-------|-------------------------------------|---------|
| anagrelide hcl..... | 52 | AYVAKIT..... | 28 |
| anastrozole..... | 27 | azacitidine..... | 26 |
| ANORO ELLIPTA..... | 107 | azathioprine..... | 92 |
| aprepitant..... | 21 | azelastine hcl..... | 100,103 |
| apri..... | 80 | azithromycin..... | 10 |
| APTIVUS..... | 44 | aztreonam..... | 7 |
| ARANELLE..... | 80 | azurette..... | 80 |
| ARCALYST..... | 91 | | |
| AREXVY..... | 94 | B | |
| arformoterol tartrate..... | 105 | BACITRA-NEOMYCIN-POLYMYXIN-HC..... | 99 |
| ARIKAYCE..... | 6 | bacitracin..... | 100 |
| aripiprazole..... | 37,38 | BACITRACIN-POLYMYXIN B..... | 99 |
| ARISTADA..... | 38 | baclofen..... | 40 |
| ARISTADA INITIO..... | 38 | balsalazide disodium..... | 96 |
| armodafinil..... | 108 | BALVERSA..... | 28 |
| ARNUIITY ELLIPTA..... | 103 | balziva..... | 80 |
| asenapine maleate..... | 38 | BAQSIMI ONE PACK..... | 49 |
| aspirin-dipyridamole er..... | 53 | BAQSIMI TWO PACK..... | 50 |
| atazanavir sulfate..... | 44 | BARACLUDE..... | 41 |
| atenolol..... | 56 | BASAGLAR KWIKPEN..... | 50 |
| atenolol-chlorthalidone..... | 59 | BCG VACCINE..... | 94 |
| atomoxetine hcl..... | 64 | BD ALCOHOL PADS..... | 98 |
| atorvastatin calcium..... | 61 | BD INSULIN SYRINGE..... | 98 |
| atovaquone..... | 35 | benazepril hcl..... | 55 |
| atovaquone-proguanil hcl..... | 35 | benazepril-hydrochlorothiazide..... | 59 |
| atropine sulfate..... | 99 | BENLYSTA..... | 91 |
| ATROVENT HFA..... | 104 | benzoyl peroxide-erythromycin..... | 66 |
| aubra eq..... | 80 | benztropine mesylate..... | 35 |
| AUGTYRO..... | 26,27 | BESREMI..... | 92 |
| aurovela 1.5/30..... | 80 | betaine..... | 76 |
| aurovela 1/20..... | 80 | betamethasone dipropionate..... | 67 |
| aurovela fe 1.5/30..... | 80 | betamethasone dipropionate aug..... | 67 |
| aurovela fe 1/20..... | 80 | betamethasone valerate..... | 67 |
| AUSTEDO..... | 64 | BETASERON..... | 65 |
| AUSTEDO XR..... | 64 | betaxolol hcl..... | 101 |
| AUSTEDO XR PATIENT TITRATION..... | 64 | bethanechol chloride..... | 78 |
| AUVELITY..... | 17 | BEVESPI AEROSPHERE..... | 107 |
| AVASTIN..... | 34 | bexarotene..... | 34 |
| aviane..... | 80 | BEXSERO..... | 94 |
| AVMAPKI FAKZYNJA CO-PACK..... | 28 | bicalutamide..... | 25 |
| ayuna..... | 80 | BICILLIN L-A..... | 10 |

| | | | |
|-------------------------------------|--------|------------------------------------|-----|
| BIKTARVY..... | 41 | calcipotriene..... | 69 |
| BIMZELX..... | 91 | calcitonin (salmon)..... | 97 |
| bisoprolol fumarate..... | 56 | calcitrene..... | 69 |
| bisoprolol-hydrochlorothiazide..... | 59 | calcitriol..... | 97 |
| BIVIGAM..... | 90 | calcitriol oral soln 1 mcg/ml..... | 97 |
| blisovi fe 1.5/30..... | 80 | CALQUENCE..... | 28 |
| blisovi fe 1/20..... | 80 | camila..... | 87 |
| BOOSTRIX..... | 94 | candesartan cilexetil..... | 54 |
| bortezomib..... | 28 | candesartan cilexetil-hctz..... | 59 |
| bosentan..... | 106 | CAPLYTA..... | 38 |
| BOSULIF..... | 28 | CAPRELSA..... | 28 |
| BOTOX..... | 108 | captopril..... | 55 |
| BRAFTOVI..... | 28 | carbamazepine..... | 15 |
| BREO ELLIPTA..... | 107 | carbamazepine er..... | 15 |
| breyna..... | 107 | carbidopa-levodopa..... | 36 |
| BREZTRI AEROSPHERE..... | 107 | carbidopa-levodopa er..... | 36 |
| briellyn..... | 80 | carbidopa-levodopa-entacapone..... | 36 |
| BRILINTA..... | 53 | carglumic acid..... | 70 |
| brimonidine tartrate..... | 102 | carteolol hcl..... | 101 |
| brinzolamide..... | 102 | cartia xt..... | 57 |
| BRIVIACT..... | 12 | carvedilol..... | 56 |
| bromfenac sodium..... | 101 | caspofungin acetate..... | 21 |
| bromocriptine mesylate..... | 36 | CAYSTON..... | 105 |
| BRUKINSA..... | 28 | cefaclor..... | 8 |
| budesonide..... | 97,103 | cefadroxil..... | 8 |
| budesonide er..... | 97 | cefazolin sodium..... | 8 |
| budesonide-formoterol fumarate..... | 107 | cefdinir..... | 8 |
| bumetanide..... | 60 | cefepime hcl..... | 8 |
| buprenorphine..... | 3 | cefixime..... | 8 |
| buprenorphine hcl..... | 5 | cefotetan disodium..... | 8 |
| buprenorphine hcl-naloxone hcl..... | 5 | cefoxitin sodium..... | 8 |
| bupropion hcl..... | 17 | cefpodoxime proxetil..... | 8 |
| bupropion hcl er (smoking det)..... | 6 | cefprozil..... | 9 |
| bupropion hcl er (sr)..... | 17 | ceftazidime..... | 9 |
| bupropion hcl er (xl)..... | 17 | CEFTRIAXONE SODIUM..... | 9 |
| bupirone hcl..... | 46 | cefuroxime axetil..... | 9 |
| | | cefuroxime sodium..... | 9 |
| C | | celecoxib..... | 2 |
| CABENUVA..... | 44 | cephalexin..... | 9 |
| cabergoline..... | 89 | CERDELGA..... | 76 |
| CABOMETYX..... | 28 | cetirizine hcl..... | 103 |

| | | | |
|---|-------|--|------------|
| cevimeline hcl..... | 66 | clonazepam..... | 46 |
| chateal eq..... | 80 | clonidine 0.1 mg/24hr patch wk..... | 54 |
| CHEMET..... | 73 | clonidine 0.2 mg/24hr patch wk..... | 54 |
| chlorhexidine gluconate..... | 66 | clonidine 0.3 mg/24hr patch wk..... | 54 |
| chloroquine phosphate..... | 35 | clonidine hcl..... | 54 |
| chlorpromazine hcl..... | 36 | clopidogrel bisulfate..... | 53 |
| chlorthalidone..... | 60 | clorazepate dipotassium..... | 46 |
| cholestyramine..... | 62 | clotrimazole..... | 21 |
| cholestyramine light..... | 62 | clotrimazole-betamethasone..... | 69 |
| ciclopirox..... | 70 | clozapine..... | 40 |
| ciclopirox olamine..... | 70 | COARTEM..... | 35 |
| cilostazol..... | 53 | COBENFY..... | 38 |
| CIMDUO..... | 43 | COBENFY STARTER PACK..... | 38 |
| cinacalcet hcl..... | 97 | colchicine..... | 23 |
| ciprofloxacin hcl..... | 11 | colchicine-probenecid..... | 23 |
| CIPROFLOXACIN IN D5W..... | 11 | colesevelam hcl..... | 62 |
| ciprofloxacin in d5w 400 mg/200ml solution..... | 11 | colestipol hcl..... | 62 |
| ciprofloxacin-dexamethasone..... | 102 | colistimethate sodium (cba)..... | 7 |
| cisplatin..... | 25 | COMBIGAN..... | 99 |
| citalopram hydrobromide..... | 18 | COMBIVENT RESPIMAT..... | 107 |
| claravis..... | 66 | COMETRIQ (100 MG DAILY DOSE)..... | 28 |
| clarithromycin..... | 10,11 | COMETRIQ (140 MG DAILY DOSE)..... | 28 |
| clarithromycin er..... | 11 | COMETRIQ (60 MG DAILY DOSE)..... | 28 |
| CLENPIQ..... | 75 | compro..... | 20 |
| clindamycin hcl..... | 7 | constulose..... | 74 |
| clindamycin palmitate hcl..... | 7 | COPAXONE..... | 65 |
| clindamycin phos (twice-daily)..... | 70 | COPIKTRA..... | 28 |
| clindamycin phosphate..... | 7,70 | COTELLIC..... | 28 |
| clindamycin phosphate in d5w..... | 7 | CREON..... | 76 |
| CLINIMIX/DEXTROSE (4.25/10)..... | 70 | CRESEMBA..... | 22 |
| CLINIMIX/DEXTROSE (4.25/5)..... | 70 | cromolyn sodium..... | 76,100,106 |
| CLINIMIX/DEXTROSE (5/15)..... | 71 | cryselle..... | 80 |
| CLINIMIX/DEXTROSE (5/20)..... | 71 | cryselle-28..... | 80 |
| clinisol sf..... | 71 | cyclobenzaprine hcl..... | 108 |
| CLINOLIPID..... | 98 | CYCLOPHOSPHAMIDE..... | 25 |
| clobazam..... | 14 | cyclophosphamide (25 mg cap, 50 mg cap)..... | 25 |
| clobetasol prop emollient base..... | 67 | cyclosporine..... | 92 |
| clobetasol propionate..... | 67 | cyclosporine modified..... | 92 |
| clobetasol propionate e..... | 67 | cyproheptadine hcl..... | 103 |
| clodan..... | 67 | cyred eq..... | 81 |
| clomipramine hcl..... | 20 | CYSTAGON..... | 76 |

| | | | |
|-------------------------------------|--------|-------------------------------------|-------|
| CYSTARAN..... | 76 | dextrose..... | 71 |
| D | | dextrose-sodium chloride..... | 71 |
| dabigatran etexilate mesylate..... | 51 | DIACOMIT..... | 12 |
| dalfampridine er..... | 65 | diazepam..... | 14,46 |
| danazol..... | 79 | diazepam intensol..... | 46 |
| dantrolene sodium..... | 40 | diazoxide..... | 50 |
| DANZITEN..... | 28 | diclofenac potassium..... | 2 |
| dapagliflozin propanediol..... | 62 | diclofenac sodium..... | 2,101 |
| dapsone..... | 24 | diclofenac sodium er..... | 2 |
| DAPTACEL..... | 94 | dicloxacillin sodium..... | 10 |
| daptomycin..... | 7 | dicyclomine hcl..... | 74 |
| daptomycin 350 mg recon soln..... | 7 | DIFICID..... | 11 |
| darunavir..... | 44 | diflunisal..... | 2 |
| dasatinib..... | 28 | difluprednate..... | 101 |
| dasetta 1/35..... | 81 | digoxin..... | 55,56 |
| dasetta 7/7/7..... | 81 | dihydroergotamine mesylate..... | 24 |
| DAURISMO..... | 28 | DILANTIN..... | 15 |
| deblitane..... | 87 | DILANTIN INFATABS..... | 15 |
| deferasirox..... | 73 | dilt-xr..... | 57 |
| DELSTRIGO..... | 42 | diltiazem hcl..... | 57 |
| delyla..... | 81 | diltiazem hcl er..... | 57,58 |
| DEPO-SUBQ PROVERA 104..... | 87 | diltiazem hcl er beads..... | 58 |
| DESCOVY..... | 43 | diltiazem hcl er coated beads..... | 58 |
| desipramine hcl..... | 20 | dimethyl fumarate..... | 65 |
| desloratadine..... | 103 | dimethyl fumarate starter pack..... | 65 |
| desmopressin ace spray refrig..... | 79 | diphenhydramine hcl..... | 104 |
| desmopressin acetate..... | 79 | diphenoxylate-atropine..... | 74 |
| desmopressin acetate pf..... | 79 | dipyridamole..... | 53 |
| desmopressin acetate spray..... | 79 | disulfiram..... | 5 |
| desogestrel-ethinyl estradiol..... | 81 | divalproex sodium..... | 12 |
| desonide..... | 67 | divalproex sodium er..... | 12 |
| desoximetasone..... | 68 | dofetilide..... | 56 |
| desvenlafaxine succinate er..... | 18 | dolishale..... | 81 |
| dexamethasone..... | 78 | donepezil hcl..... | 16 |
| dexamethasone sod phos +rfid..... | 78 | DOPTELET..... | 53 |
| dexamethasone sod phosphate pf..... | 78 | DOPTELET SPRINKLE..... | 53 |
| dexamethasone sodium phosphate..... | 78,101 | dorzolamide hcl..... | 102 |
| dexmethylphenidate hcl..... | 64 | dorzolamide hcl-timolol mal..... | 99 |
| dextroamphetamine sulfate..... | 63 | DOVATO..... | 41 |
| dextroamphetamine sulfate er..... | 64 | doxazosin mesylate..... | 54 |
| | | DOXEPIN HCL..... | 20 |

| | | | |
|--------------------------------------|-----|-------------------------------------|-----------|
| doxepin hcl..... | 108 | ENGERIX-B..... | 94 |
| doxy 100..... | 12 | enilloring..... | 81 |
| doxycycline hyclate..... | 12 | enoxaparin sodium..... | 52 |
| doxycycline monohydrate..... | 12 | ENSACOVE..... | 29 |
| DRIZALMA SPRINKLE..... | 65 | enskyce..... | 81 |
| dronabinol..... | 21 | entacapone..... | 36 |
| drospirenone-ethinyl estradiol..... | 81 | entecavir..... | 41 |
| droxidopa..... | 54 | ENTRESTO..... | 59 |
| DUAVEE..... | 88 | enulose..... | 74 |
| duloxetine hcl..... | 65 | ENVARUSUS XR..... | 92 |
| DUPIXENT..... | 91 | EPCLUSA..... | 41 |
| dutasteride..... | 77 | EPIDIOLEX..... | 12 |
| dutasteride-tamsulosin hcl..... | 77 | epinephrine..... | 105 |
| E | | epitol..... | 15 |
| econazole nitrate..... | 22 | eplerenone..... | 60 |
| EDURANT..... | 42 | ergotamine-caffeine..... | 24 |
| EDURANT PED..... | 42 | ERIVEDGE..... | 29 |
| efavirenz..... | 42 | ERLEADA..... | 25 |
| efavirenz-emtricitab-tenofo df..... | 42 | erlotinib hcl..... | 29 |
| efavirenz-lamivudine-tenofovir..... | 42 | errin..... | 87 |
| ELIGARD..... | 89 | ertapenem sodium..... | 10 |
| elinest..... | 81 | ery 2% pad..... | 70 |
| ELIQUIS..... | 51 | erythromycin..... | 11,70,100 |
| ELIQUIS DVT/PE STARTER PACK..... | 51 | ERYTHROMYCIN..... | 70 |
| ELMIRON..... | 78 | erythromycin base..... | 11 |
| eluryng..... | 81 | erythromycin ethylsuccinate..... | 11 |
| EMGALITY..... | 23 | escitalopram oxalate..... | 18 |
| EMGALITY (300 MG DOSE)..... | 23 | eslicarbazepine acetate..... | 15 |
| EMSAM..... | 18 | esomeprazole magnesium..... | 76 |
| emtricitab- rilpivir-tenofov df..... | 42 | estarylla..... | 81 |
| emtricitabine..... | 43 | estradiol..... | 81 |
| emtricitabine-tenofovir df..... | 43 | estrogens conjugated..... | 81 |
| EMTRIVA..... | 43 | ethambutol hcl..... | 24 |
| emzahn..... | 87 | ethosuximide..... | 13 |
| enalapril maleate..... | 55 | ethynodiol diac-eth estradiol..... | 81 |
| enalapril-hydrochlorothiazide..... | 59 | etodolac..... | 2 |
| ENBREL..... | 92 | etodolac er..... | 2 |
| ENBREL MINI..... | 92 | etonogestrel-ethinyl estradiol..... | 81 |
| ENBREL SURECLICK..... | 92 | etravirine..... | 42 |
| endocet..... | 3,4 | EUCRISA..... | 68 |
| | | EULEXIN..... | 25 |

| | | | |
|-------------------------------|-------|-------------------------------------|--------|
| everolimus..... | 29,92 | flac..... | 102 |
| EVOTAZ..... | 44 | FLEBOGAMMA DIF..... | 90 |
| exemestane..... | 27 | flecainide acetate..... | 56 |
| EXXUA..... | 17 | fluconazole..... | 22 |
| EXXUA TITRATION PACK..... | 17 | fluconazole in sodium chloride..... | 22 |
| EYSUVIS..... | 101 | flucytosine..... | 22 |
| ezetimibe..... | 62 | fludrocortisone acetate..... | 78 |
| ezetimibe-simvastatin..... | 62 | flunisolide..... | 103 |
| F | | fluocinolone acetonide..... | 68,102 |
| falmina..... | 82 | fluocinolone acetonide body..... | 68 |
| famciclovir..... | 45 | fluocinolone acetonide scalp..... | 68 |
| famotidine..... | 75 | fluocinonide..... | 68 |
| FANAPT..... | 38 | fluocinonide emulsified base..... | 68 |
| FANAPT TITRATION PACK A..... | 38 | fluorometholone..... | 101 |
| FANAPT TITRATION PACK B..... | 38 | fluorouracil..... | 26,69 |
| FANAPT TITRATION PACK C..... | 38 | fluoxetine hcl..... | 19 |
| FARXIGA..... | 63 | fluphenazine decanoate..... | 37 |
| FASENRA..... | 107 | fluphenazine hcl..... | 37 |
| FASENRA PEN..... | 107 | flurbiprofen..... | 2 |
| feirza 1.5/30..... | 82 | flurbiprofen sodium..... | 101 |
| feirza 1/20..... | 82 | fluticasone propionate..... | 68,103 |
| felbamate..... | 12 | fluticasone propionate diskus..... | 103 |
| felodipine er..... | 57 | fluticasone propionate hfa..... | 103 |
| femynor..... | 82 | fluticasone-salmeterol..... | 107 |
| fenofibrate..... | 61 | fluvastatin sodium..... | 61 |
| fenofibrate micronized..... | 61 | fluvastatin sodium er..... | 61 |
| fentanyl..... | 3 | fluvoxamine maleate..... | 19 |
| fesoterodine fumarate er..... | 77 | fondaparinux sodium..... | 52 |
| FETZIMA..... | 18 | formoterol fumarate..... | 105 |
| FETZIMA TITRATION..... | 18 | fosamprenavir calcium..... | 44 |
| FIASP..... | 50 | fosfomycin tromethamine..... | 7 |
| FIASP FLEXTOUCH..... | 50 | fosinopril sodium..... | 55 |
| FIASP PENFILL..... | 50 | fosinopril sodium-hctz..... | 59 |
| FIASP PUMPCART..... | 50 | FOTIVDA..... | 29 |
| fidaxomicin..... | 11 | FRUZAQLA..... | 27 |
| finasteride..... | 77 | FULPHILA..... | 53 |
| fingolimod hcl..... | 65 | fulvestrant..... | 26 |
| FINTEPLA..... | 13 | furosemide..... | 60 |
| FIRMAGON..... | 89 | FUROSEMIDE..... | 60 |
| FIRMAGON (240 MG DOSE)..... | 89 | fyavolv..... | 82 |
| | | FYCOMPA..... | 13 |

G

| | |
|--|-------|
| gabapentin | 14 |
| galantamine hydrobromide | 16,17 |
| galantamine hydrobromide er | 17 |
| gallifrey | 87 |
| GAMMAGARD | 90 |
| GAMMAGARD ERC | 90 |
| GAMMAGARD S/D LESS IGA | 90 |
| GAMMAKED | 90 |
| GAMMAPLEX | 90 |
| GAMUNEX-C | 91 |
| GARDASIL 9 | 94 |
| gatifloxacin | 100 |
| GATTEX | 75 |
| GAUZE PADS & DRESSINGS - PADS 2 X 2 | 98 |
| gavilyte-c | 75 |
| gavilyte-g | 75 |
| gavilyte-n with flavor pack | 75 |
| GAVRETO | 29 |
| gefitinib | 29 |
| gemfibrozil | 61 |
| GEMTESA | 77 |
| generlac | 74 |
| gengraf | 92 |
| gentamicin in saline | 6 |
| gentamicin sulfate | 6,100 |
| GENVOYA | 41 |
| GILOTRIF | 29 |
| glatiramer acetate | 65 |
| glatopa | 65 |
| GLEOSTINE | 25 |
| glimepiride | 47 |
| glipizide | 47 |
| glipizide er | 47,48 |
| glipizide-metformin hcl | 48 |
| glucagon emergency | 50 |
| glucagon emergency 1 mg kit (generic) | 50 |
| glyburide | 48 |
| glyburide-metformin | 48 |

| | |
|-----------------------------|----|
| glycopyrrolate | 74 |
| GLYXAMBI | 48 |
| GOMEKLI | 29 |
| granisetron hcl | 21 |
| griseofulvin microsize | 22 |
| griseofulvin ultramicrosize | 22 |
| guanfacine hcl er | 64 |

H

| | |
|--|----|
| HADLIMA | 92 |
| HADLIMA PUSH TOUCH | 92 |
| HAEGARDA | 90 |
| hailey 1.5/30 | 82 |
| hailey fe 1.5/30 | 82 |
| hailey fe 1/20 | 82 |
| halobetasol propionate | 68 |
| haloette | 82 |
| haloperidol | 37 |
| haloperidol decanoate | 37 |
| haloperidol lactate | 37 |
| HAVRIX | 94 |
| heather | 87 |
| heparin sodium (porcine) | 52 |
| heparin sodium (porcine) +rfid | 52 |
| heparin sodium (porcine) pf | 52 |
| HEPLISAV-B | 94 |
| HERCEPTIN HYLECTA | 34 |
| HERNEXEOS | 29 |
| HIBERIX | 94 |
| HUMIRA (2 PEN) | 92 |
| HUMIRA (2 PEN) 40 MG/0.4ML AUT-IJ KIT (ABBVIE PRODUCT ONLY) | 92 |
| HUMIRA (2 PEN) 80 MG/0.8ML AUT-IJ KIT (ABBVIE PRODUCT ONLY) | 92 |
| HUMIRA (2 SYRINGE) | 93 |
| HUMIRA 10 MG/0.1ML PREF SY KT (ABBVIE PRODUCT ONLY) | 93 |
| HUMIRA 20 MG/0.2ML PREF SY KT (ABBVIE PRODUCT ONLY) | 93 |
| HUMIRA 40 MG/0.4ML PREF SY KT (ABBVIE PRODUCT ONLY) | 93 |

| | | | |
|-----------------------------------|-------|-------------------------------------|-------|
| HUMIRA-PSORIASIS/UEVIT STARTER... | 93 | INFLECTRA..... | 93 |
| HUMULIN R U-500 (CONCENTRATED)... | 50 | INLURIYO..... | 26 |
| HUMULIN R U-500 KWIKPEN..... | 50 | INLYTA..... | 30 |
| hydralazine hcl..... | 63 | INQOVI..... | 27 |
| hydrochlorothiazide..... | 61 | INREBIC..... | 30 |
| hydrocodone-acetaminophen..... | 4 | INSULIN PEN NEEDLE | |
| hydrocortisone..... | 68,97 | (NOVO/BD/EMBECTA/ULTIMED/OWEN/TRI | |
| hydrocortisone (perianal)..... | 68 | VIDIA)..... | 98 |
| hydrocortisone valerate..... | 68 | INSULIN SYRINGE (DISP) U-100 0.3 ML | |
| hydrocortisone-acetic acid..... | 102 | (BD/EMBECTA/ULTIMED/ALLISON/TRIVIDI | |
| hydromorphone hcl..... | 4 | A/MHC)..... | 98 |
| hydroxychloroquine sulfate..... | 35 | INSULIN SYRINGE (DISP) U-100 1 ML | |
| hydroxyurea..... | 27 | (BD/EMBECTA/ULTIMED/ALLISON/TRIVIDI | |
| hydroxyzine hcl..... | 104 | A/MHC)..... | 98 |
| hydroxyzine pamoate..... | 46 | INSULIN SYRINGE (DISP) U-100 1/2 ML | |
| HYRNUO..... | 29 | (BD/EMBECTA/ULTIMED/ALLISON/TRIVIDI | |
| | | A/MHC)..... | 98 |
| | | INTELENCE..... | 42 |
| | | INTRALIPID..... | 98 |
| | | introvale..... | 82 |
| | | INVEGA HAFYERA..... | 38 |
| | | INVEGA SUSTENNA..... | 38 |
| | | INVEGA TRINZA..... | 38,39 |
| | | IPOL..... | 95 |
| | | ipratropium bromide..... | 104 |
| | | ipratropium-albuterol..... | 107 |
| | | irbesartan..... | 54 |
| | | irbesartan-hydrochlorothiazide..... | 59 |
| | | ISENTRESS..... | 41 |
| | | ISENTRESS HD..... | 42 |
| | | isibloom..... | 82 |
| | | ISOLYTE-P IN D5W..... | 71 |
| | | ISOLYTE-S..... | 71 |
| | | ISOLYTE-S PH 7.4..... | 71 |
| | | isoniazid..... | 24 |
| | | ISOPROPYL ALCOHOL 0.7 ML/ML | |
| | | MEDICATED PAD..... | 98 |
| | | isosorbide dinitrate..... | 63 |
| | | isosorbide mononitrate..... | 63 |
| | | isosorbide mononitrate er..... | 63 |
| | | isotretinoin..... | 66 |
| ibandronate sodium..... | 97 | | |
| IBRANCE..... | 29 | | |
| IBTROZI..... | 29 | | |
| ibu..... | 2 | | |
| ibuprofen..... | 2 | | |
| icatibant acetate..... | 90 | | |
| iclevia..... | 82 | | |
| ICLUSIG..... | 29 | | |
| IDHIFA..... | 29 | | |
| imatinib mesylate..... | 29 | | |
| IMBRUVICA..... | 29 | | |
| imipenem-cilastatin..... | 10 | | |
| imipramine hcl..... | 20 | | |
| imiquimod..... | 69 | | |
| IMKELDI..... | 30 | | |
| IMOVAX RABIES..... | 94 | | |
| IMPAVIDO..... | 35 | | |
| INBRIJA..... | 36 | | |
| incassia..... | 87 | | |
| INCRELEX..... | 79 | | |
| INCRUSE ELLIPTA..... | 104 | | |
| indapamide..... | 61 | | |
| INFANRIX..... | 94 | | |

| | | | |
|-------------------------------|-----|-----------------------------------|-------|
| isradipine..... | 57 | kelnor 1/35..... | 82 |
| ITOVEBI..... | 30 | kelnor 1/50..... | 83 |
| itraconazole..... | 22 | KERENDIA..... | 62 |
| ivabradine hcl..... | 59 | KESIMPTA..... | 65 |
| ivermectin..... | 34 | ketoconazole..... | 22 |
| IWILFIN..... | 27 | ketorolac tromethamine..... | 101 |
| IXIARO..... | 95 | KEYTRUDA..... | 34 |
| J | | KINRIX..... | 95 |
| JAKAFI..... | 30 | kionex..... | 73 |
| jantoven..... | 52 | KISQALI (200 MG DOSE)..... | 30 |
| JANUMET..... | 48 | KISQALI (400 MG DOSE)..... | 30 |
| JANUMET XR..... | 48 | KISQALI (600 MG DOSE)..... | 30 |
| JANUVIA..... | 48 | KISQALI FEMARA (400 MG DOSE)..... | 30 |
| JARDIANCE..... | 63 | KISQALI FEMARA (600 MG DOSE)..... | 30 |
| jasmiel..... | 82 | klayesta..... | 22 |
| javygtor..... | 76 | klor-con..... | 71 |
| JAYPIRCA..... | 30 | klor-con 10..... | 71 |
| jencycla..... | 87 | klor-con m10..... | 71 |
| JENTADUETO..... | 48 | klor-con m15..... | 71 |
| JENTADUETO XR..... | 48 | klor-con m20..... | 71 |
| jinteli..... | 82 | KLOXXADO..... | 6 |
| jolessa..... | 82 | KOSELUGO..... | 30 |
| juleber..... | 82 | kourzeq..... | 66 |
| JULUCA..... | 42 | KRAZATI..... | 30 |
| junel 1.5/30..... | 82 | kurvelo..... | 83 |
| junel 1/20..... | 82 | L | |
| junel fe 1.5/30..... | 82 | l-glutamine..... | 76 |
| junel fe 1/20..... | 82 | labetalol hcl..... | 56 |
| JYNNEOS..... | 95 | lacosamide..... | 15 |
| K | | lactulose..... | 74 |
| KADCYLA..... | 34 | lactulose encephalopathy..... | 74 |
| KALETRA..... | 44 | lamivudine..... | 41,43 |
| kalliga..... | 82 | lamivudine-zidovudine..... | 43 |
| KALYDECO..... | 105 | lamotrigine..... | 13,47 |
| KANJINTI..... | 34 | lamotrigine er..... | 13 |
| kariva..... | 82 | lanreotide acetate..... | 89 |
| kcl (0.149%) in nacl..... | 71 | lansoprazole..... | 76 |
| kcl in dextrose-nacl..... | 71 | LANTUS..... | 50 |
| KCL-LACTATED RINGERS-D5W..... | 71 | LANTUS SOLOSTAR..... | 50 |
| | | lapatinib ditosylate..... | 30 |

| | | | |
|--------------------------------------|-----|-------------------------------------|-----|
| larin 1.5/30..... | 83 | levoxyl..... | 89 |
| larin 1/20..... | 83 | lidocaine..... | 5 |
| larin fe 1.5/30..... | 83 | lidocaine viscous hcl..... | 5 |
| larin fe 1/20..... | 83 | lidocaine-prilocaine..... | 5 |
| latanoprost..... | 102 | lidocan..... | 5 |
| LAZCLUZE..... | 30 | LILETTA (52 MG)..... | 87 |
| lederle leucovorin..... | 27 | linezolid..... | 7 |
| leflunomide..... | 93 | LINZESS..... | 74 |
| lenalidomide..... | 26 | liomny..... | 89 |
| LENVIMA (10 MG DAILY DOSE)..... | 30 | liothyronine sodium..... | 89 |
| LENVIMA (12 MG DAILY DOSE)..... | 30 | lisinopril..... | 55 |
| LENVIMA (14 MG DAILY DOSE)..... | 30 | lisinopril-hydrochlorothiazide..... | 59 |
| LENVIMA (18 MG DAILY DOSE)..... | 30 | lithium..... | 47 |
| LENVIMA (20 MG DAILY DOSE)..... | 30 | lithium carbonate..... | 47 |
| LENVIMA (24 MG DAILY DOSE)..... | 30 | lithium carbonate er..... | 47 |
| LENVIMA (4 MG DAILY DOSE)..... | 30 | LIVTENCITY..... | 40 |
| LENVIMA (8 MG DAILY DOSE)..... | 30 | lo-zumandimine..... | 83 |
| lessina..... | 83 | loestrin 1.5/30 (21)..... | 83 |
| letrozole..... | 27 | loestrin 1/20 (21)..... | 83 |
| leucovorin calcium..... | 27 | loestrin fe 1.5/30..... | 83 |
| LEUKERAN..... | 25 | loestrin fe 1/20..... | 83 |
| leuprolide acetate..... | 89 | LOKELMA..... | 73 |
| levalbuterol hcl..... | 105 | lomustine..... | 25 |
| levalbuterol tartrate..... | 105 | LONSURF..... | 27 |
| levetiracetam..... | 13 | loperamide hcl..... | 74 |
| levetiracetam er..... | 13 | lopinavir-ritonavir..... | 44 |
| LEVETIRACETAM IN NAACL..... | 13 | lorazepam..... | 47 |
| levo-t..... | 88 | lorazepam intensol..... | 47 |
| levobunolol hcl..... | 101 | LORBRENA..... | 31 |
| levocarnitine..... | 73 | loryna..... | 83 |
| levocarnitine sf..... | 73 | losartan potassium..... | 54 |
| levocetirizine dihydrochloride..... | 104 | losartan potassium-hctz..... | 59 |
| levofloxacin..... | 11 | LOTEMAX..... | 101 |
| levofloxacin in d5w..... | 11 | loteprednol-tobramycin..... | 99 |
| levofloxacin oral soln 25 mg/ml..... | 11 | lovastatin..... | 61 |
| levonest..... | 83 | low-ogestrel..... | 83 |
| levonorg-eth estrad triphasic..... | 83 | loxapine succinate..... | 37 |
| levonorgest-eth estrad 91-day..... | 83 | luizza 1.5/30..... | 83 |
| levonorgestrel-ethinyl estrad..... | 83 | luizza 1/20..... | 83 |
| levora 0.15/30 (28)..... | 83 | LUMAKRAS..... | 31 |
| levothyroxine sodium..... | 89 | LUMIGAN..... | 102 |

| | | | |
|-----------------------------|-------|--------------------------------|-------|
| LUPRON DEPOT (1-MONTH) | 89 | mesalamine er | 96 |
| LUPRON DEPOT (3-MONTH) | 89 | mesalamine-cleanser | 96 |
| LUPRON DEPOT-PED (1-MONTH) | 89 | mesna | 34 |
| LUPRON DEPOT-PED (3-MONTH) | 89 | metformin hcl | 48 |
| LUPRON DEPOT-PED (6-MONTH) | 89 | metformin hcl er | 48 |
| lurasidone hcl | 39 | methadone hcl | 3 |
| lutea | 84 | methazolamide | 102 |
| lyleq | 87 | methenamine hippurate | 7 |
| LYNPARZA | 31 | methimazole | 90 |
| LYSODREN | 27 | methocarbamol | 108 |
| LYTGOBI (12 MG DAILY DOSE) | 31 | methotrexate sodium | 93 |
| LYTGOBI (16 MG DAILY DOSE) | 31 | methotrexate sodium (pf) | 93 |
| LYTGOBI (20 MG DAILY DOSE) | 31 | methsuximide | 14 |
| lyza | 87 | methylphenidate hcl | 64 |
| M | | methylphenidate hcl er | 64 |
| M-M-R II | 95 | methylprednisolone | 78 |
| MAGNESIUM SULFATE | 71 | methylprednisolone acetate | 78 |
| malathion | 70 | methylprednisolone sodium succ | 78 |
| maraviroc | 44 | metoclopramide hcl | 20 |
| marlissa | 84 | metolazone | 61 |
| MARPLAN | 18 | metoprolol succinate er | 56 |
| MATULANE | 25 | metoprolol tartrate | 56 |
| matzim la | 58 | metoprolol-hydrochlorothiazide | 59 |
| MAVYRET | 41 | metronidazole | 7,66 |
| meclizine hcl | 20 | metyrosine | 59 |
| medroxyprogesterone acetate | 87,88 | micafungin sodium | 22 |
| mefloquine hcl | 35 | microgestin 1.5/30 | 84 |
| megestrol acetate | 88 | microgestin 1/20 | 84 |
| MEKINIST | 31 | microgestin fe 1.5/30 | 84 |
| MEKTOVI | 31 | microgestin fe 1/20 | 84 |
| meleya | 88 | midodrine hcl | 54 |
| meloxicam | 2 | MIEBO | 99 |
| memantine hcl | 17 | mifepristone | 89 |
| MEMANTINE HCL | 17 | mili | 84 |
| memantine hcl er | 17 | minocycline hcl | 12 |
| MENQUADFI | 95 | minoxidil | 63 |
| MENVEO | 95 | mirabegron er | 77 |
| mercaptopurine | 26 | mirtazapine | 17,18 |
| meropenem | 10 | misoprostol | 75 |
| mesalamine | 96 | modafinil | 108 |
| | | MODEYSO | 27 |

| | | | |
|-------------------------------------|--------|-------------------------------------|--------|
| moexipril hcl..... | 55 | neo-polycin hc..... | 99 |
| molindone hcl..... | 37 | neomycin sulfate..... | 6 |
| mometasone furoate..... | 68,103 | NEOMYCIN-BACITRACIN ZN-POLYMYX..... | 99 |
| mondoxyne nl..... | 12 | neomycin-polymyxin-dexameth..... | 99 |
| mono-lynyah..... | 84 | neomycin-polymyxin-gramicidin..... | 99 |
| montelukast sodium..... | 104 | neomycin-polymyxin-hc..... | 99,103 |
| morphine sulfate..... | 4 | NERLYNX..... | 31 |
| morphine sulfate (concentrate)..... | 4 | nevirapine..... | 42 |
| morphine sulfate er..... | 3 | nevirapine er..... | 42 |
| MOUNJARO..... | 48 | NEXLETOL..... | 59 |
| MOVANTIK..... | 74 | NEXLIZET..... | 62 |
| moxifloxacin hcl..... | 11,100 | NEXPLANON..... | 88 |
| moxifloxacin hcl in nacl..... | 11 | niacin er (antihyperlipidemic)..... | 62 |
| MRESVIA..... | 95 | nicardipine hcl..... | 57 |
| MULTAQ..... | 56 | NICOTROL NS..... | 6 |
| multiple electro type 1 ph 5.5..... | 72 | nifedipine er..... | 57 |
| multiple electro type 1 ph 7.4..... | 72 | nifedipine er osmotic release..... | 57 |
| mupirocin..... | 70 | nikki..... | 84 |
| MVASI..... | 34 | nilotinib hcl..... | 31 |
| mycophenolate mofetil..... | 93 | nilutamide..... | 25 |
| mycophenolate sodium..... | 93 | nimodipine..... | 57 |
| mycophenolic acid..... | 93 | NINLARO..... | 31 |
| MYRBETRIQ..... | 77 | nitazoxanide..... | 35 |
| N | | nitisinone..... | 76 |
| na sulfate-k sulfate-mg sulf..... | 75 | NITRO-BID..... | 63 |
| nabumetone..... | 2 | nitrofurantoin macrocrystal..... | 7 |
| nadolol..... | 56 | nitrofurantoin monohyd macro..... | 7 |
| nafcillin sodium..... | 10 | nitroglycerin..... | 63 |
| naloxone hcl..... | 6 | nizatidine..... | 75 |
| naltrexone hcl..... | 5 | nora-be..... | 88 |
| NAMZARIC..... | 16 | NORDITROPIN FLEXPRO..... | 79 |
| naproxen..... | 2,3 | norelgestromin-eth estradiol..... | 84 |
| naratriptan hcl..... | 24 | norethin ace-eth estrad-fe..... | 84 |
| nateglinide..... | 48,49 | norethindron-ethinyl estrad-fe..... | 84 |
| NAYZILAM..... | 14 | norethindrone..... | 88 |
| nebivolol hcl..... | 57 | norethindrone acet-ethinyl est..... | 84 |
| necon 0.5/35 (28)..... | 84 | norethindrone acetate..... | 88 |
| NEEDLES, INSULIN DISP., SAFETY..... | 98 | norethindrone-eth estradiol..... | 84 |
| nefazodone hcl..... | 19 | norgestim-eth estrad triphasic..... | 84 |
| neo-polycin..... | 99 | norgestimate-eth estradiol..... | 84 |
| | | norlyda..... | 88 |

| | | | |
|---------------------------|-----|------------------------------------|---------|
| norlyroc | 88 | OGIVRI | 34 |
| nortrel 0.5/35 (28) | 84 | OGSIVEO | 31 |
| nortrel 1/35 (21) | 84 | OJEMDA | 31 |
| nortrel 1/35 (28) | 84 | OJJAARA | 27 |
| nortrel 7/7/7 | 84 | olanzapine | 39 |
| nortriptyline hcl | 20 | olmesartan medoxomil | 55 |
| NORVIR | 44 | olmesartan medoxomil-hctz | 59 |
| NOVOLIN 70/30 | 50 | olmesartan-amlodipine-hctz | 59 |
| NOVOLIN 70/30 FLEXPEN | 50 | omega-3-acid ethyl esters | 62 |
| NOVOLIN N | 50 | omeprazole | 76 |
| NOVOLIN N FLEXPEN | 50 | ondansetron | 21 |
| NOVOLIN R | 50 | ondansetron hcl | 21 |
| NOVOLIN R FLEXPEN | 51 | ondansetron hcl +rfid | 21 |
| NOVOLOG | 51 | ondansetron hcl oral soln 4 mg/5ml | 21 |
| NOVOLOG FLEXPEN | 51 | ONUREG | 26 |
| NOVOLOG FLEXPEN RELION | 51 | OPIPZA | 39 |
| NOVOLOG MIX 70/30 | 51 | OPSUMIT | 106 |
| NOVOLOG MIX 70/30 FLEXPEN | 51 | OPVEE | 6 |
| NOVOLOG PENFILL | 51 | oralone | 66 |
| NOVOLOG RELION | 51 | ORGOVYX | 27 |
| NUBEQA | 25 | ORKAMBI | 105,106 |
| NUDEXTA | 64 | orquidea | 88 |
| NULOJIX | 93 | ORSERDU | 26 |
| NUPLAZID | 39 | oseltamivir phosphate | 45 |
| NURTEC | 23 | oxacillin sodium | 10 |
| NUTRILIPID | 98 | oxcarbazepine | 15 |
| nyamyc | 22 | oxybutynin chloride | 77 |
| nylia 1/35 | 85 | oxybutynin chloride er | 77 |
| nylia 7/7/7 | 85 | oxycodone hcl | 4 |
| nymyo | 85 | oxycodone-acetaminophen | 4 |
| nystatin | 22 | OZEMPIC (0.25 OR 0.5 MG/DOSE) | 49 |
| nystop | 22 | OZEMPIC (1 MG/DOSE) | 49 |
| | | OZEMPIC (2 MG/DOSE) | 49 |
| O | | | |
| ocella | 85 | P | |
| OCTAGAM | 91 | pacerone | 56 |
| octreotide acetate | 90 | paliperidone er | 39 |
| ODEFSEY | 42 | PANRETIN | 34 |
| ODOMZO | 31 | pantoprazole sodium | 76 |
| OFEV | 107 | PANZYGA | 91 |
| ofloxacin | 100 | paricalcitol | 97 |

| | | | |
|--|--------|-------------------------------------|-------|
| paroxetine hcl..... | 19 | pimtrex..... | 85 |
| PAXLOVID (150/100)..... | 46 | pindolol..... | 57 |
| PAXLOVID (300/100 & 150/100)..... | 46 | pioglitazone hcl..... | 49 |
| PAXLOVID (300/100)..... | 46 | pioglitazone hcl-metformin hcl..... | 49 |
| pazopanib hcl..... | 31 | piperacillin sod-tazobactam so..... | 10 |
| PEDIARIX..... | 95 | PIQRAY (200 MG DAILY DOSE)..... | 31 |
| PEDVAX HIB..... | 95 | PIQRAY (250 MG DAILY DOSE)..... | 31 |
| peg 3350-kcl-na bicarb-nacl..... | 75 | PIQRAY (300 MG DAILY DOSE)..... | 31 |
| peg-3350/electrolytes..... | 75 | pirfenidone..... | 107 |
| PEGASYS..... | 92 | pirmella 1/35..... | 85 |
| PEMAZYRE..... | 31 | piroxicam..... | 3 |
| PENBRAYA..... | 95 | pitavastatin calcium..... | 61 |
| penicillamine..... | 73 | plenamine..... | 72 |
| penicillin g potassium..... | 10 | podofilox..... | 69 |
| penicillin g sodium..... | 10 | polycin..... | 99 |
| penicillin v potassium..... | 10 | polymyxin b-trimethoprim..... | 100 |
| PENMENVY..... | 95 | POMALYST..... | 26 |
| PENTACEL..... | 95 | portia-28..... | 85 |
| pentamidine isethionate for nebulization soln 300 mg..... | 35 | posaconazole..... | 22,23 |
| pentamidine isethionate for soln 300 mg..... | 35 | POTASSIUM CHLORIDE..... | 72 |
| pentoxifylline er..... | 59 | potassium chloride crys er..... | 72 |
| perampanel..... | 13 | potassium chloride er..... | 72 |
| perindopril erbumine..... | 55 | potassium chloride in dextrose..... | 72 |
| perlogard..... | 66 | potassium chloride in nacl..... | 72 |
| permethrin..... | 70 | potassium citrate er..... | 72 |
| perphenazine..... | 20 | POTASSIUM CL IN DEXTROSE 5%..... | 72 |
| pfizerpen..... | 10 | pramipexole dihydrochloride..... | 36 |
| phenelzine sulfate..... | 18 | prasugrel hcl..... | 53 |
| PHENOBARBITAL..... | 14 | pravastatin sodium..... | 61 |
| phenobarbital..... | 14 | praziquantel..... | 35 |
| phenytek..... | 15 | prazosin hcl..... | 54 |
| phenytoin..... | 15 | prednisolone..... | 78 |
| phenytoin infatabs..... | 16 | prednisolone acetate..... | 101 |
| phenytoin sodium..... | 16 | prednisolone sodium phosphate..... | 78 |
| phenytoin sodium extended..... | 16 | PREDNISOLONE SODIUM PHOSPHATE..... | 101 |
| philith..... | 85 | prednisone..... | 78,79 |
| PIFELTRO..... | 42 | PREDNISONE INTENSOL..... | 79 |
| pilocarpine hcl..... | 66,102 | pregabalin..... | 65 |
| pimecrolimus..... | 68 | PREMARIN..... | 85 |
| pimozide..... | 37 | PREMASOL..... | 72 |
| | | PRENATAL VITAMIN ORAL TABLET..... | 74 |

| | | | |
|---------------------------------|--------|-----------------------------|-------|
| prevalite..... | 62 | quetiapine fumarate er..... | 39 |
| previfem..... | 85 | quinapril hcl..... | 55 |
| PREVYMIS..... | 40,41 | quinidine sulfate..... | 56 |
| PREZCOBIX..... | 45 | quinine sulfate..... | 35 |
| PREZISTA..... | 45 | QULIPTA..... | 23 |
| PRIFTIN..... | 25 | | |
| primaquine phosphate..... | 35 | R | |
| primidone..... | 14 | RABAVERT..... | 95 |
| PRIORIX..... | 95 | rabeprazole sodium..... | 76 |
| PRIVIGEN..... | 91 | RALDESY..... | 19 |
| probenecid..... | 23 | raloxifene hcl..... | 88 |
| prochlorperazine..... | 20 | ramelteon..... | 108 |
| prochlorperazine edisylate..... | 20 | ramipril..... | 55 |
| prochlorperazine maleate..... | 21 | ranolazine er..... | 60 |
| PROCRIT..... | 53 | rasagiline mesylate..... | 36 |
| procto-med hc..... | 69 | reclipsen..... | 85 |
| proctosol hc..... | 69 | RECOMBIVAX HB..... | 95 |
| proctozone-hc..... | 69 | relafen..... | 3 |
| progesterone..... | 88 | RELENZA DISKHALER..... | 45 |
| PROGRAF..... | 93 | RENFLEXIS..... | 93 |
| PROLASTIN-C..... | 76 | repaglinide..... | 49 |
| PROLIA..... | 97 | REPATHA..... | 62 |
| promethazine hcl..... | 21,104 | REPATHA SURECLICK..... | 62 |
| propafenone hcl..... | 56 | RESTASIS..... | 99 |
| propafenone hcl er..... | 56 | RESTASIS MULTIDOSE..... | 100 |
| propranolol hcl..... | 57 | RETACRIT..... | 53 |
| propranolol hcl er..... | 57 | RETEVMO..... | 31 |
| propylthiouracil..... | 90 | REVCOVI..... | 76 |
| PROQUAD..... | 95 | REVUFORJ..... | 31,32 |
| PROSOL..... | 72 | REXULTI..... | 39 |
| protriptyline hcl..... | 20 | REYATAZ..... | 45 |
| PULMICORT FLEXHALER..... | 103 | REZDIFFRA..... | 89 |
| PULMOZYME..... | 106 | REZLIDHIA..... | 32 |
| pyrazinamide..... | 25 | REZUROCK..... | 93 |
| pyridostigmine bromide..... | 24 | RHOPRESSA..... | 102 |
| pyrimethamine..... | 35 | ribavirin..... | 41 |
| | | rifabutin..... | 24 |
| Q | | rifampin..... | 25 |
| QINLOCK..... | 27 | riluzole..... | 64 |
| QUADRACEL..... | 95 | rimantadine hcl..... | 45 |
| quetiapine fumarate..... | 39 | RINVOQ..... | 91 |

| | | | |
|----------------------------------|-------|------------------------------------|-------|
| RINVOQ LQ..... | 91 | SIGNIFOR..... | 90 |
| risedronate sodium..... | 97,98 | sildenafil citrate..... | 106 |
| risperidone..... | 40 | silver sulfadiazine..... | 69 |
| risperidone microspheres er..... | 40 | SIMBRINZA..... | 102 |
| ritonavir..... | 45 | simliya..... | 85 |
| rivaroxaban..... | 52 | simvastatin..... | 61 |
| rivastigmine..... | 17 | sirolimus..... | 93,94 |
| rivastigmine tartrate..... | 17 | SIRTURO..... | 25 |
| rizatriptan benzoate..... | 24 | SKYRIZI..... | 91 |
| ROCKLATAN..... | 100 | SKYRIZI PEN..... | 91 |
| roflumilast..... | 106 | sodium chloride..... | 72 |
| ROMVIMZA..... | 32 | sodium chloride (pf)..... | 72 |
| ropinirole hcl..... | 36 | SODIUM FLUORIDE..... | 72 |
| rosuvastatin calcium..... | 61 | SODIUM OXYBATE..... | 109 |
| ROTARIX..... | 95 | sodium phenylbutyrate..... | 76 |
| ROTATEQ..... | 96 | sodium polystyrene sulfonate..... | 73 |
| roweepra..... | 13 | solifenacin succinate..... | 77 |
| ROZLYTREK..... | 32 | SOLQUA..... | 49 |
| RUBRACA..... | 32 | SOLTAMOX..... | 26 |
| rufinamide..... | 16 | SOMATULINE DEPOT..... | 90 |
| RUKOBIA..... | 44 | SOMAVERT..... | 90 |
| RUXIENCE..... | 34 | sorafenib tosylate..... | 32 |
| RYBELSUS..... | 49 | sotalol hcl..... | 56 |
| RYDAPT..... | 32 | sotalol hcl (af)..... | 56 |
| S | | SOTYKTU..... | 91 |
| sacubitril-valsartan..... | 60 | SPIRIVA RESPIMAT..... | 104 |
| sajazir..... | 90 | spironolactone..... | 62 |
| SANTYL..... | 69 | spironolactone-hctz..... | 60 |
| sapropterin dihydrochloride..... | 76 | sprintec 28..... | 85 |
| SCEMBLIX..... | 32 | SPRITAM..... | 13 |
| scopolamine..... | 21 | sps (sodium polystyrene sulf)..... | 73 |
| SECUADO..... | 40 | sronyx..... | 85 |
| selegiline hcl..... | 36 | ssd..... | 69 |
| SELENIUM SULFIDE..... | 69 | STELARA..... | 91 |
| SELZENTRY..... | 44 | sterile water for irrigation..... | 99 |
| SEREVENT DISKUS..... | 105 | STIVARGA..... | 32 |
| sertraline hcl..... | 19 | streptomycin sulfate..... | 6 |
| setlakin..... | 85 | STRIBILD..... | 42 |
| sharobel..... | 88 | subvenite..... | 47 |
| SHINGRIX..... | 96 | SUBVENITE..... | 47 |
| | | sucralfate..... | 75 |

| | | | |
|-------------------------------|-------|---|---------|
| sulfacetamide sodium | 100 | TEPMETKO | 32 |
| sulfacetamide sodium (acne) | 66 | terazosin hcl | 54 |
| sulfacetamide-prednisolone | 100 | terbinafine hcl | 23 |
| sulfadiazine | 11 | terbutaline sulfate | 105 |
| sulfamethoxazole-trimethoprim | 11 | terconazole | 23 |
| sulfasalazine | 97 | teriflunomide | 65 |
| sulindac | 3 | TERIPARATIDE | 98 |
| sumatriptan | 24 | testosterone | 79 |
| sumatriptan succinate | 24 | testosterone cypionate | 79 |
| sunitinib malate | 32 | testosterone enanthate | 79 |
| SUNLENCA | 44 | testosterone td gel pump 20.25 mg/act (1.62%) | 79 |
| syeda | 85 | tetrabenazine | 64 |
| SYMPAZAN | 14 | tetracycline hcl | 12 |
| SYMTUZA | 45 | THALOMID | 26 |
| SYNAREL | 90 | theophylline er | 106 |
| SYNTHROID | 89 | thioridazine hcl | 37 |
| T | | | |
| TABLOID | 26 | thiothixene | 37 |
| TABRECTA | 32 | tiadylt er | 58 |
| tacrolimus | 69,94 | tiagabine hcl | 14 |
| tadalafil | 77 | TIBSOVO | 32 |
| tadalafil (pah) | 106 | ticagrelor | 53 |
| TAFINLAR | 32 | TICOVAC | 96 |
| TAGRISSE | 32 | TIGECYCLINE | 7 |
| TALZENNA | 32 | tilia fe | 85 |
| tamoxifen citrate | 26 | TIMOLOL MALEATE | 57 |
| tamsulosin hcl | 77 | timolol maleate | 101 |
| tarina fe 1/20 eq | 85 | tinidazole | 8 |
| tasimelteon | 108 | tiotropium bromide 18 mcg cap (generic Spiriva HandiHaler) | 104 |
| TAVNEOS | 91 | TIVICAY | 42 |
| tazarotene | 66 | TIVICAY PD | 42 |
| tazicef | 9 | tizanidine hcl | 40 |
| TAZVERIK | 32 | TOBRADEX | 100 |
| TEFLARO | 9 | tobramycin | 100,106 |
| telmisartan | 55 | tobramycin sulfate | 6 |
| telmisartan-amlodipine | 60 | tobramycin-dexamethasone | 100 |
| telmisartan-hctz | 60 | tolterodine tartrate | 77 |
| temazepam | 108 | tolterodine tartrate er | 77 |
| TENIVAC | 96 | | |
| tenofovir disoproxil fumarate | 43 | | |

| | | | |
|--|-------|------------------------------|---------|
| tolvaptan (15 mg tab thpk, 30 & 15 mg tab thpk, 45 & 15 mg tab thpk, 60 & 30 mg tab thpk, 90 & 30 mg tab thpk – generic Jynarque)..... | 73 | tri-sprintec..... | 86 |
| tolvaptan 15 mg tab (generic Jynarque).... | 73 | tri-vylibra..... | 86 |
| tolvaptan 30 mg tab (generic Jynarque).... | 73 | tri-vylibra lo..... | 86 |
| topiramate..... | 13 | triamcinolone acetonide..... | 66,69 |
| toremifene citrate..... | 26 | triamterene-hctz..... | 60 |
| torpenz..... | 32 | triderm..... | 69 |
| torseamide..... | 60 | trientine hcl..... | 73 |
| TOUJEO MAX SOLOSTAR..... | 51 | trifluoperazine hcl..... | 37 |
| TOUJEO SOLOSTAR..... | 51 | trifluridine..... | 100 |
| TPN ELECTROLYTES..... | 72 | trihexyphenidyl hcl..... | 35 |
| TRADJENTA..... | 49 | TRIJARDY XR..... | 49 |
| tramadol hcl..... | 4 | TRIKAFTA..... | 106 |
| tramadol-acetaminophen..... | 4 | trimethoprim..... | 8 |
| trandolapril..... | 55 | trimipramine maleate..... | 20 |
| tranexamic acid..... | 53 | TRINTELLIX..... | 19 |
| tranylcypromine sulfate..... | 18 | TRIUMEQ..... | 43 |
| TRAVASOL..... | 73 | TRIUMEQ PD..... | 43 |
| travoprost (bak free)..... | 102 | TROGARZO..... | 44 |
| TRAZIMERA..... | 34 | TROPHAMINE..... | 73 |
| trazodone hcl..... | 19 | tropium chloride..... | 77 |
| TRELEGY ELLIPTA..... | 107 | tropium chloride er..... | 77 |
| TREMFYA..... | 91 | TRULANCE..... | 74 |
| TREMFYA ONE-PRESS..... | 91 | TRULICITY..... | 49 |
| TREMFYA PEN..... | 91 | TRUMENBA..... | 96 |
| TREMFYA-CD/UC INDUCTION..... | 91 | TRUQAP..... | 32 |
| TRESIBA..... | 51 | TRUXIMA..... | 34 |
| TRESIBA FLEXTOUCH..... | 51 | TUKYSA..... | 32 |
| tretinoin..... | 34,67 | TURALIO..... | 33 |
| tri femynor..... | 85 | turqoz..... | 86 |
| tri-estarylla..... | 85 | TWINRIX..... | 96 |
| tri-legest fe..... | 85 | TYBOST..... | 44 |
| tri-linyah..... | 86 | TYENNE..... | 91 |
| tri-lo-estarylla..... | 86 | TYPHIM VI..... | 96 |
| tri-lo-marzia..... | 86 | | |
| tri-lo-mili..... | 86 | U | |
| tri-lo-sprintec..... | 86 | UBRELVY..... | 23 |
| tri-mili..... | 86 | unithroid..... | 89 |
| tri-nymyo..... | 86 | UPTRAVI..... | 106,107 |
| | | ursodiol..... | 75 |
| | | USTEKINUMAB..... | 91 |

V

| | | | |
|--------------------------------|----|-------------------------------|-----|
| valacyclovir hcl | 46 | vilazodone hcl | 19 |
| VALCHLOR | 25 | VIMKUNYA | 96 |
| valganciclovir hcl | 41 | viorele | 86 |
| valproate sodium | 13 | VIRACEPT | 45 |
| valproic acid | 13 | VIREAD | 43 |
| valsartan | 55 | VITRAKVI | 33 |
| valsartan-hydrochlorothiazide | 60 | VIVITROL | 5 |
| VALTOCO 10 MG DOSE | 14 | VIVOTIF | 96 |
| VALTOCO 15 MG DOSE | 14 | VIZIMPRO | 33 |
| VALTOCO 20 MG DOSE | 14 | volnea | 86 |
| VALTOCO 5 MG DOSE | 14 | VONJO | 33 |
| valtya 1/35 | 86 | VOQUEZNA DUAL PAK | 75 |
| valtya 1/50 | 86 | VOQUEZNA TRIPLE PAK | 75 |
| vancomycin hcl | 8 | VORANIGO | 33 |
| VANFLYTA | 33 | voriconazole | 23 |
| VAQTA | 96 | VOSEVI | 41 |
| varenicline tartrate | 6 | VOWST | 75 |
| varenicline tartrate (starter) | 6 | VRAYLAR | 40 |
| varenicline tartrate(continue) | 6 | vyfemla | 86 |
| VARIVAX | 96 | vylibra | 86 |
| VASCEPA | 62 | VYZULTA | 102 |
| VAXCHORA | 96 | | |
| velivet | 86 | W | |
| VELSIPITY | 91 | warfarin sodium | 52 |
| VENCLEXTA | 33 | water for irrigation, sterile | 99 |
| VENCLEXTA STARTING PACK | 33 | WELIREG | 27 |
| venlafaxine hcl | 19 | wera | 86 |
| venlafaxine hcl er | 19 | WINREVAIR | 107 |
| verapamil hcl | 58 | wixela inhub | 108 |
| verapamil hcl er | 58 | WYOST | 98 |
| VERQUVO | 60 | | |
| VERSACLOZ | 40 | X | |
| VERZENIO | 33 | XALKORI | 33 |
| vestura | 86 | xarah fe | 87 |
| vienna | 86 | XARELTO | 52 |
| vigabatrin | 14 | XARELTO STARTER PACK | 52 |
| vigadrone | 14 | XATMEP | 94 |
| VIGAFYDE | 14 | XCOPRI | 16 |
| vigpoder | 15 | XCOPRI (250 MG DAILY DOSE) | 16 |
| | | XCOPRI (350 MG DAILY DOSE) | 16 |
| | | XDEMVI | 100 |

| | | | |
|----------------------------------|-----|------------------------|-----|
| XELJANZ..... | 91 | ZIRABEV..... | 34 |
| XELJANZ XR..... | 91 | ZIRGAN..... | 100 |
| XEOMIN..... | 108 | zoledronic acid..... | 98 |
| XERMELO..... | 74 | ZOLINZA..... | 27 |
| XIFAXAN..... | 8 | zolpidem tartrate..... | 108 |
| XIGDUO XR..... | 49 | ZONISADE..... | 16 |
| XIIDRA..... | 100 | zonisamide..... | 16 |
| XOFLUZA (40 MG DOSE)..... | 45 | zovia 1/35 (28)..... | 87 |
| XOFLUZA (80 MG DOSE)..... | 45 | ZTALMY..... | 15 |
| XOLAIR..... | 92 | zumandimine..... | 87 |
| XOSPATA..... | 33 | ZURZUVAE..... | 18 |
| XPOVIO (100 MG ONCE WEEKLY)..... | 33 | ZYDELIG..... | 34 |
| XPOVIO (40 MG ONCE WEEKLY)..... | 33 | ZYKADIA..... | 34 |
| XPOVIO (40 MG TWICE WEEKLY)..... | 33 | ZYLET..... | 100 |
| XPOVIO (60 MG ONCE WEEKLY)..... | 33 | | |
| XPOVIO (60 MG TWICE WEEKLY)..... | 33 | | |
| XPOVIO (80 MG ONCE WEEKLY)..... | 33 | | |
| XPOVIO (80 MG TWICE WEEKLY)..... | 33 | | |
| XTANDI..... | 26 | | |
| xulane..... | 87 | | |

Y

| | |
|--------------|-----|
| YF-VAX..... | 96 |
| YONSA..... | 26 |
| YUPELRI..... | 104 |
| yuvafem..... | 87 |

Z

| | |
|---------------------------|-----|
| zafemy..... | 87 |
| zafirlukast..... | 104 |
| zaleplon..... | 108 |
| ZARXIO..... | 53 |
| ZEGALOGUE..... | 50 |
| ZEJULA..... | 34 |
| ZELBORAF..... | 34 |
| zelvysia..... | 76 |
| zenatane..... | 67 |
| ZENPEP..... | 76 |
| zidovudine..... | 43 |
| ziprasidone hcl..... | 40 |
| ziprasidone mesylate..... | 40 |

This formulary was updated on 03/01/2026. For more recent information or other questions, please contact Jefferson Health Plans at 1-866-901-8000 (TTY 1-877-454-8477), or visit www.JeffersonHealthPlans.com/Medicare. From October 1 to March 31, we're available 8 a.m. to 8 p.m., 7 days a week. And from April 1 to September 30, we're available 8 a.m. to 8 p.m., Monday to Friday.

Jefferson Health Plans contracts with Medicare to offer HMO, HMO-DSNP, and PPO plans. Our HMO-DSNP also has a contract with the Pennsylvania State Medicaid program. Enrollment in our plans depends on contract renewal.

Y0170_MCE-540RX-8254.B_C

03/01/2026

Jefferson Health Plans

1101 Market Street, Suite 3000

Philadelphia, PA 19107

1-866-901-8000 (TTY 1-877-454-8477)

www.JeffersonHealthPlans.com/Medicare

