BRAND ANTIPSYCHOTICS

MEDICATION(S) SUBJECT TO STEP THERAPY

CAPLYTA, COBENFY, COBENFY STARTER PACK, FANAPT, FANAPT TITRATION PACK A, FANAPT TITRATION PACK B, FANAPT TITRATION PACK C, SECUADO

CRITERIA

Must try at least two of the following oral generic atypical antipsychotics: aripiprazole, asenapine, lurasidone, olanzapine, paliperidone, quetiapine, risperidone, ziprasidone. Must be used for a medically accepted indication not otherwise excluded from Part D. Applies to new starts only.

FEBUXOSTAT

MEDICATION(S) SUBJECT TO STEP THERAPY

FEBUXOSTAT

CRITERIA

Must try allopurinol. Must be used for a medically accepted indication not otherwise excluded from Part D.

LEVETIRACETAM

MEDICATION(S) SUBJECT TO STEP THERAPY

LEVETIRACETAM 250 MG TAB, LEVETIRACETAM 500 MG TAB, SPRITAM 250 MG TAB, SPRITAM 500 MG TAB

CRITERIA

Must try generic formulary levetiracetam oral solution. Must be used for a medically accepted indication not otherwise excluded from Part D. Applies to new starts only.

SANCUSO

MEDICATION(S) SUBJECT TO STEP THERAPY

SANCUSO

CRITERIA

Must try oral ondansetron or granisetron. Must be used for a medically accepted indication not otherwise excluded from Part D.

SGLT2

MEDICATION(S) SUBJECT TO STEP THERAPY

FARXIGA

CRITERIA

Must try generic dapagliflozin. Must be used for a medically accepted indication not otherwise excluded from Part D. Applies to new starts only.